

(19) World Intellectual Property Organization  
International Bureau




(43) International Publication Date  
15 February 2001 (15.02.2001)

PCT

(10) International Publication Number  
**WO 01/11074 A2**

- (51) International Patent Classification<sup>7</sup>: **C12Q**
- (21) International Application Number: **PCT/US00/21223**
- (22) International Filing Date: **3 August 2000 (03.08.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**09/369,364** **6 August 1999 (06.08.1999)** **US**
- (71) Applicant (for all designated States except US): **THE CLEVELAND CLINIC FOUNDATION [US/US]; 9500 Euclid Avenue, Cleveland, OH 44195 (US).**
- (74) Agent: **DOCHERTY, Pamela, A.; Calfee, Halter & Griswold LLP, Suite 1400, 800 Superior Avenue, Cleveland, OH 44114 (US).**
- (81) Designated States (national): **AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (regional): **ARIPO patent (GH, GM, HE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**
- (71) Applicants and  
(72) Inventors: **APTE, Suneel, S. [IN/US]; 19917 Malvern Road, Shaker Hts., OH 44122 (US). HURSKAINEN, Tiina, L. [FI/FI]; Onnelantie 3A, FIN-90230 Oulu (FI). HIROHATA, Satoshi [JP/US]; 6809 Mayfield Road, #859, Mayfield Hts., OH 44124 (US).**
- Published:  
— *Without international search report and to be republished on receipt of that report*
- For letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **NUCLEIC ACIDS ENCODING ZINC METALLOPROTEASES**



any polynucleotide, and may also be transformed or transfected into cells. The present invention also relates to antibodies which are immune specific for one or more of the ADAMTS-N proteins. The present invention also relates to a protein referred to hereinafter as ADAMTS-R1 (ADAM-TS Related protein-1) and the polynucleotides which encode such protein.

-1-

NUCLEIC ACIDS ENCODING ZINC METALLOPROTEASESBackground of the Invention

This invention relates to isolated nucleic acid molecules  
5 which encode proteins belonging to a zinc metalloprotease family.  
The zinc metalloproteases have been implicated in a variety of  
diseases and development disorders that involve\* enhanced or  
depressed proteolysis of components of the extracellular matrix,  
receptors, or other extracellular molecules.

10 More particularly, the invention relates to isolated nucleic  
acid molecules encoding proteins belonging to a subfamily of zinc  
metalloproteases referred to as "ADAMTS", an abbreviation for A  
Disintegrin-like And Metalloprotease domain with ThromboSpondin type  
I motifs. Proteins in the ADAMTS subfamily all possess a Zn  
15 protease catalytic site consensus sequence (HEXXH+H), which suggests  
an intact catalytic activity for each of these proteins. The ADAMTS  
proteins also have putative N-terminal signal peptides and lack  
transmembrane domains, which suggests that the proteins in this  
subfamily are secreted. The proteins in the ADAMTS subfamily also  
20 possess at least one thrombospondin type (TSP1) motif, which suggests  
a binding of these proteins to components of the extracellular matrix  
(ECM) or to cell surface components.

Members of the ADAMTS subfamily of proteins are ADAMTS-1,  
ADAMTS-2, ADAMTS-3, and ADAMTS-4. ADAMTS-1 protein is selectively  
25 expressed in colon 26 adenocarcinoma cachexigenic sublines. ADAMTS-1  
mRNA is induced by the inflammatory cytokine interleukin-1 in vitro  
and by intravenous administration of lipopolysaccharide in vivo.  
Thus, the ADAMTS-1 protein is believed to play a role in tumor

protease activity and may be a factor in the ADAMTS protein family.

-2-

cleavage of native triple-helical procollagen I and procollagen II. The ADAMTS-2 protein also has an affinity for collagen XIV. Lack of the ADAMTS-2 protein is known to cause dermatosparaxis in cattle, or Ehlers-Danlos syndrome type VIIC (EDS-VIIC) in humans. EDS-VIIC is characterized clinically by severe skin fragility, and biochemically by the presence in skin of procollagen which is incompletely processed at the amino terminus. Thus, it is believed that the ADAMTS-2 protein plays a role in processing of procollagen to mature collagen, an essential step for correct assembly of collagen into collagen fibrils. The ADAMTS-3 protein is similar in sequence to ADAMTS-2 and may have similar function.

The ADAMTS-4 protein catalyzes cleavage of the core protein of the extracellular matrix proteoglycan, aggrecan. Aggrecan degradation is an important factor in the erosion of articular cartilage in arthritic disease. Aggrecan fragments have been identified in cultures undergoing cartilage matrix degradation and in arthritic synovial fluids. Therefore, overexpression or activation of ADAMTS-4 protein may be related to both inflammatory and non-inflammatory arthritis.

On the basis of the structure, location, and the demonstrated proteolytic activity of ADAMTS proteins 1-4, it is expected that other members of the ADAMTS subfamily play a role in the cleavage of proteoglycan core proteins that are found in the extracellular matrix, such as, for example, versican, brevican, neuracan, NG-2, aggrecan, as well as molecules such as collagen. It is also expected that other members of the ADAMTS subfamily play a role in embryogenesis, implantation of a fertilized egg, angiogenesis,

Thus, it is believed that other members of the ADAMTS

-3-

subfamily of proteins, the nucleic acids that encode such proteins, and antibodies that are specific for such proteins. Such molecules are useful research tools for studying development of the extracellular matrix during embryogenesis and fetal development, and for studying disorders or diseases that are characterized by improper development of the extracellular matrix or enhanced or reduced destruction of the extracellular matrix. Such molecules, particularly the nucleic acids and the antibodies, are also useful tools for diagnosing such diseases or for monitoring the efficacy of therapeutic agents that have been developed to treat such diseases.

#### Summary of the Invention

The present invention provides novel, isolated, and substantially purified proteins having the characteristics of an ADAMTS protein. The novel proteins are referred to hereinafter individually as "ADAMTS-5", "ADAMTS-6", "ADAMTS-7", "ADAMTS-8", "ADAMTS-9" and "ADAMTS-10", and collectively as "ADAMTS-N". In one embodiment, the ADAMTS-5 protein is a mature mouse protein which comprises amino acid 231 through amino acid 930 of the sequence set forth in SEQ ID NO: 2. In another embodiment, ADAMTS-5 is a human ADAMTS-5 protein which comprises amino acid 1 through amino acid 518 of the sequence set forth in SEQ ID NO: 4. In one embodiment, mature human ADAMTS-6 protein comprises amino acid 245 through amino acid 860 of SEQ ID NO: 6. In one embodiment, mature human ADAMTS-7 protein comprises amino acid 233 through amino acid 997 of the sequence set forth in SEQ ID NO: 8. In one embodiment, mature ADAMTS-8 protein is a mouse protein which comprises amino acid 1 through amino acid 1000 of the sequence set forth in SEQ ID NO: 10. In one embodiment, mature ADAMTS-9 protein is a human protein which comprises amino acid 1 through amino acid 1000 of the sequence set forth in SEQ ID NO: 11. In one embodiment, mature ADAMTS-10 protein is a human protein which comprises amino acid 1 through amino acid 1000 of the sequence set forth in SEQ ID NO: 12.



-4-

is a human protein which comprises amino acid 236 through amino acid 1882 of the sequence set forth in SEQ ID NO: 14. In another embodiment, ADAMTS-9 protein is a mouse protein which comprises amino acid 1 through amino acid 974 of the sequence set forth in SEQ ID NO: 5 16. In one embodiment, mature ADAMTS 10 protein is a human protein which comprises amino acid 212 through amino acid 1081 of the sequence set forth in SEQ ID NO: 18. In another embodiment, ADAMTS-10 protein is a mouse protein which comprises amino acid 1 through amino acid 547 of the sequence set forth in SEQ ID NO: 20

10 The present invention also provides isolated polynucleotides which encode an ADAMTS-N protein or a variant thereof, polynucleotide sequences complementary to such polynucleotides, vectors containing such polynucleotides, and host cells transformed or transfected with such vectors. The present invention also relates to antibodies which 15 are immunospecific for one or more of the ADAMTS-N proteins. The present invention also relates to a protein referred to hereinafter as ADAMTS-R1 (ADAM-T-S Related protein-1) and the polynucleotides which encode such protein. In one embodiment, the ADAMTS-R1 protein comprises amino acid 1 through amino acid 525 of the sequence set 20 forth in SEQ. ID NO: 22.

#### Brief Description of the Drawings

Figure 1 shows an amino acid sequence (SEQ ID NO:2) of a full-length mouse ADAMTS-5 protein and a nucleic acid sequence (SEQ ID NO: 1) which encodes such protein.

25 Figure 2 shows an amino acid sequence (SEQ ID NO:4) of a partial human ADAMTS-5 protein and a nucleic acid sequence (SEQ ID NO: 3) which encodes such protein.

3. ADAMTS-R1 encodes such protein.

-5-

Figure 4 shows an amino acid sequence (SEQ ID NO:8) of a full-length human ADAMTS-7 protein and a nucleic acid sequence (SEQ ID NO:7) which encodes such protein.

Figure 5 shows an amino acid sequence (SEQ ID NO 10) of a full-length mouse ADAMTS-8 protein and a nucleic acid sequence (SEQ ID NO:9) which encodes such protein.

Figure 6 shows an amino acid sequence (SEQ ID NO: 12) of a partial human ADAMTS-8 protein and a nucleic acid sequence (SEQ ID NO: 11) which encodes such amino acid sequence.

10 Figure 7 shows an amino acid sequence (SEQ ID NO: 14), of a full-length human ADAMTS-9 protein and a nucleic acid sequence (SEQ ID NO: 13) which encodes such protein.

Figure 8 shows an amino acid sequence (SEQ ID NO. 16) of a partial mouse ADAMTS-9 protein and a nucleic acid sequence (SEQ ID NO: 15) 15 which encodes such amino acid sequence.

Figure 9 shows an amino acid sequence (SEQ ID NO 18) of a full-length human ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 17) which encodes such protein.

Figure 10 show's an amino acid sequence (SEQ ID NO:20) of a partial 20 mouse ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 19) which encodes such amino acid sequence.

Figure 11 shows an amino acid sequence (SEQ ID NO:22) of a full-length ADAMTS-R1 protein and a nucleic acid sequence (SEQ ID NO: 21) which encodes such protein.

25 Figure 12 depicts the cloning strategy used for isolation of a. mouse and human ADAMTS-5 cDNAs b. human ADAMTS-6 cDNA and c. human ADAMTS-7

regions of incompletely spliced transcripts are shown in the adjacent

-6-

dotted lines. DNA scale marker (in bp) and amino acid scale marker are at upper right. Location of the probe used for in situ hybridization (ISH) is shown in a.

Figure 13 shows the predicted amino acid sequences of a. the mouse 5 and human ADAMTS-5 proteins (alignment shows mouse sequence above, partial human sequence below) b. ADAMTS-6, and c. ADAMTS-7. The active-site sequences and proposed Met-turn are enclosed in boxes. Potential furin cleavage site(s) are indicated by arrows. Thrombospondin type 1 modules are underlined. Potential sites for N-10 linked glycosylation are overlined. Cysteine residues within the context of an MMP-like "cysteine switch" are indicated by the solid circles. Other cysteine residues are indicated by asterisks. The prodomain extends until the furin cleavage site, and the catalytic domain extends from the furin cleavage site to the approximate start 15 of the disintegrin-like sequence (Dis). The start of the spacer domain is indicated; the region between the N-terminal TS domain and the spacer domain is the cysteine-rich domain. The single letter amino acid code is used.

Figure 14 shows Northern analysis of expression of ADAMTS-5, 6 and 7. 20 RNA kilobase markers are shown at left of each autoradiogram, and tissue origin is indicated above each lane. a. Mouse embryo northern blots. b. Human multiple adult tissue northern blots.

Figure 15 is a schematic representation of the domain structure of ADAMTS-R1 protein as compared to ADAMTS-1 protein.

25 Figure 16 shows an amino acid sequence (SEQ ID NO: 24) of an alternative embodiment of a full length human ADAMTS-10 protein and a

30 protein designated as human ADAMTS 10 and a nucleic acid sequence

-7-

(SEQ ID NO: 25) which encodes such protein.

Figure 18 is a schematic representation of the domain structure of human ADAMTS-9b protein as compared to human and mouse ADAMTS-9 protein.

#### 5 Detailed Description of the Invention

##### ADAMTS-N Proteins

The present invention relates to novel, isolated, substantially purified, mammalian proteins belonging to the ADAMTS subfamily of metalloproteases. As used herein, the term "substantially purified" refers to a protein that is removed from its natural environment, isolated or separated, and at least 60% free, preferably 75% free, and most preferably 90% free from other components with which it is naturally associated.

The novel mammalian proteins are ADAMTS-5, ADAMTS-6, ADAMTS-7, ADAMTS-8, ADAMTS-9 and ADAMTS-10, collectively ADAMTS-N. In one embodiment, the ADAMTS-5 protein is a mature mouse protein which comprises amino acid 231 through amino acid 930 of the sequence set forth in SEQ ID NO: 2. In another embodiment, the ADAMTS-5 protein is a human protein which comprises amino acid 1 through amino acid 518 of the sequence set forth in SEQ ID NO: 4. In one embodiment, ADAMTS-6 protein is a mat-Lire human protein which comprises amino acid 245 through amino acid 860 of SEQ ID NO:6. In one embodiment, the ADAMTS-7 protein is a mature human protein which comprises amino acid 233 through amino acid 997 of the sequence set forth in SEQ ID NO: 8. In one embodiment, the ADAMTS-8 protein is a mature mouse protein which comprises amino acid 229 through amino acid 905 of the sequence set forth in SEQ ID NO: 10. In another embodiment, the

comprises amino acid 125 through amino acid 1257 of the sequence set

-8-

forth in SEQ ID NO: 14. In another embodiment, the ADAMTS-9 protein is a mouse protein which comprises amino acid 1 through amino acid 874 of the sequence set forth in SEQ ID NO: 16. In another embodiment, the ADAMTS-9 designated ADAMTS-9b is a human protein which is comprised of 1934 amino acids as set forth in SEQ ID NO 26. In one embodiment, the ADAMTS-10 protein is a mature human protein which comprises amino acid 212 through amino acid 1081 of the sequence set forth in SEQ ID NO: 18. In another embodiment the ADAMTS- 10 protein is a mouse protein which comprises amino acid 110 through amino acid 525 of the sequence set forth in SEQ ID NO:20. In another embodiment, the ADAMTS-10 protein is a human protein which is comprised of 1072 amino acids as set forth in SEQ ID NO 24.

All of the novel ADAMTS-N proteins starting at the amino terminus comprise a signal sequence followed by a putative pro region 15 which contains a consensus sequence for furin cleavage (except for ADAMTS-10), a catalytic domain, a domain of 60-90 residues with 35 to 45% similarity to snake venom disintegrins, a TS module, a cysteine rich domain containing multiple conserved cysteine residues, a spacer domain, and one or multiple C terminal TS modules. (See Figure 12.)

20 As determined using the BLAST software from the National Center for Biotechnology Information, the predicted mature forms of the ADAMTS-N proteins show an overall 20-30% similarity to each other and to ADAMTS-1-4, although this may be considerably higher or lower for individual domains as described below.

25 The ADAMTS-N proteins also encompass variants of the ADAMTS-N proteins shown in Figs. 1-10. A "variant" as used herein, refers to

of the reference sequence. The variant protein has an altered sequence

-9-

in which one or more of the amino acids in the reference sequence is deleted or substituted, or one or more amino acids are inserted into the sequence of the reference amino acid sequence. As a result of the alterations, the variant protein has an amino acid sequence which is at least 95% identical to the reference sequence, preferably, at least 97% identical, more preferably at least 98% identical, most preferably at least 99% identical to the reference sequence. Variant sequences which are at least 95% identical have no more than 5 alterations, i.e. any combination of deletions, insertions or substitutions, per 100 amino acids of the reference sequence.

Percent identity is determined by comparing the amino acid sequence of the variant with the reference sequence using MEGALIGN project in the DNA STAR program. Sequences are aligned for identity calculations using the method of the software basic local alignment search tool in the BLAST network service (the National Center for Biotechnology Information, Bethesda, MD) which employs the method of Altschul, S. F., Gish, W., Miller, W., Myers, E. W. & Lipman, D. J. (1990) *J. Mol. Biol.* 215, 403-410. Identities are calculated by the Align program (DNASTar, Inc.) In all cases, internal gaps and amino acid insertions in the candidate sequence as aligned are not ignored when making the identity calculation.

While it is possible to have nonconservative amino acid substitutions, it is preferred that the substitutions be conservative amino acid substitutions, in which the substituted amino acid has similar structural or chemical properties with the corresponding amino acid in the reference sequence. By way of example,

an amino acid e.g. serine and threonine with another substitution of

-10-

one acidic residue, e.g. glutamic acid or aspartic acid, with another; replacement of one amide-containing residue, e.g. asparagine and glutamine, with another; replacement of one aromatic, residue, e.g. phenylalanine and tyrosine, with another; replacement of one  
5 basic residue, e.g. lysine, arginine and histidine, with another; and replacement of one small amino acid, e.g., alanine, serine, threonine, methionine, and glycine, with another.

The alterations are designed not to abolish the immunoreactivity of the variant protein with antibodies that bind to  
10 the reference protein. Guidance in determining which amino acid residues may be substituted, inserted or deleted without abolishing immunoreactivity of the variant protein with an antibody specific for the respective reference protein are found using computer programs well known in the art, for example, DNASTAR software.

15 The ADAMTS-N proteins also encompass fusion proteins comprising an ADAMTS-N protein and a tag, i.e., a second protein or one or more amino acids, preferably from about 2 to 65 amino acids, more preferably from about 34 to about 62 amino acids, which are added to the amino terminus of, the carboxy terminus of, or any point within  
20 the amino acid sequence of an ADAMTS-N protein, or a variant of such protein. Typically, such additions are made to stabilize the resulting fusion protein or to simplify purification of an expressed recombinant form of the corresponding ADAMTS-N protein or variant of such protein. Such tags are known in the art. Representative  
25 examples of such tags include sequences which encode a series of histidine residues, the epitope tag FLAG, the Herpes simplex

30 one or more amino acids, preferably no more than 10 amino acids, or

-11-

the respective ADAMTS-N protein are altered by posttranslation processes or synthetic methods. Examples of such modifications include, but are not limited to, acetylation, amidation, ADP-ribosylation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or a lipid, cross-linking gamma-carboxylation, glycosylation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, sulfation, and transfer-RNA mediated additions of amino acids to proteins such as arginylation and ubiquitination.

The ADAMTS-N proteins are immunogenic and, thus, are useful for preparing antibodies. Such antibodies are useful for identifying and diagnosing disorders which are associated with decreased expression or activity or increased expression of an ADAMTS-N protein. The ADAMTS-N protein may also be useful for treating such disorder.

Diseases involving enhanced or depressed proteolysis of the core proteins of the extracellular may involve enhanced expression or activity or decreased expression or activity of one or more ADAMTS-N proteins. Thus, ADAMTS-N proteins may be used to identify drugs, polypeptides, auto-antibodies, or other natural compounds which bind to an ADAMTS-N protein with sufficient affinity to block or facilitate its activity. The activity of the ADAMTS-N protein is assayed in the presence and the absence of the putative inhibitor or facilitator using any of a variety of protease assays known in the art. In general, the activity of the ADAMTS-N protein is assayed through the use of a peptide or protein substrate having a known or predicted cleavage site. For example, the substrate may be tagged with a fluorescent group in the



-12-

side of the cleavage site and with a fluorescence-quenching group on the opposite side of the cleavage site. Upon cleavage by the substrate, quenching is eliminated and a detectable signal is produced. Alternatively, the substrate is tagged with a colorimetric leaving group that more strongly absorbs upon cleavage. Agents which block ADAMTS-N-catalyzed cleavage of a protein substrate may be administered to a subject to block proteolysis of the corresponding protein substrate.

#### ADAMTS-R1 Protein

10       The present invention also relates to a protein, referred to hereinafter as "ADAMTS-R1". From its amino to its carboxyl terminus, ADAMTS-R1 comprises a signal peptide sequence, a TS1 module, a cysteine-rich domain, a spacer domain, and three TS1 modules. Thus, ADAMTS-R1 has a structure which is related to or similar to an  
15 ADAMTS-N protein, but which lacks a catalytic domain and a disintegrin-like domain. In one embodiment, ADAMTS-R1, protein comprises amino acid 1 through amino acid 525 of the amino acid sequence, SEQ ID NO:22, shown in Fig. 11. Such protein has a 30-40% overall sequence identity with similar regions of the ADAMTS-N  
20 proteins. The ADAMTS-R1 proteins also encompass variants of the amino acid sequence shown in Fig. 11 and fusion proteins which contain the amino acid sequence shown in Fig. 11 or a variant thereof. On the basis of its domain organization, it is expected that ADAMTS-R1 can bind to extracellular matrix or cell surface  
25 molecules, including ADAMTS-N substrates. Thus, it is expected that ADAMTS-R1 can be used as an cell-matrix or cell-cell adhesion molecule or an ADAMTS-N competitive inhibitor. The ADAMTS-R1

1. A substrate for ADAMTS-N which has a cleavage site adjacent to a

-13-

expression or increased expression of. an ADAMTS-R1 protein.

#### Polynucleotides

The present invention also provides isolated polynucleotides which encode the mammalian ADAMTS-N proteins and the mammalian ADAMTS-R1 protein. Figure 1 shows one embodiment of a polynucleotide, SEQ ID NO: 1, which encodes the full-length mouse ADAMTS-5 protein. Figure 2 shows one embodiment of a polynucleotide, SEQ ID NO: 3, which encodes a partial human ADAMTS-5 protein. Figure 3 shows one embodiment of a polynucleotide, SEQ ID NO: 5, which encodes a full-length human ADAMTS-6 protein. Figure 4 shows one embodiment of a polynucleotide, SEQ ID NO: 7, which encodes a full-length human ADAMTS-7 protein. Figure 5 shows one embodiment of a polynucleotide, SEQ ID NO: 9, which encodes a full-length mouse ADAMTS-8 protein. Figure 6 shows one embodiment of a polynucleotide, SEQ ID NO: 11, which encodes a partial human ADAMTS-8 protein. Figure 7 shows one embodiment of a polynucleotide, SEQ ID NO: 13, which encodes a full-length human ADAMTS-9 protein. Figure 8 shows one embodiment of a polynucleotide, SEQ ID NO: 15, which encodes a partial ADAMTS-9 protein. Figure 9 shows one embodiment of a polynucleotide, SEQ ID NO: 17, which encodes a full-length human ADAMTS-10 protein. Figure 10 shows one embodiment of a polynucleotide, SEQ ID NO: 19, which encodes a partial mouse ADAMTS-10 protein. Figure 11 shows one embodiment of a polynucleotide, SEQ ID NO: 21, which encodes a full-length ADAMTS-R1 protein.

Due to the known degeneracy of the genetic code wherein more than one codon can encode the same amino acid, a DNA sequence may vary from that shown in SEQ ID NO: 1 and still encode an ADAMTS-5

-14-

in SEQ ID NOS: 6. Similarly a DNA sequence may vary from that shown in SEQ ID NOS: 7, 9, 11, and 13, and still encode the amino acid sequences shown in SEQ ID NOS: 8, 10, 12, and 14, respectively. Such variant DNA sequence may result from silent mutations, such as for example those that occur during PCR amplification or from deliberate mutagenesis of a native sequence.

The present polynucleotides also encompass polynucleotides having sequences that are capable of hybridizing to the nucleotide sequences of FIGS 1 - 11 under stringent conditions, preferably highly stringent conditions. Hybridization conditions are based on the melting temperature<sup>m</sup> of the nucleic acid binding complex or probe, as described in Berger and Kimmel (1987) Guide to Molecular Cloning Techniques, Methods in Enzymology, vol 152, Academic Press. The term "stringent conditions, as used herein, is the "stringency" which occurs within a range from about T<sub>m</sub>-5 (5° below the melting temperature of the probe) to about 20° C below T<sub>m</sub>. As used herein "highly stringent" conditions employ at least 0.2 x SSC buffer and at least 65° C. As recognized in the art, stringency conditions can be attained by varying a number of factors such as the length and nature, i.e., DNA or RNA, of the probe; the length and nature of the target sequence, the concentration of the salts and other components, such as formamide, dextran sulfate, and polyethylene glycol, of the hybridization solution. All of these factors may be varied to generate conditions of stringency which are equivalent to the conditions listed above.

The present polynucleotides also encompasses alleles of the nucleotide sequences of FIGS 1 - 11. An allele is a variant form of a nucleotide sequence. An allele may result from one or more mutations in the ADAMTS N-1

-15-

ADAMTS-R1 encoding sequence. Such mutations typically arise from natural addition, deletion or substitution of nucleotides in the open reading frame sequences. Any gene which encodes an ADAMTS-N protein or ADAMTS-R1 protein may have none, one, or several allelic forms.

5 Such alleles are identified using conventional techniques, such as for example screening libraries with probes having sequences identical to or complementary with one or more ADAMTS-N polynucleotides.

The present polynucleotides also encompass altered

10 polynucleotides which encode ADAMTS-N proteins, ADAMTS-R1 proteins, and variants thereof. Such alterations include deletions, additions, or substitutions. Such alterations may produce a silent change and result in an ADAMTS-N protein having the same amino acid sequence as the ADAMTS-N protein encoded by the unaltered polynucleotide. Such

15 alterations may produce a nucleotide sequence possessing non-naturally occurring codons. For example, codons preferred by a particular prokaryotic or eucaryotic host may be incorporated into the nucleotide sequences showing Figures 1 -11 to increase the rate of expression of the proteins encoded by such sequences. Such

20 alterations may also introduce new restriction sites into the sequence or result in the production of an ADAMTS-N or ADAMTS-R1 variant. Typically, such alterations are accomplished using site-directed mutagenesis.

The polynucleotides are useful for producing ADAMTS-N or

25 ADAMTS-R1 proteins. For example, an RNA molecule encoding an ADAMTS-N protein is used in a cell-free translation systems to prepare such

30 Amino-terminal and synthetic RNA sequences and derivatives of

-16-

SV40, bacterial plasmids, phage DNAs; yeast plasmids, vectors derived from combinations of plasmids and phage DNAs, viral DNA such as vaccinia, adenovirus, fowl pox virus, pseudorabies, baculovirus, and retrovirus. The DNA sequence is introduced into the expression vector by conventional procedures.

Accordingly, the present invention also relates to recombinant constructs comprising one or more of the present polynucleotide sequences. Suitable constructs include, for example, vectors, such as a plasmid, phagemid, or viral vector, into which a sequence that encodes an ADAMTS-N protein or an ADAMTS-R1 protein has been inserted. In the expression vector, the DNA sequence which encodes the ADAMTS-N protein is operatively linked to an expression control sequence, i.e., a promoter, which directs mRNA synthesis.

Representative examples of such promoters, include the LTR or SV40 promoter, the *E. coli* lac or trp, the phage lambda PL promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or in viruses. The promoter may also be the natural promoter of the ADAMTS-N encoding sequence. The expression vector, preferably, also contains a ribosome binding site for translation initiation and a transcription terminator. Preferably, the recombinant expression vectors also include an origin of replication and a selectable marker, such as for example, the ampicillin resistance gene of *E. coli* to permit selection of transformed cells, i.e. cells that are expressing the heterologous DNA sequences. The polynucleotide sequence encoding the ADAMTS-N protein is incorporated into the vector in frame with translation

Such techniques are described in Sambrook, J. et al.

-17-

(1989) Molecular Cloning A Laboratory Manual, Cold Spring Harbor Press, Plainview, N.Y. and Ausubel, F. M. et al. (1989) Current Protocols in Molecular Biology, John Wiley & Sons, New York, NY.

Polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein may also be used for diagnostic purposes. The polynucleotides may be used to detect and quantify ADAMTS-N or ADAMTS-R1 gene transcripts in biopsied tissues in which enhanced expression or reduced expression of the corresponding ADAMTS-N or ADAMTS-R1 gene is correlated with a disease. The diagnostic assay may be used to determine whether expression is absent, present, or altered and to determine whether certain therapeutic agents modulate expression of the corresponding ADAMTS-N or ADAMTS-R1 gene.

Also encompassed by the present invention, are single stranded polynucleotides, hereinafter referred to as antisense polynucleotides, having sequences which are complementary to the DNA and RNA sequences which encode the ADAMTS-N or ADAMTS-R1 proteins. The term complementary as used herein refers to the natural binding of the polynucleotides under permissive salt and 5 temperature conditions by base pairing.

20 The present invention also encompasses oligonucleotides that are used as primers in polymerase chain reaction (PCR) technologies to amplify transcripts of the genes which encode the ADAMTS-N and ADAMTS-R1 proteins or portions of such transcripts. Preferably, the primers comprise 16-30 nucleotides, more preferably 19-25

25 nucleotides. Preferably, the primers have a G-C content of 40% or greater. Such oligonucleotides are at least 98% complementary with a

complementary, more preferably 100% complementary, with said

-18-

sense strand or its corresponding antisense strand. Primers which are which have 100% complementarity with the antisense strand of a double-stranded DNA molecule which encodes an ADAMTS-N protein have a sequence which is identical to a sequence contained within the sense 5 strand. The identity of primers which are 15 nucleotides in length and have full complementarity with a portion of the antisense strand of a double-stranded DNA molecule which encodes the ADAMTS-N protein is determined using the nucleotide sequences, shown in FIG 1 - 11 and described by the general formula a-b; where a is any integer between 10 1 and the position number of the nucleotide which is located 15 residues upstream of the 3' end of the sense or antisense strand of the cDNA sequences shown in FIG 1 -11; where b is equal to a+14; and where both a and b correspond to the positions of nucleotide residues of the cDNA sequences shown in FIGS 1 - 11.

15 The present invention also encompasses oligonucleotides that are useful as hybridization probes for for isolating and identifying cDNA clones and genomic clones encoding the ADAMTS-N or ADAMTS-R1 protein or allelic forms thereof. Such hybridization probes are also useful for detecting transcripts of the genes which encode the 20 ADAMTS-N family proteins or for mapping of the genes which encode the ADAMTS-N proteins. Preferably, such oligonucleotides comprise at least 210 nucleotides, more preferably at least 230, most preferably from about 210 to 280 nucleotides. Such hybridization probes have a sequence which is at least 90% complementary with a sequence 25 contained within the sense strand of a DNA molecule which encodes an ADAMTS-N protein or ADAMTS-R1 protein or with a sequence contained

within a range from about 100 to 300 bp, at the melting temperature

-19-

$T_m$  of the probe) to about 20°C to 25°C below  $T_m$ . The probes are used in Northern assays to detect transcripts of ADAMTS-N homologous genes and in Southern assays to detect ADAMTS-N homologous genes. The identity of probes which are 200 nucleotides 5' in length and have 5' full complementarity with a portion of the antisense strand of a double-stranded DNA molecule which encodes the ADAMTS-N protein is determined using the nucleotide sequences shown in FIG 1 - 10 and described by the general formula a-b; where a is any integer between 1 and the position number of the nucleotide which is located 200 residues upstream of the 3' end of the sense or antisense strand of the cDNA sequences shown in FIG 1 -10; b is equal to a +200; and where both a and b correspond to the positions of nucleotide residues of the cDNA sequences shown in FIG 1-10.

Such probes or primers are also useful for identifying tissues or cells in which the corresponding ADAMTS-N or ADAMTS-R1 gene is preferentially expressed either constitutively or at particular state of tissue differentiation or development or in disease states. Expression of the ADAMTS-N or ADAMTS-R1 gene in a particular tissue or group of cells is determined using conventional procedures including, but not limited to, Northern analysis, in situ hybridization to RNA or RT-PCR amplification. Isolated polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein are also useful as chromosome markers to map linked gene positions to identify chromosomal aberrations such as translocations, inversions and trisomies, to compare with endogenous DNA sequences in patients to identify potential genetic disorders, and as probes to hybridize

not limited to Northern blot, in situ hybridization to RNA in cells



-20-

and chromosomes, PCR, and allele specific hybridization.

#### Antibodies

In another aspect, the present invention relates to antibodies which are specific for and bind to the ADAMTS-5 protein, the ADAMTS-6 protein, the ADAMTS-7 protein, the ADAMTS-8 protein, the ADAMTS-9 protein, the ADAMTS-10 protein, or the ADAMTS-R1 protein. Such antibodies are useful research tools for identifying tissues that contain elevated levels of the respective protein and for purifying the respective protein from cell or tissue extracts, medium of cultured cells, or partially purified preparations of intracellular and extracellular proteins by affinity chromatography. Such antibodies are also useful for identifying and diagnosing diseases associated with elevated or reduced levels of an ADAMTS-N protein or ADAMTS-R1 protein. Such antibodies are also useful for monitoring the effect of therapeutic agents on the synthesis and secretion of ADAMTS-N proteins by cells in vitro and in vivo. Such antibodies may also be employed in procedures, such as co-immunoprecipitation and co-affinity chromatography, for identifying other proteins, activators and inhibitors which bind to an ADAMTS-N or ADAMTS-R1 protein.

The present invention also provides a method for detecting an ADAMTS-N or ADAMTS-R1 protein, in a bodily sample from a patient using antibodies immunospecific for an ADAMTS-N or ADAMTS-R1 protein. The method comprises contacting the antibody with a sample taken from the patient; and assaying for the formation of a complex between the antibody and the corresponding ADAMTS-N or ADAMTS-R1 protein present in the sample. The sample may be a tissue or a biological fluid,

-21-

tissue, cells obtained from swabs and smears. To monitor changes in expression of the ADAMTS-N protein during fetal development and pregnancy, it is preferred that the sample be amniotic fluid. To monitor changes in expression of the ADAMTS-N protein during joint disorders, the preferred sample is synovial fluid. To monitor changes in expression of ADAMTS-N proteins during cancer, the preferred samples include, but are not limited to, serum, body fluids, or biopsy tissue. To monitor changes in expression of ADAMTS-N proteins during inflammation the preferred samples include, but are not limited to, serum, body fluids, or biopsy tissue.

The sample may be untreated, or subjected to precipitation; fractionation, separation, or purification before combining with the anti-ADAMTS-N protein antibody. For ease of detection, it is

preferred that isolated proteins from the sample be attached to a substrate such as, a column, plastic dish, matrix, or membrane, preferably nitrocellulose. Preferably, the detection method employs an enzyme-linked immunosorbent assay (ELISA) or a Western immunoblot procedure.

Interactions between an ADAMTS-N protein in the sample and the corresponding anti ADAMTS-N antibody are detected by radiometric, colorimetric or fluorometric means, size separation, or precipitation. Preferably, detection of the antibody-ADAMTS-N protein complex is by addition of a secondary antibody that is coupled to a detectable tag, such as for example, an enzyme, fluorophore, or chromophore. Formation of the complex is indicative of the presence of the ADAMTS-N protein in the test sample. Thus, the method is used to determine whether there is a decrease in

quantify the amount of the ADAMTS-N protein in the test sample.

-22-

Deviation between control and test values establishes the parameters for diagnosing the disease.

Preparing the ADAMTS-N proteins and the ADAMTS-R1 protein

The ADAMTS-N proteins and the ADAMTS-R1 protein may be produced by conventional peptide synthesizers. The ADAMTS-N proteins and the ADAMTS-R1 protein may also be produced using cell-free translationsystems and RNA molecules derived from DNA constructs that encode an ADAMTS-N protein or an ADAMTS-R1 protein. Alternatively, ADAMTS-N proteins are made by transfecting host cells with expression vectors that comprise a DNA sequence that encodes the respective ADAMTS-N protein and then inducing expression of the protein in the host cells. For recombinant production, recombinant constructs comprising one or more of the sequences which encode the ADAMTS-N protein or a variant thereof are introduced into host cells by conventional methods such as calcium phosphate transfection, DEAE-dextran mediated transfection, transvection, microinjection, cationic lipid-mediated transfection, electroporation, transduction, scrape lading, ballistic introduction or infection.

The ADAMTS-N protein and the ADAMTS-R1 protein may be expressed in suitable host cells, such as for example, mammalian cells, yeast, bacteria, insect cells or other cells under the control of appropriate promoters using conventional techniques. Suitable hosts include, but are not limited to, *E. coli*, *P. pastoris*, 3os cells and 293 HEK cells. Following transformation of the suitable host strain and growth of the host strain to an appropriate cell density, the cells are harvested by centrifugation, disrupted by physical or

transformed host cells, such as isolation by lysis, extraction in "

-23-

cell pellets or from cell culture medium, followed by salting-out, and one or more chromatography steps, including aqueous ion exchange chromatography, size exclusion chromatography steps, and high performance liquid chromatography (HPLC), and affinity chromatography may be used to isolate the recombinant ADAMTS-N protein or ADAMTS R1 protein

#### Preparation of Antibodies

The ADAMTS-N proteins, and variants thereof are used as immunogens to produce antibodies immunospecific for one or more ADAMTS-N protein. The term "immunospecific" means the antibodies have substantially greater affinity for one or more ADAMTS-N protein than for other proteins. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, single chain, and Fab fragments.

Antibodies are also prepared using an oligopeptide having a sequence which is identical to a portion of the amino acid sequence of an ADAMTS-N protein. Preferably the oligopeptide has an amino acid sequence of at least five amino acids, and more preferably, at least 10 amino acids that are identical to a portion of the amino acid sequence of an ADAMTS-N protein. Such peptides are conventionally fused with those of another protein such as keyhole limpet hemocyanin and antibody produced against the chimeric molecule. One preferred oligopeptide for preparing an antibody to mouse ADAMTS-5 has the sequence C.HIKVRQFKAKLTRE, SEQ ID NO: 30. Another preferred oligopeptide for preparing an antibody to ADAMTS-5 is CEAKNGYQSDAKGVKTFVEWVPKYAG, SEQ ID NO: 31. One preferred oligopeptide for preparing an antibody to ADAMTS-6 has the sequence

-24-

preparing an antibody to ADAMTS-8 has the sequence

CVKEDVENPKAVWDGEGWGP, SEQ ID NO:25. One preferred oligopeptide for

preparing an antibody to ADAMTS-9 has the sequence

QHPPQNEDYRPRSASPSRTH, SEQ ID NO:26. Another preferred oligopeptide

5 for preparing an antibody to ADAMTS-9 has the sequence

PQNCKEVKRLKGASEDGEYF, SEQ ID NO:27. One preferred oligopeptide for

preparing an antibody for ADAMTS-R1 has the sequence QELEEGAAVSEEPS,

SEQ ID NO:28. Another preferred oligopeptide for preparing an

antibody for ADAMTS-R1 has the sequence YYPENIKPKPKLOE; SEQ ID NO:29.

10 Polyclonal antibodies are generated using conventional techniques by administering the ADAMTS-N protein or achimeric molecule to a host animal. Depending on the host species, various adjuvants may be used to increase immunological response. Among adjuvants used in humans, Bacilli Calmette-Guerin (BCG), and  
15 *Corynebacterium parvum*. are especially preferable. Conventional protocols are also used to collect blood from the immunized animals and to isolate the serum and or the IgG fraction from the blood.

For preparation of monoclonal antibodies, conventional hybridoma techniques are used. Such antibodies are produced by  
20 continuous cell lines in culture. Suitable techniques for preparing monoclonal antibodies include, but are not limited to, the hybridoma technique, the human B-cell hybridoma technique, and the EBV hybridoma technique.

Various immunoassays may be used for screening to identify  
25 antibodies having the desired specificity. These include protocols which involve competitive binding or immunoradiometric assays and

30 Polynucleotides comprising sequences encoding an ADAMTS N

-25-

protein or an ADAMTS-R1 protein may be synthesized in whole or in part using chemical methods. Polynucleotides which encode an ADAMTS-N protein, particularly alleles of the genes which encode the ADAMTS-N protein, may be obtained by screening a genomic library or 5 cDNA library with a probe comprising sequences identical or complementary to the sequences shown in Figures 1 - 10 or with antibodies immunospecific for a ADAMTS-N protein to identify clones containing such polynucleotide.

Example 1 ADAMTS-512 protein

10 A cDNA encoding mouse ADAMTS-5 protein was obtained using IMAGE Clone 569515, purchased from Research Genetics, Huntsville, Alabama and 7 day old mouse embryo cDNA library from Clontech, Palo Alto, CA. A cDNA encoding human ADAMTS-5 protein was obtained using IMAGE Clone 345484 purchased from Research Genetics, Huntsville, Alabama 15 and a human fetal brain cDNA from Clontech. The clone inserts were sequenced in their entirety. Using oligonucleotide primers based on the sequences at the ends of the clone inserts as template, successive rounds of RACE (Rapid Amplification of cDNA Ends) by PCR was performed at 5' and 3' ends. RACE primers were generated 50-200 20 bp from the ends of the sequences so that the contiguity of RACE clones with the I.M.A.G.E. clone could be clearly established. A single round of 5' and 3' 20 RACE sufficed for cloning of the entire coding sequence of the mouse ADAMTS-5 protein and part of the catalytic zinc binding site through to the stop codon of the human 25 ADAMTS-5 protein. Primers were designed with calculated  $T_m > 72^\circ\text{C}$  and RACE was performed with nested primers for each amplification. PCR used the Advantage PCR reagents (Clontech, Palo Alto, CA); the

optimal efficiency. RACE used the following conditions: 1 cycle

-26-

conditions; 95°C for 1 minute followed by 5 cycles of 95°C for 0.5 minutes, 72°C for 5 minutes, then 5 cycles of 95°C for 0.5 minutes, 70°C for 5 minutes and 20 cycles of 95°C for 0.5 minutes, 68°C for 5 minutes. The PCR products were analyzed by Southern blotting, initially using [ $\alpha^{32}$ P]-dCTP labeled.

Hybridizing bands were ligated into pGEM-T Easy (Promega, Madison, WI) and individual clones were selected by another round of Southern analysis. Automated nucleotide sequencing of both strands of each clone were done at the Molecular Biotechnology Core of the Lerner Research Institute, Cleveland Clinic Foundation and nucleotide sequence data were analyzed using the DNASTar software. By integration of the overlapping sequences thus obtained, a contiguous nucleotide sequence was determined. The nucleotide sequence of the mouse ADAMTS-5 cDNA and the predicted amino acid sequence of the protein encoded by this cDNA are shown in Fig. 1. The nucleotide sequence of the human ADAMTS-5 cDNA and the predicted partial amino acid sequence of the protein encoded by this cDNA are shown in Fig. 2.

The predicted molecular mass ( $M_r$ ) of the mature ADAMTS-5 protein is 73717.50 daltons. It is expected that the actual  $M_r$  of the active ADAMTS-5 protein is different due to post-translational modification, which could potentially increase the  $M_r$ . The predicted domain organization of ADAMTS 5 protein relative to the cloned cDNA is shown in Figure 12. The pro-domain of the full-length mouse ADAMTS-5 protein has 3 consensus cleavage signals for furin. The most carboxyl-terminal furin cleavage site in ADAMTS-5 predicts the

Five cysteine residues are upstream of the zinc binding sequence

-27-

while three residues are downstream, an arrangement that is shared with other ADAMTS members. The zinc binding signature is followed by a "Met-turn". The catalytic domain is followed by a domain with 35% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserved cysteine-rich sequence termed the cysteine-rich domain, designated "CRD", to distinguish it from the cysteine-free spacer domain. The CRD contains ten conserved cysteines and demonstrates high sequence homology with the CRD of other ADAMTS-N proteins. The spacer domain of mouse ADAMTS-5 is 153 amino acids in length and is followed by a second TS module. ADAMTS-5 contains three potential glycosylation sites in the mature protease one of which is just upstream of the start of the spacer domain and the second lies within the spacer domain and the third is near the start of the disintegrin domain. The human ADAMTS-5 protein and the mouse ADAMTS-5 protein have 96% sequence identity. ADAMTS-5 bears 46% sequence identity to ADAMTS-4 (K1AA0688), which is characterized as being involved in catabolism of aggrecan core protein in arthritis and 60% identity to ADAMTS-1 which is involved in inflammation.

#### 20 Example 2 ADAMTS-6

The nucleotide sequence of a human cDNA encoding the full-length ADAMTS-6 protein was obtained using IMAGE clone 742630, which encodes EST AA400393, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The IMAGE clone 742630 contained an ORF flanked by consensus splice sequences, indicating the presence of introns. Two successive rounds of RACE at the 5' end and a single round of RACE at the 3' end provided the



-28-

The nucleotide sequence of the ADAMTS-6 DNA is shown in Fig. 3. The predicted amino acid sequence, SEQ ID NO:6, of the ADAMTS-6 protein is also shown in Fig. 3. The predicted Mr of the full-length, unprocessed ADAMTS-6 protein is 97,115 daltons., and the predicted Mr of the mature ADAMTS-6 protein is 68412.10 daltons. The domain organization of the ADAMTS-6 protein is shown in Fig. 12. The pro-domain of the full-length ADAMTS-6 protein has one consensus cleavage signal for furin. The catalytic domain of the ADAMTS-6 contains six cysteine residues and the reprotolysin -zinc binding signature sequence, HEIVHNFQGMNHD, which is followed by a "Met-tum". The catalytic domain is followed by a domain with 35% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserve CRD sequence which contains ten conserved cysteines and demonstrates high sequence homology with the CRD of other ADAMTS proteins. The spacer domain of ADAMTS-6 is 127 amino acids in length and is followed by a second TS module. ADAMTS-6 contains four potential glycosylation sites within the pro-domain and two in the mature protease one of which is in the cysteine rich domain and the other of which is in the spacer domain. ADAMTS-6 bears 46% sequence identity to ADAMTS-1, which is involved in inflammation.

#### Example 3 ADAMTS-7.

The nucleotide sequence of a cDNA encoding an ADAMTS-7 protein was obtained using IMAGE clone 272098, which encodes EST N4.8032, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The I.M.A.G.E. clone 272098 encoded a

1. The amino acid sequence of the mature ADAMTS-7 protein is shown in the translated sequence.

-29-

methionine codon lies within a satisfactory Kozak consensus for translation initiation.

The nucleotide sequence of the ADAMTS-7 cDNA is shown in Fig.

4. The predicted amino acid sequence, SEQ ID NO: 8, of the ADAMTS-7 protein is also shown in Fig. 4. The predicted Mr of the full-length, unprocessed ADAMTS-7 protein is 116,607 daltons, and the predicted Mr of the mature ADAMTS-7 protein is 84005 daltons. The domain organization of the ADAMTS-7 protein is shown in Fig. 12. The pro-domain of the full length ADAMTS 7 protein has one consensus cleavage signal for furin. The catalytic domain of the ADAMTS-7 protein contains eight cysteine residues and the reprotolysin-zinc binding signature sequence, HELGHSFGIQHD, which is followed by a "Met-tum". The catalytic domain is followed by a domain with 30% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserved CRD sequence which contains ten conserved cysteines. The spacer domain of ADAMTS-7 is 221 amino acids in length and is followed by a second TS module and a short sequence containing two cysteine residues. ADAMTS-7 contains three potential glycosylation sites within the mature protease; one of which is just upstream of the spacer domain and one of which is within the spacer domain. ADAMTS-7 bears 35 % sequence identity to ADAMTS-1, which is characterized as being involved in inflammation and 32% identity to ADAMTS-2 which is a procollagen processing enzyme.

#### Example 4: ADAMTS-8

1. Nucleotide sequence of a cDNA encoding a partial ADAMTS-8 protein

-30-

protein was obtained using IMAGE clone 2119838, which encodes EST A1400905, and a human fetal brain cDNA library from Clontech. RACE was performed, as described above in Example 1. The nucleotide sequence of the cDNA encoding the full-length ADAMTS-8 mouse protein and the amino acid sequence of such protein is shown in Fig. 5. The nucleotide sequence of the cDNA encoding the partial ADAMTS-8 human protein and the amino acid sequence of such protein is shown in Fig. 6.

The predicted Mr of the full-length, unprocessed ADAMTS-8 mouse protein is 1260693 daltons, and the predicted Mr of the mature ADAMTS-8 protein is 68412.10 daltons. The pro domain of the full-length ADAMTS-8 protein has one consensus cleavage signal for furin. The catalytic domain contains eight cysteine residues and the reprolysm-zinc binding signature sequence, HELGHVLSMPHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 20-30% similarity to snake venom disintegrins. The disintegrin-like domain contains eight cysteine residues. The first TS repeat is followed by a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-8 is 146 amino acids in length and is followed by a second TS module. The ADAMTS-8 protein contains 4 potential glycosylation sites within the mature protease: one is in the cysteine-rich domain; one is in the catalytic domain; and two are in the disintegrin-like domain. ADAMTS-8 bears 46% sequence identity to ADAMTS-1 and 42% identity to ADAMTS-4.

#### Example 9: ADAMTS-9

The nucleotide sequence of a cDNA encoding a full-length, human

1. Nucleotide sequence of a cDNA encoding a partial ADAMTS-8 protein

-31-

protein was obtained using IMAGE clone 535663, which encodes EST AAL06215, and a mouse cDNA library obtained from Clontech. RACE was performed as described above in Example 1. The nucleotide sequence of the cDNA encoding the full-length ADAMTS-9 human protein and the amino acid sequence of such protein is shown in Fig. 6. The nucleotide sequence of the cDNA encoding the partial ADAMTS-9 mouse protein and the amino acid sequence of such protein is shown in Fig. 7.

The predicted Mr of the mature human ADAMTS-9 protein is 189777.20 daltons. The prodomain of the predicted ADAMTS-9 protein has 3 consensus cleavage signal for furin. The catalytic domain of the ADAMTS-9 contains eight cysteine residues and the reprotolysin - zinc binding signature sequence, HELGHVFNMMPHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 25-30% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains is followed by a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-9 is 124 amino acids in length and is followed by 14 additional TS modules and a C-terminal domain. The ADAMTS-9 protein contains 6 potential glycosylation sites within the mature protease: one in the spacer domain, one in TSP 1 -7, one in TSPI-8, and 3 in the C-terminal domain. The ADAMTS-9 bears 44% sequence identity to ADAMTS-4.

Example 6: ADAMTS-10

The nucleotide sequence of a cDNA encoding a full-length ADAMTS-10 protein was obtained using IMAGE clone 110403, which encodes EST AA588434, and a human fetal brain cDNA from Clontech. The nucleotide sequence of a cDNA encoding a partial, mouse ADAMTS-10 protein was obtained using IMAGE clone 1077653, which encodes EST

-32-

performed as described above in Example 1. The nucleotide sequence of the human ADAMTS-10 cDNA and the predicted amino acid sequence, SEQ ID 18, of the human ADAMTS-10 protein encoded by such DNA is shown in Fig. 9. The nucleotide sequence of the cDNA encoding the 5 partial mouse ADAMTS-10 protein and the amino acid sequence of such protein is shown in Fig. 10.

The predicted Mr of the mature ADAMTS-10 protein is 95233 daltons. The pro-domain of the full-length ADAMTS-10 protein has no consensus cleavage signal for furin. The catalytic domain of the 10 ADAMTS-10 contains eight cysteine residues and the reprotolysin-zinc binding signature sequence, HEIGHTFGMNHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 30% similarity to snake venom disintegrins. The disintegrin-like domain contains eight cysteine residues. The first TS repeat is followed by 15 a conserved CRD sequence which contains 8 conserved cysteines. The spacer domain of ADAMTS-10 is followed by 4 additional TS modules and a Kunitz domain. The ADAMTS-10 protein contains 2 potential glycosylation sites within the mature protease: one in the catalytic domain, and one in the TS 1-3 domain. ADAMTS-10 bears approximately 20 40% sequence identity to ADAM-TS1, which is characterized as being involved in inflammation.

#### Comparison of the ADAMTS-N Proteins.

As shown in Figure 11, the ADAMTS-5, ADAMTS-6, and ADAMTS-7 25 proteins share a common domain organization. From amino to carboxyl termini, they are as follows:

1. **A pre-pro region.** A typical signal sequence of variable length is followed by a putative pro-region of variable length but

2. **A catalytic domain.** This domain contains eight cysteine residues and a zinc-binding site.

-33-

context similar to the cysteine "switch" of the MMPs. All three novel cDNAs predict consensus cleavage signals for furin, three in the case of ADAMTS-5, and one each in the case of ADAMTS-6 and ADAMTS-7. The most carboxyl-terminal furin cleavage site in ADAMTS-5 predicts the processing site for generation of the mature protease. The amino terminus of the mature proteins is predicted to start at the residue immediately following the cleavage sites.

2. **A catalytic domain.** The catalytic domains are very similar to each other and contain eight cysteine residues and a typical 10 reprolysin-type zinc binding signature followed by a "Met-turn". Five cysteine residues are upstream of the zinc binding sequence, while three residues are downstream, an arrangement that is shared with other ADAMTS members. The methionine of the met-turn is not at a constant distance from the zinc-binding signature, but in all three 15 novel proteases, a constant cysteine residue is present in that interval.

3. **A disintegrin-like domain.** The catalytic domain is followed by a domain of 60-90 residues with 35-45% similarity to snake venom disintegrins, but without the canonical cysteine arrangement seen in 20 the latter. This disintegrin-like domain is of comparable length in ADAMTS-5 and ADAMTS-7, it is considerably shorter in ADAMTS-6.

4. **A TS module.** The first TS repeat is very similar in all three novel proteases and very similar to the first TS repeat of other ADAMTSs. It contains the same number of residues (fifty-two) in all 25 three novel proteins.

5. **The cysteine-rich domain.** This TS domain is followed by a

ADAMTS and label the sequence landmarks at their position in a linear

-34-

other domains. It shows the least homology of all the domains.

7. A C-terminal TS module. The sequence of the second TS module is more variant between the members of the ADAMTS family than the first TS module, despite the conservation of the number and spacing of cysteine residues.

Overall, the predicted mature forms of these proteases show 20-30% similarity to each other and to ADAMTS1-4 although this may be considerably higher or lower for individual domains as described above.

10 ADAM-TS9 and ADAM-TS10 contain all the domains present in ADAMTS-5 through ADAMTS-8. In addition, ADAMTS-9 and ADAMTS-10 contain the following domains:

A. ADAMTS-9: After the c-terminal TS1 domain which is present in ADAMTS-8, ADAMTS-9 contains 13 additional and homologous TS1 domains, thus, ADAMTS-9 contains a total of 15 TS1 domains, of which 14 are adjacent to each other in the c-terminal half of the molecule. The 15th TS1 domain from the N-terminus is followed by a unique c-terminal domain which does not possess recognizable domain structure and contains 196 residues including 9 cysteine residues.

20 B. ADAMTS-10: After the c-terminal TS1 domain which is present in ADAMTS-8, ADAMTS-10 contains 3 additional and homologous TS1 domains, thus, that ADAMTS-10 contains a total of 5 TS1 domains, of which 4 are adjacent to each other in the c-terminal half of the molecule. The 5th TS 1 domain from the N-terminus is followed by an additional 47 amino acid residues including six (6) cysteine residues. These 47 residues have sequence similarity of 30%-40% to

21 Mouse ADAMTS-10, human ADAMTS-10 and human ADAMTS-10.

-35-

from human and mouse tissues (Clontech, Palo Alto, CA) were hybridized to the [ $\alpha^{32}$ P]-dCTP labeled inserts of I.M.A.G.E. clones as per the manufacturer's recommendations followed by autoradiographic exposure for 3-7 days.

5 In situ hybridization used cryosections of mouse embryos of gestational age 8.5 days and 10.5 days. Embryos were collected with the inclusion of the surrounding uterus and fixed overnight in 4% paraformaldehyde. Sense and anti-sense probes continuously labeled with digoxigenin-UTP (Boehringer-Mannheim, Indianapolis, IN) were  
10 transcribed with T7 and T3 RNA polymerases, respectively, using as template a 630 bp EcoRI-SacI fragment from the Adamts-5 clone 569515 (Fig. 14) cloned into pBluescript SK+ (Stratagene, La Jolla, CA). In situ hybridization was done essentially as previously described in Apte, et al. (1997) J. Biol. Chem. 272:2551-25517, which is  
15 specifically incorporated herein by reference, except that sections were predigested with proteinase K (Boehringer-Mannheim, Indianapolis, IN) at a lower, concentration (1-5  $\mu$ g/ml) than reported in Apte, et al.. Bound, digoxigenin-labeled probe was detected using an alkaline phosphatase tagged anti-digoxigenin  
20 antibody (Boehringer-Mannheim, Indianapolis, IN) and nuclei were counterstained with methyl green.

Specific hybridization of the antisense Adamts-5 probe to sections of 8.5 day-old mouse embryos was obtained, whereas only low background staining was noted with the control sense probe. Staining  
25 was uniform throughout the 8.5 day old embryos. In addition, there was labeling of mRNA in trophoblastic cells lining the uterine cavity

4. embryos. Labeling was widespread but less intense compared to the anti



-36-

day-old embryo. Labeled cells were seen in mesenchyme and somites as well as in the neural tube and developing hindgut. Northern analysis also indicated that mRNA encoding ADAMTS-5 was present in human placenta but was barely detectable in adult lung, heart, brain, liver, skeletal muscle, kidney and pancreas.

Northern analysis showed undetectable expression of Adamts-6 during mouse embryo development. Northern analysis indicated that mRNA encoding ADAMTS-6 was present in human placenta but was barely detectable in adult lung, heart, brain, liver, skeletal muscle, kidney and pancreas. Adamts-7 was expressed at low levels throughout mouse development. In adult human tissues examined with human cDNA probes, ADAMTS-7 mRNA was found in all tissues examined, i.e. in lung, heart, brain, liver, skeletal muscle, kidney, pancreas and placenta. The sizes of the mRNA species recognized by the probes varied. ADAMTS-5 mRNA was approximately 10 kbp in size in human tissue. The most prominent Adamts-5 species was estimated at 7.5 kbp together with additional bands at 10 kbp and 4.5 kbp. The lone mRNA species detected by ADAMTS-6 probe was approximately 8.5 kbp, whereas the most common mRNA species detected by ADAMTS-7 probe was 5 kbp in size with an additional species seen at 7 kbp in skeletal muscle.

In mouse, ADAMTS-8 is expressed during fetal development (days 7, 11, 15, 17) and in adult mouse lung and heart with an mRNA size of approximately 3.8 kbp. In adult human tissue, ADAMTS-8 is expressed in lung and brain but not in heart, muscle, kidney, colon or thymus. The mRNA size is 3.8 kbp.

ADAMTS-9 is expressed in lung, ovary, placenta, heart, brain,

1 alternatively spliced or short forms of ADAMTSs

-37-

ADAMTS-10 is expressed in thymus, prostate, testis, ovary, small intestine, colon, peripheral blood leukocytes, heart, brain, placenta, lung, liver, muscle, kidney and pancreas, as well as in many cell lines such as A549, HeLa and K562. There are two transcripts of 5 kb and 8kb present in all tissues.

Example 7: ADAMTS-R1

The nucleotide sequence of a cDNA encoding a full-length ADAMTS-R1 protein was obtained using IMAGE clone 752797 which encodes EST AA, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The nucleotide sequence, SEQ ID NO:21, of the ADAMTS-R1 cDNA and the predicted amino acid sequence, SEQ ID NO:22, of the ADAMTS-R1 protein encoded by such DNA is shown in Fig. 11.

The predicted Mr of the full-length, unprocessed ADAMTS-R1 protein is 58358.20 daltons. The domain organization of the ADAMTS-10 protein is shown in Fig. 15. In contrast to the ADAMTS-N proteins of examples 1-6, ADAMTS-R1 protein does not have a pro-metalloprotease or disintegrin-like domain or a consensus cleavage signal for furin. ADAMTS-R1 has a signal(pre) peptide which is followed by a first TS module and a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-R1 is 115 amino acids in length and is followed by 3 additional TS modules and a short sequence of 33 amino acids. The ADAMTS-R1 protein contains one potential glycosylation sites which is in the spacer domain. ADAMTS-R1 bears 30-40% sequence identity to ADAMTS1 and ADAMTS4 in the related domains. ADAMTS-R1 mRNA is present in human heart, brain, kidney, muscle, lung, placenta, testis, ovary, colon,

and the transcript size is 5 kb and 8 kb.

-38-

Although certain embodiments of this invention have been shown and described, various adaptations and modifications can be made without departing from the scope of the invention as defined in the appended claims.

## CLAIMS

1. An isolated mammalian protein selected from the group consisting of an ADAMTS-5 protein an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein, and an ADAMTS-R1 protein.
2. The isolated mammalian protein of claim 1 wherein said protein comprises an amino acid sequence which is at least 95% identical to a sequence selected from the group consisting of:  
amino acid 262 through amino acid 930 of SEQ ID NO:2; amino acid 1 through amino acid 518 of SEQ ID NO:4; amino acid 245 through amino acid 860 of SEQ ID NO:6; amino acid 233 through amino acid 997 of SEQ ID NO:8; amino acid 229 through amino acid 905 of SEQ ID NO:10; amino acid 1 through amino acid 245 of SEQ ID NO:12; amino acid 236 through amino acid 1882 of SEQ ID NO:14; amino acid 1 through amino acid 874 of SEQ ID NO:16; amino acid 212 through amino acid 1081 of SEQ ID NO:18; amino acid 1 through amino acid 450 of SEQ ID NO:20; and amino acid 1 through amino acid 547 of SEQ ID NO:22.
3. The isolated protein of claim 2 wherein said amino acid sequence further comprises a prepropeptide sequence at the amino terminus thereof.
4. The isolated protein of claim 1 wherein said protein is a human ADAMTS-5 protein or a mouse ADAMTS-5 protein.
5. The isolated protein of claim 1 wherein said protein is a human ADAMTS-6 protein.
6. The isolated protein of claim 1 wherein said protein is a human
7. The isolated protein of claim 1 wherein said protein is a human

ADAMTS-9 or a mouse ADAMTS-9 protein.

9. The isolated protein of claim 1 wherein said protein is a human ADAMTS-10 or a mouse ADAMTS-10 protein.

10. The isolated protein of claim 1 wherein said protein is a human  
5 ADAMTS-R1 protein.

11. An isolated polynucleotide comprising a sequence which encodes a mammalian protein selected from the group consisting of an ADAMTS-5 protein, an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS 10 protein,  
10 and an ADAMTS-R1 protein.

12. The isolated polynucleotide of claim 11 wherein said protein comprises an amino acid sequence which is at least 95% identical to a sequence selected from the group consisting of:  
amino acid 262 through amino acid 930 of SEQ ID NO:2; amino  
15 acid 1 through amino acid 518 of SEQ ID NO:4; amino acid 245 through amino acid 860 of SEQ ID NO:6; amino acid 233 through amino acid 997 of SEQ ID NO:8; amino acid 229 through amino acid 905 of SEQ ID NO:10; amino acid 1 through amino acid 245 of SEQ ID NO:12; amino acid 236 through amino acid 1882 of SEQ  
20 ID NO:14; amino acid 1 through amino acid 874 of SEQ ID NO:16; amino acid 212 through amino acid 1081 of SEQ ID NO:18; amino acid 1 through amino acid 480 of SEQ ID NO:20, and amino acid 1 through amino acid 547 of SEQ ID NO:22.

13. The isolated polynucleotide of claim 11 wherein said nucleotide  
25 sequence encodes a protein having a signal sequence at the amino terminus thereof.

14. ID NO:1 of an allelic variant thereof: nucleotide 1 through

nucleotide 1519 of SEQ ID NO:3 or an allelic variant thereof;  
nucleotide 754 through nucleotide 2602 of SEQ ID NO:5 or an  
allelic variant thereof; nucleotide 708 through nucleotide 3003  
of SEQ ID NO:7 or an allelic variant thereof; nucleotide 962  
5 through nucleotide 2992 of SEQ ID NO:9 or an allelic variant  
thereof; nucleotide 1 through nucleotide 739 of SEQ ID NO:11 or  
an allelic variant thereof; nucleotide 708 through nucleotide  
5648 of SEQ ID NO:13 or an allelic variant thereof; nucleotide  
1 through nucleotide 2625 of SEQ ID NO:15 or an allelic variant  
10 thereof; nucleotide 634 through nucleotide 3243 of SEQ ID NO:17  
or an allelic variant thereof; nucleotide 1 through nucleotide  
1642 of SEQ ID NO:19 or an allelic variant thereof; and  
nucleotide 51 through nucleotide 1625 of SEQ ID NO:21 or an  
allelic variant thereof.

15 15. The isolated polynucleotide of claim 11 wherein said  
polynucleotide hybridizes under stringent conditions to a  
nucleic acid molecule comprising a sequence complementary to  
the protein encoding sequence of SEQ ID NO:1; SEQ ID NO:3; SEQ  
ID NO:5; SEQ ID NO:7; SEQ ID NO:9; SEQ ID NO:11; SEQ ID NO:13;  
20 SEQ ID NO:15; SEQ ID NO:17; SEQ ID NO:19; or SEQ ID NO:21.

16. An isolated polynucleotide having a sequence which is  
complementary to the protein encoding sequence of the  
polynucleotide of claim 11.

17. An expression vector comprising a polynucleotide of claim 11.

25 18. A host cell transformed or transfected with an expression  
vector of claim 17.

19. Suitable for expression of an ADAMTS-1 protein or an ADAMTS-1 F1

protein; and

(b) recovering said ADAMTS-N protein or said ADAMTS-R1 protein from the host cell culture.

20. An antibody that binds to a protein selected from the group  
5 consisting of an ADAMTS-5 protein, an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein and an ADAMTS-R1 protein.
21. An oligopeptide for producing an antibody that binds to an ADAMTS N protein or an ADAMTS-R1 protein wherein said  
10 oligopeptide has a sequence selected from the group consisting of:
- a) SVSIERFVETLVVADK, SEQ ID NO:23;
  - b) EVAEAAANFLALFSEDPDKY, SEQ ID NO:24;
  - c) VKEDVENPKAVVDGDWGP, SEQ ID NO:25;
  - 15 d) QHFFQNEDYRPFASPSRTH, SEQ ID NO:26;
  - e) PQNCKEVKRLKGASEDGEYF, SEQ ID NO:27;
  - f) QELEEGAADVSEEPS, SEQ ID NO:28;
  - g) YYPENIKPKPKLQE; SEQ ID NO:29;
  - h) HIKVRQFKAKDQTRF; and
  - 20 i) CEAKNGYQSDAKGVKTFVEWVPKYAG, SEQ ID NO:30.

Fig. 1

FEATURES	Location/Qualifiers
source	1..3002 /organism="Mus musculus" /db_xref="taxon:10090" /chromosome="Mouse 16" /map="58 cM (consensus position)"
gene	1..3002 /note="a disintegrin-like and metalloprotease domain with thrombospondin type I repeats)" /gene="Adams5"
CDS	13..2810 /gene="Adams5" /note="putative secreted metalloprotease" /codon_start=1 /product="ADAM-TS5 (a disintegrin-like and metalloprotease domain with thrombospondin type I repeats)" /translation="MRLEWASLLLLLLLLLSASCLSLAADSPAAAPQDKTRQPQAAAA AAEPDQPQGEETFERGHLQPLAQRRSGGLVHNIDQLYSOGGKVGVLVYAGGRFFLLD LERDDTVGAAGSIVTAGGGLSASSGHPGHCFYRGTVDGSPRSLAVFDLCOGLDGFVAV KHARYTLKPIILGCSWAEYERIVYDGSSRILHVYNREGFSFEALPPRASCETPASPSGP QESPSVHSRSRRSALAPQLLDHSAFSPSGTAGPQTWRRRRRSISRARQVELLLVAD SSMARMYGRGLQHLLTLASIANRLYSHASIEHIRLAVVXVVVLTDKDTSLVSVKQA AITYLKIFCKWQHCHNQLGDDHEEHVDAAILFTREDLCGHHSCDTLGMADVGTICSPER SCAVIEDDGLHAAFTVAHEIGHLLGLSHDDSKFCEENFGYTEDKRLMSSILTSIDASK FWSKCTSATITEFLDDGHGNLLDLPRKQILGPEELPGQTYDATQQCNLTFGFEYSVC PQMDVCAFLWCAVAFQSQMVCLTKKLPAVEGTPCGKGRVCLQKGCVDKTKKKYTSSTSS HGNWGSWGPWQCSRSOOGGTCFAIRHCHNPAPFNSGRVCTGKFAIYRSOSVTPCPPN



3KSFRIHQCEATNGYQSDAGVHTFVWVPRYAGJLPADVCKLTC...  
 HVTDTGTECRPHYSNVCVFAGCVRTGCGIIGSFHQYDKGCVCGGDNSSOTHIIGTFNK  
 KSKGTTDWRIPEGATHIKRQFKAKDQTRFPAYLALHUKTGEVLINSKFMISTSETI  
 IDINGTATGYSGSHRDFLHMGYSATKEILIVQILATDPTKALGVYSFFVFKTT  
 QKUNSVISHGSHVGPHS TQLQWVTGPALACSR TCDNWHTRTVQCQDGNFLAKGCL  
 LSQRFSAFKQCLLKG C\*

BASE COUNT 726 a 786 c 845 g 643 t  
 ORIGIN

1 cgggggggca gggcaactatg cggctcgagt gggcgctcctt gttgctgcta ctgctgctgc  
 61 tgagcgcgctc ctgcccgtgcc ctggccgctg acagccccgc cggggcacct gccacgggata  
 121 aaacacaggca gccctcaggct gcagcagcgg ccggccgagcc ggaccagccg cagggggagg  
 181 aaacacggga ggcaggcccat ttacaacctt tggccgggca ggcaggagc ggcgggctgg  
 241 tccataatat agaccaactc tactctggcg gtggcaaatg gggctacctt gtctacgcgg  
 301 cgggcccggag gttcctgctg gacctggaga gagatgacac agtgggtgct gtctggtagca  
 361 tggttactgc aggaggaggc ctgagcgcat cctctggcca cgggggtcac tgtttctaca  
 421 gaggcacctg ggacggcagc cctcgatccc tagctgtctt tgacctctgc jggggctctgc  
 481 atgggtctct tgcagtcaag catgcgcgct acactctaaa gccactcctg cgtgggtctct  
 541 gggtagagta tgaaagaatt tatggggatg gatcttcccg catcctgcat gtctacaacc  
 601 ggcaggcctt tagcttcgag gccctgcgcg cagcgccagc ttgcgagact cctgcacccc  
 661 catctgggccc ccaagagagc ccctcggtgc acagtagatc taggagacgc tcagcgctgg  
 721 ccccgacgct gctggaccac tcagctttct cgcctctctg gaacgcggga cctcagactt  
 781 ggtggaggcg taggcgcgct tccatctcca gggcccgcca ggtggagctc ctcttggttg  
 841 ctgactcgtc catggccagg atgtatggg gggccctgca gcattacctg ctgacctctg  
 901 ccttcctatgc caacaggctg tacagtcagt caagcattga gaaccacac cccttgccgg  
 961 tggtagaggt ggtgtgtgtg acggacaaag acagagctct ggaggtgagc aagaatcgcg  
 1021 ccacgacctt caagaacttt tgcaaatggc agcaccacaa taaccagcta ggggatgac  
 1081 acgaagagca ctacgatgca gccatcctgt tcacccgaga ggatttatgt gggcatcatt  
 1141 catgtgacac cctgggaatg gcagacgttg ggaccatag ttctccggag cgcagctgtg  
 1201 cagtgattga agatgatggc ctccatgcag ccttcactgt ggctcatgaa attgggcac  
 1261 tacttgccct ttctcatgac gattccaaat tctgtgaaga gaacttcggt actacagaag  
 1321 acaagcgttt aatgtcttca atcttaccac gcacgatgc atccaaagccc tggctcaaat  
 1381 gcacgtcagc caccatcaca gaattcctgy atgatgtga tggtaattgt ttgctagacc  
 1441 taccacggaa gcagattttt ggtcccgagg aactccagg acagacctac gatgccaccc  
 1501 agcagtgcaa ctgacattt gggcctgagt actcggtgtg ccttgccatg gatgtctgtg  
 1561 cggcgctgtg gtgtgtgtgt gtgcgccaag gccaaatggt gtgtctgacc aagaagctgc  
 1621 cggctgtgga gggcactccc tgtgggaagg gaagagctcg ccttcaaggc aaatgtgttg  
 1681 acaaaaactaa gaaaaaatat tactcgacat caagccatgg aaattggggg tccgtgggccc  
 1741 cctggggtca gtgtctctgc tcattgcggg gaggagtga gtttgctac cgcctattgt  
 1801 ataactctgc acctcgaaac agtgcccgct actgcacagg gaagaggggc atataccgtt  
 1861 cctgcagtggt tacactctgc ccacccaatg gtaaatcttt tgcacatgag cagtgtgaag  
 1921 ccaaaaaatg ctatcagctt gatgcaaaag gagtcaaaac atttgtagaa tgggttccca  
 1981 aatatgcagg tgtcctgtcg gcagatgtgt gcaagcttac ctgcagagct aagggtacag  
 2041 gctactatgt ggtctttctt ccaaggtta cggatgggac tgaatgcagg cgtatagca  
 2101 actctgtgtg tgtccgagga cgggtgtgtg gaactggatg tgacggcatt attgggtcaa  
 2161 agctacaata tgacaagtggt ggagtgtgag gaggggataa ctccagttgt acaaaagatta  
 2221 tgggaacctt caataaaaaa agcaagggtt atactgacgt tctgaggatc cctgaaggag  
 2281 caaccacacat aaaagctcga cagttcaaa ccaaaagcca gactagattc cctgctact  
 2341 tagccttgaa gaagaaaact ggcgagtacc ttatcaatgg caagtacatg atttcaatt  
 2401 cagagacat catcgacatc aatggtaacc tcatgaacta cagtggatgg aagcaagag  
 2461 atgatttttt atatgggagt ggtatttcag ccacaaaaga aatcctgac gtgcagatcc  
 2521 ttgccaataga ccaactaaa ggcctaggcg tccgttcacg attttttgtt ccaaaaga  
 2581 ccactcaaaa agtaaaactt gtcacagccc atggcagcaa caaggtggga ctacattota  
 2641 cagagctgaa gtgggtgaca ggtccatggc tggcctgctc caggacctgt gacacaggct  
 2701 ggcacactag gacgtgag tgccaggatg gaaacaggaa attagctaaa gcatgcttc  
 2761 tctctcagag gccctctgca tttaagcaat gtctgtgaa gaaatgttag cctgtggtt  
 2821 actctaatgc acaaaaaaac aacaggagga tcatcgaga tacagctgtg gtgaagacaa  
 2881 ggcctaccca aagcacagaa agtcatgctt tcatgtatb gtccacaga gtogaattat  
 2941 ggcaggaato tgcctctctg gacccaaaag ttatctctac ttggtgaatg atggtacgct  
 3001 ga

Fig. 2

```

FEATURES             Location/Qualifiers
    source             1..1520
                        /organism="Homo sapiens"
                        /db_xref="taxon:9606"
                        /chromosome="21"
BASE COUNT           416 a    372 c    376 g    352 t    4 others
ORIGIN
1  ggacatttac ttggcctctc ccattgacgat tccaaattct gtgaagagac ctttggttcc
61  acagaagata agcgcttaat gtcttccatc cttaccagca ttgatgcac taagccctgg
121 tccaaatgca cttcagccac catcacagaa ttcttggtat atggccatgg taactgtttg
181 ctggacctac cagcaagca gatcctgggc ccggaagaac tcccaggaca gacctacgat
241 gccacccagc agtgcaacct gacattcggg cctgagtact ccgtgtgtcc cggcanggat
301 gtctgtgctc gctgtgtgtg tctgtgtgta cggcaggggc agatgggtct tctgaccaag
361 gagtgcagtt tgccctatct cactgtaata accctgctcc cagaaacaac ggacgctact
421 gcacaggga gagggccatc taccactcct gcagtctcat gccctgccc cccaatggta
481 aatcatttct tcatgaacag tgtgaggcca aaaatggcta tcagtctgat gcaaaaggag
541 tcaaaacttt tgtggaatgg gtccccaaat atgcagggtg cctgccagcg gatgtgtgca
601 agctgacctg cagagccaag ggcactggct actatgtgtt attttctcca aaggtgacct
661 atggcactga atgtaggccg tacagtaatt ccgtctgcgt ccgggggaag tgtgtgagaa
721 ctggctgtga cggcatcatt ggcataaagc tgcagtatga caagtgcgga gtatgtggag
781 gagacaactc cagctgtaca aagattgttg gaacctttaa taagaaaggt aagggttaca
841 ctgacgtggt gaggattcct gaaggggcaa cccacataaa agttcgacag tccaaagcca
901 aagaccagac tagattcact gctattttag ccctgaaaaa gaaaaacggt gactacotta
961 tcaatggaaa gtacatgac tccacttcag agactatcat tgacatcaat ggaacagtea
1021 tgaactatag cgtttggagc cacagggatg acttcctgca tggcatgggc tactctgcca
1081 cgaaggaaat tctaattagt cagattcttg caacagaccc cactaaacca ttagatgtcc
1141 gttatagctt ttttgttccc aagaagtcca ctccaaaagt aaactctgtc actagtcagt
1201 gcagcaataa agtgggatca cacacttgcg agccgcagtg ggtcacgggc ccattggctcg
1261 cctgctctag gacctgtgac acaggttggc acaccagaac ggtgcagtcg caggatggaa
1321 accggaagtt agcaaaagga tgcctctctt cccaaaggcc ttctgcgttt aagcaatgct
1381 tgttgaagaa atgttagcct gtgggttatg atcttattgc acaaaagata ctggaggatt
1441 canaacccgt gcaatcungg tgaacaggaa ggtacotta acgtacagaa aptcatgctt
1501 taatgacatt gtaaccagg

```

Fig. 3

FEATURES	Location/Qualifiers
source	1..2848 /organism="Homo sapiens" /db_xref="taxon:9606" /chromosome="5"
gene	1..2848 /note=" A Disintegrin-like And Metalloprotease domain with Thrombospondin type I motifs 6" /gene="ADAMTS6"
CDS	22..2602 /gene="ADAMTS6" /note="zinc metalloprotease" /codon_start=1 /product=" A Disintegrin-like And Metalloprotease domain with Thrombospondin type I motifs-6 (ADAM-TS6)" /translation="MEILAKTLTWILSLIMASSEFHSDHRLSYSSQEEFLTYLEHYQL TIPIRVDQNGAFLSPTVGNKHSRRRRSMDPIDPQAVSKLFFKLSAYGKHFLNLT NTDFVSKHFTVEYWGKDGPGWGHDFLDNCHYTGYLQDQRSTTKVALSNVGLHGVAT EDEEYFIEPLKNTTEDSKHFSVENGHPHVTYKKSALQQRHLYDHSKCGVSDFTLSGKP WMLNDTSTVSYSLLPDNTHIHFRQKRSVSIERFVETLVVADKMMVGYHGRKDIHYIL SVMLIVAKLYRDSSLGNVNIIVARLIVLTEDQPNLEINHADKSLDSFCKWQKSILS HQSDGNTIPENGIAHHDNAVLITRYDICTYKWPQGTGLASVAGMCEPERSCSINED IGLGSAFTLAHEIVHNFQNMHDGIGNSGGRKVMKQONYGSSHYCEYQSFFLVCLQSRX HHQLFREVCRELWCLSKSIRCVTNSIPAAEGTLOQTGNIKGCWYQGDVPPGTWFPQS IDGGWGPWSLWGECSRTCAGGVSSSLRHCDSPAPSGGGKYCLGERKRYRSCNTDPCPL GSRDFREKQCAFDNMPFRGKYVWKPYTGGGVKPCALNCLAEYNYFYTERAPAVIDG TQCNAESLDICINGECYHVGCDNILGSDAREDFCRVCGGGSTCDAIESFFNDSLPRG

Fig. 3 (con't)

GYMEVQIPGSHVIEVREVMKSNVIALKSEGGDYINGAWTIDWPRKFDVASTAFH  
YKRPTEDEFESLEALGPTSEMLDVMMLLEGNLGIYKFNVPITATGSGDNEVGPTMAH  
QPWSECSATCAGGKMPTRQPTQRAFWETVHILSYALCLLYKLIGNISCRFASSENLAH  
ETLL'

BASE COUNT 837 a 551 c 664 g 794 t 2 others  
ORIGIN

```

1 aatcatccag tttctaaat tatggaaatt ctgtggaaga cgttgacctg gattttgagc
61 ctcatcatgg cttcatcgga atttcatagt gaccacaggg tttcatacag ttctcaagag
121 gaattccctga cttatcttga acactaccag ctaactattc caataagggt tgatcaaaat
181 ggagcatttc tcagctttac tgtgaaaaat gataaacact caaggagaag acggagtatg
241 gacctattg atccacagca ggcagtatct aagttatttt ttaaactttc agcctatggc
301 aagcactttc atctaaatt gactctcaac acagattttg tgtccaaaca ttttacagta
361 gaattattggg ggaagatgg accccagtg aaacatgatt ttttagacaa ctgtcattac
421 acaggatatt tgcagatca acgtagtaca actaaagtgg ctttaagcaa ctgtgttggg
481 ttgcatgggt ttattgtac agaagatgaa gattatttta tcaaaccttt aaagaatacc
541 acagaggatt ccaagcattt tagttatgaa aatggccacc ctcatgttat ttacaaaaag
601 cttgcccttc aacaacgaca tctgtatgat cactctcatt gtggggtttc ggaattcaca
661 agaagtggca aaccttggtg gctgaatgac acatccactg tttcttattc actaccaatt
721 aacaacacac atatccacca cagacagaag agatcagtga gcattgaacg gtttgtggag
781 acattggtag tggcagacaa aatgatgggt ggctaccatg gcgcgaaga cattgaacat
841 tcatctttga gtgtgatgaa tattgttgc aaactttacc gtgattccag cctaggaaaa
901 gttgtgaata ttatagtggc ccgcttaatt gttctcacag aagatcagcc aaacttggag
961 ataaaccacc atgcagacaa gtccctcgat agcttctgta aatggcagaa atccattctt
1021 tcccacaaaa gtgatggaaa caccattcca gaaaatggga ttgccacca cgaataatga
1081 gttcttatta ctgatatga tatctgcact tataaaaaata agccctgtgg aacactgggt
1141 ttggcctctg tggcgggaat gtgtgagcct gaaaggagct gcagcattaa tgaagcatt
1201 ggcttgggtt cagcttttac cattgcacat gagattgttc acaattttgg tatgaaccat
1261 gatgggaattg gaaattcttg tggcgaagag gtcattgaagc agcaaaatta tggcagctca
1321 cattactgeg aataccaatc ctttttctg gtctgttgc agtcagant acatcaccag
1381 ctttttagag aagtgtgtag agagctctgg tgtctcagca aaagcaaccg ctgtgtcac
1441 aacagtatte cagcagctga ggggacactg tgcctaaactg ggaatattga aaaggggtg
1501 tgttatcagg gagatttgtt tctttttggc acttggcccc agagcataga tgggggctgg
1561 ggtccctgggt cactatgggg agagtgcagc aggaacctgg ggggaggcgt ntccctcact
1621 ctaagacact gtgacagtc agcaacctca ggagggtgga aatattgcct tggggaaagg
1681 aaacggtatc gctcctgtaa cacagatcca tgccttttgg gtcccgaga ttttcagag
1741 aaacagtggt cagactttga caatatgctt ttccgaggaa agtattataa ctggaaaccc
1801 tatactggag gtggggtaaa accttgtgca ttaaacctgt tggctgaagg ttataatttc
1861 tacactgaac gtgctcctgc ggtgatcgt gggacctagt gcaatgcga ttactggat
1921 atctgcata atggagaatg caagcacgta ggcgtgtgata atattttggg atctgatgt
1981 aggggaagata gatgtcaggt ctgtggaggg ggcggaagca catgtgatgc cattgaaggg
2041 tcttccaatg attcactgcc caggggaggc tacatggaag tgggtcagat accaaggagg
2101 tctgttcaca ttgaagttag agaagttgcc atgtcaaaga actatattgc tttaaaatct
2161 gaaggagatg attactatat taatgggtgc tggactattg actggcctag gaaatttgat
2221 gttgttggga cagcttttca ttacaagaga ccaactgatg aacagaatc ctgggaagct
2281 ctgggtccta cctcagaaaa tctcatctgc atggttctgc ttcaagaaca gaatttggga
2341 attaggtata agttcaatgt tcccatact cgaactggca gtggagataa tgaagtggg
2401 ttacatgga atcatcagcc ttggcagaa tctcageta ctgtgtctgg aggtgaagat
2461 cccactaggg agcccacca gagggaaga tggagaacaa aacacattct gagctatgct
2521 ttgtgtttgt taaaaagct aattggaaac atttcttga ggtttgttc aagctgtaat
2581 ttacgaaaaa aaactttgct ttaattatat tatattccat ttgttttcaa cttcatgtaa
2641 ttgtgtcaga ttgtgtggtt aaatacatct tggcacaatg agtgtctctg ctgggtcttc
2701 tcccagaact atcttgaag tgggtgtt tgccttctgt aacacattct tggtaagaa
2761 catcaaaagt tttaaaaaag aaatgagca agaactcagc atccagatg caacttcttg
2821 taatgggaga tgagaatgta cggctgtg

```

Fig. 4

FEATURES	Location/Qualifiers
source	1..3218 /organism="Homo sapiens" /db_xref="taxon:9606" /chromosome="15"
gene	1..3218 /gene="ADAMTS7"
CDS	13..3003 /gene="ADAMTS7" /note="ZINC METALLOPROTEASE" /codon_start=1 /product=" A Disintegrin-like And Metalloprotease domain with Thrombospondin type I motifs-7 (ADAM-TS7)" /translation="MPGGPSPRSPAELLRPLLLLCALAPGAPGPAPGPATEGPAALD IVHPVRVDAGGSFLSYELWPRALRKRDVSVRRDAPAFYELQYRGRELRFNLTAHQHLL APGFVSETRRRGGLGRAHIRAHTPACHLLGEVQDPELEGGLAAISACDGLKGVFQLSN EDYFIEPLDSAPARPGHAQPHVYKQAPERLAQRGDSSAPSTCGVQVYPELESRRER WEQRQQWRPRLRLRHQSVSKEKWVETLVVADAKMVEYHGQPQVESYVLTIMQVAG LFHDPSIGNPIHITIVRLVLLDEEEEDLKITHADNTLKSFCWKQKSNMKGDHPLH HDTAILLTRKDLCAAMNRPCEITGLSHVAGYCQPHRSCSINEDTGLPLAFTVAHELGH SFGIQHDGSGNDCEPVGKRPFIMSPQLLYDAAPLTWSRCSRQYITRFLDRGWGLCLDD PPAKDIIIDFSPVPPGVLYVSHQCRLQYGAYSAPCEDMDNVCHTLWC SVGTTCHSKLD AAVDGTRCGENKWLSGECVPVGFPEAVDGGWSGWSAKWSICSRSGMGVQSAERQCT QPTPKYKGRYCVGERKRFRLCMLQACPAGRPSFRHVQC SHFDAMLKQQLHTW/PVVN DVPCELHCRPANEFAXKLRDAVVDGTPCYQVRASRLCINGICQNGCCFEIDSGA MEDRCGVCHGNGSTCHTVSGTFEEAEGLYVTVGLIPAGAREIRIQEVAEAAFLALR SELPEKYFLNGGWTIQWNGDYQVAGTTFTYARRGNWENLTSFGPTKEFWIQVPASRG

PGGSGGQVPRPSTLHGSRPGGVSPGVTGSEPGFFAAASTS  
 VHRGGWQAPLGLGWRRLNLMGPRLPTQLLFQESNPGVHYETIAREAGHLEVER  
 FVFSWHYGFNTACTVTCGRGEKWRHSPTCRGLVSGQGHWLQLPAHDMATTGLENCFS  
 EPQFSICEFLAIALCPRPAGRVHG\*

BASE COUNT 564 a 1041 c 1003 g 592 t

ORIGIN

1 cgggttcttg ccatgcccgg cggcccagtg ccccgcagcc cggcgccctt gctgcgcccc  
 61 ctcctctctg tcctctgcgc tctggctccc gggccccccg gaccgcaccc aggcagtgca  
 121 accgaggggc gggcggaact ggacatcgtg caccgcgttc gactcgacgc ggggggctcc  
 181 ttcctgtctc acgagctgtg gccccggcca ctgcgcaagc gggatgtatc tgtgcgcga  
 241 gacgcgcccc cctttacga gctacaatac cgcggggcgg agctgcgctt caacctgacc  
 301 gccaatcagc acctgctggc gcccggtttt gtgagcgaga cggcgcgccg cggcgccctg  
 361 ggcgcgcgcg acatccgggc ccacaccccc gcttgcaccc tgcctggcga ggtgcaggac  
 421 cctgagctcg aggtgtggct ggcggccatc agcgccctgc accgctgaa aggtgtgttc  
 481 cagctctcca acgaggacta cttcattgag cccctggaca gtgccccggc cggcgctggc  
 541 cagccccagc cccatgttgt gtacaagcgt cagggcccgg agaggctggc acagcggggt  
 601 gattccagtg cttcaagcac ctgtggagtg caagtgtacc cagagctgga gtctcgacgg  
 661 gaggcttggg agcagcgcca cagtgggcgg cgccacgggc tgaggcgtc acaccagcg  
 721 tcggctcagc aagagaagtg ggtggagacc ctggtagtag ctgactccaa aatggtggag  
 781 taccacggac agcccgaggt tgagagctat gtgtgacca tcatgaacat ggtggtggc  
 841 ctgtttcatg accccagcat tgggaacccc atccacatca ccatgtgtcg cctggtcctg  
 901 ctggaagatg agtggagga cctaaagatc acccaccatg cagacaacac cctgaagagc  
 961 ttctgcaagt ggcagaaaag catcaacatg aagggggagc cccatccctt gcccatgat  
 1021 actgccatcc tgcctccag aaaggacctg tgtgcagcca tgaacccggc ctgtgagacc  
 1081 ctgggactgt cccatgtggc gggcatgtgc cagccgcacc gcagctgcag catcaacgag  
 1141 gacacgggac tgcgcctggc cttcactgta gccacagagc tcgggacagc ttttggcatt  
 1201 ccagcatgac gaagcggaac tgaactgtgag cccgttggga aaagacattt catcatgtct  
 1261 ccacagctcc tgtacgagc cgtcccccct acctggctcc gctgcagccg ccagtatctc  
 1321 accaggttcc ttgacctggg gtggggcctg tgcctggagc acctcctgc caaggacatt  
 1381 atcgacttcc cctcgggtgc acctggcgtc ctctatgatg taagctacca gtgcgcctc  
 1441 cagtacgggg cctactctgc cttctgcgag gacatggata atgtctgcca ccaactctgg  
 1501 tgctctgttg ggaccacctg tcaactccaa ctggatgcag ctgtgjacgg cccccggtgt  
 1561 ggggagaata agtgggtgtc cagtggggag tgcgtaccgg tgggctcccg gcccgaggcc  
 1621 gtggatggtg gctggtctgg ctggagcgcc tgggtccatct gctcaccggg ctgtggcatg  
 1681 gggtacaga ggcggcagcg gcagtgcacg cagcctacgc ccaaatacaa aggcagatac  
 1741 tgtgtgggtg agcgcaagcg cttccgcctc tgcacacctg aggcctgccc tgcggccgc  
 1801 cctccttccc gccacgtcca gtgcagccac ttgacgcta tgcctctaaa gggccagctg  
 1861 cacacatggg tgcgcgttgt caatgacgtg aacccctgcg agctgcactg cgggccccgc  
 1921 aatgagtact ttgccaagaa gctgcgggag gcggtgtgtg atggcaccac ctgctaccag  
 1981 gtccgagcca gccgggacct ctgcataaac ggcactctga agaactggg ctgtgacttc  
 2041 gagattgact ccggtgctat ggaggaccgc tgtgtgtgtg gccacggcaa cggctccacc  
 2101 tgccacaccg tgagcgggac cttcgaggag gccgagggtc tggggtatgt ggaatgtggg  
 2161 ctgatccacg cgggcgcacg cgagatccgc atccaaaggg ttgcccaggc tgccaacttc  
 2221 ctggcactgc ggagcgagga cccggagaag tacttctcca atgggtggctg gaccatccag  
 2281 tggaaacggg actaccaggt ggcagggacc accttcacat accgacgcag gggcaactgg  
 2341 gagaacctca cgtccccggg tcccaccaag gagcctgtct ggaatccaggt gcctgctccc  
 2401 cgtggccca ggggggggag cagaggcgga gtccccaggc ccagcaccct ccatgycagg  
 2461 tctcgtcttg gaggagtgag cccgtgttca gtccagagc ctggctctga gccagjccct  
 2521 cctgctgcgg cctctacctc agtttcccca tttttaaat ggcctaact tgtagctgca  
 2581 gtccacagag gtggctgggg tcaagctctt ttaggactgg gtggatggag aagacacatt  
 2641 gtgctcatgg gcccgcgtct gccacccag ctgtgttcc aggaagagca cctgggggtg  
 2701 cactacagat acaccatcca caggaggga ggtggccacg acgaggtccc gccgccccg  
 2761 tctcctggc attatgggac ctggaccaag tgcacagta cctggggcag aggtgagaa  
 2821 tggggcaggc acagccccac ctgcaggggc ttagtgtctg gacagggaca ctggcttcag  
 2881 cteccagctc actgtctggc caccacgggt ttggaagttt gcttctctga gcctcagttc  
 2941 tccatctgtg agatgaggct agcagattgc ctgtgtccca ggcctgtgtg gagggtacat  
 3001 ggatgaggca ggtgggtgtc ggtcgcgggc gcattgtcag tgtgtccag ctcctggcgt  
 3061 tctccctcca ggggacacag ctcctccctg atagaccagt ccagtggccc ctcaccatad  
 3121 tgaactatct cctaaaacta tttataaaaa gtagggcaat ttcatttaact ctgactctta  
 3181 cctgccccgg cggcgcgctc agccaggtaa tcaactagt

Fig. 5A




Fig. 5A (con't)

1760 1770 1780 1790 1800 1810 1820  
 G0CCGTCATCGGATAGTGATGAGCCCATTTGCCACACAAAGAATGGTAGCCCTGCTCTGGGCTGATGTA 1820  
 CACCCCTGTGGCCTTGGCACCTGTGCCTGGATGGTAGCTGTGTACTCAAGGAGGATGTGGAGAATCCCA 1890  
 GGCTGTGGTASATGGAGACTGGGGTCCCTGGAGACCCCTGGGGACAATGTTCTCGCACTGTGGTGAAGG 1960  
 ATACAATTTCTGGAACCGTGAATGTGATAATCCAATGCCTCAGAATGGAGGAAGATTTTGGCTGGGTGAAA 2030  
 GAGTCAAGTACCAATCATGCAACACAGAGGAATGTCCACCAAAAGGAAAAAGCTTCCGGGAGCAGCAGTG 2100  
 2110 2120 2130 2140 2150 2160 2170  
 TGAGAAATATAATGCCTTACAACCACACTGACCTGGATGGGAATTTCTCTGCAGTGGGTCCCAAGTATTCA 2170  
 GGAGTGTCCCGCCGACACCGATGCAAGCTGTTTTCAGAGACCCCTGGGAGGAGTGAAGTCAAAAGTGTG 2240  
 AAGCTAAGGTATGATGAGCACTCTGTGTGGAACGGATACTCTGTGCTCTGCGTCCGGGGCAATGTGT 2310  
 TAAGGCTGGCTGTGACCATGTGGTGAACCTCACTAAGAGCTGGACAAATGTGGGGTGTGTGGGGCAAA 2380  
 GGCACCTGCCTGTAGGAAGATCTCCGGTCTCTTACCCCCCTTCAGTTATGGCTACAATGACATTGTACCA 2450  
 2460 2470 2480 2490 2500 2510 2520  
 TCCAGCTGTGCCACAAACATTGATGTGAAACAGCGGAGTCAACCAGGGGTGAGGAACGACCGCAGCTA 2520  
 CCTGGCGCTGAAGACAGCCAATGGGCAGTACCTGCTCAATGGTAACCTGGCCATCTCTGCCATAGAGCAA 2590  
 GACATCTTGGTGAAGGGGACCATCCTGAAGTACAGTGGCTCCATGGCTACCCCTGGAGCGCTGCAGAGCT 2660  
 TCCAGGCCCTGCCTGAGCCTCTTACAGTACAGTCCCTGACTGTGTCTGTGAGGTCTTCCCAAAAGT 2730  
 CAGATATACCTTCTTTGTCCCAATGACATGGACTTCAGGTGCAGAATAGCAAGGAAAGAGCAACCAAC 2800  
 2810 2820 2830 2840 2850 2860 2870  
 AACATCATTTCAGTCACTGCCCTCTGCGGAGTGGGTCTGCGGAGACTGGTCTGAATGTCCAGCACTGCA 2870  
 GACGTAGCTGCAGCGCGGACTGTGGAATGCAGGACCCCTCAGGTACGGCTCTGACACCTGTATGA 2940  
 GGCCTGTGAAACCTGAGGATGCCAAGCCCTGTGSAAGCCAGCGGTGTCCCTCTGATCCCTTGGTGGAAA 3010  
 TCTCTTAGGCTTATGGATTGGGCTACTGGTGTAAACAGACAAAGGTCCCTCCAAGGTGATACTACATAT 3080  
 CAAGATGGGCAAGGCCCTTTCAGGCTCTTATTACTACAACCCCTTGGGTACTACCTAATTCATAAGGAAG 3150  
 3160 3170 3180 3190 3200 3210 3220  
 AGAGAAGAGGGTATAAGGTTAACAGATTGTAAGGTGACGTGTGGTGGAGTGGACCTGTATGATCA 3220  
 AGAAGTGGGATAGGTAAAAAGGTAGAAGTGCACCTATTGATCCAAATGGAGATTTCAGAGTCAAGTCT 3290  
 TCTGCAAGGACTAGCAAAAGTAAATGAAAAAGAAATTTTTTTTTCTATTGGTTCCTCAATAATC 3360  
 AATCTACCTCACAGCGGGGAAAAATCAGTATACAAGAGGTATAAGGCCAGGTGTGGCAGTGAACGCAAA 3430  
 AGCAAGCTCATAGGTATCTCAAGCTATCTTCAGAAATGTCCGTGGGTGTTTTCAGTATAAAAATCTGT 3500






## MOUSE ADAM TS8

10 20 30 40  
 MLRDPTTTGWPPILLILLQLPPPPPLVCGAFAGPGTGAQAS 40  
 ELVVPTRLPGSASELAFLHLSAFGQGFVLR LAPDASFLAPE 80  
 FKIERLGGSSAAAGGEPGLRGCFSGTIVNGERESLAAMSC 120  
 VAGWSGSFLLAGEEFTIQPQAGDSLQPHRLQWAGFGQR 160  
 REDPGLAAAEVFPPLPQGLEWEVEMGNQGQCRSDNEEDRK 200  
 210 220 230 240 N-terminus of mouse protease  
 QDKEGLLKETEDSRKVPPPPGSKTRSKFVSEARFVETLL 240 FVSEAR . . . .  
 VADASVAAFYGTIDLQNHILTVMSMAARTYKHPSTIRNSVNL 280  
 VVKVLIVKIERAGEEVSILNGGLTLRNFCSWQRRENKPSD 320 5 up  
 RHPEHYDTAILFTRQNFQGHGEQCDTLGMADVGTICDPDK 360  
 SCSVIKDEGLQAAYTLAHELGHVLSMPHDESKPCVRLFGP 400  
 410 420 430 440 3 up  
 MGKYHMAFFFIHVNKFLWSPCSAVYLTELLDDGHGDCL 440  
 LDAPTSVLPLPTGLPGHSTLYELDQQCKQIFGPDFRHCPL 480  
 FSVEDICVQLCARHRDSDEPICHTKNGSLWADGTPCGPG 520 8 up  
 FLCLDGSCVLKEDVENPKAVDGDWGPWRFWGQCSRTGG 560  
 GIQFSNRECINEMPQNGGRFCLGERVKYQSCNTEECPPNG 600  
 610 620 630 640  
 KSFREQQCEKYNAYNHFDLDGNFLQWPKYSGVSEFRDRCK 640  
 LFCFARGRSEFKVFEAKVIDGTLCGPDILSICVRGQCVKA 680 10 up  
 GCDHVNSPKFLDKCGVCGGKGTACRKISGSFTPF SYGYN 720  
 DIVTIPAGATNIDMKQRSHPGVRNEDGSYLAKTANGQYLL 760  
 NENLAISAIEQDILVKGTTILKYSGSMATLERLQSFQALPE 800  
 810 820 830 840  
 PLTVQLLTVSGEVFPFKVRYTFFVNDMDFSVQNSKEFAT 840  
 TNLIQSLPSAEWVLGDWSECPSTCRGSAQRRTVECRDPFG 880  
 QASDNGDEALFPEDAKPGSQPCPL 900  
 5 paces ~146aa

Fig. 6A



HUMAN ADAM-TS8  
CATALYTIC DOMAIN




Fig. 6B

Fig. 7A

human ADAM-TS9




Fig. 7A (con't)

1750 1770 1780 1790 1800 1810 1820  
CTGCAACACGGAGCCATGTCTCAAGCAGAAGCGAGACTTCCGAGATGAACAGTGTGCTCACTTTGACGGG 1820  
AAGCATTTTAAACATCAACGGTCTGCTTCCCAATGTGCGCTGGGTCCCTAAATACAGTGGAAATCTGATGA 1890  
AGGACCGGTGCAAGTTGTTCTGCAGAGTGGCAGGGAACACAGCCTACTATCAGCTTCGAGACAGAGTGAT 1960  
AGATGGAACCTCCTTGTGGCCAGGACACAAATGATATCTGTGTCCAGGGCCTTTGCCGGCAAGCTGGATGC 2030  
GATCATGTTTTTAAACTCAAAAGCCCGAGAGATAAATGCGGGTTTGTGGTGGCGATAATTCTTCATGCA 2100  
2110 2120 2130 2140 2150 2160 2170  
AAACAGTGGCAGGAACATTTAATACAGTACATTATGGTTACAATACTGTGGTCCGAATTCAGCTGGTGC 2170  
TACCAATATTGATGTGCGGCAGCACAGTTTCTCAGGGGAAACAGACGATGACAACTACTTAGCTTTATCA 2240  
AGCAGTAAAGGTGAATTCCTTGCTAAATGGAACCTTTGTTGTCACAATGSCAAAAGGGAAATTCGCATTG 2310  
GGAATGCTGTGGTAGAGTACAGTGGGTCCGAGACTGCCGTAGAAAGAATTAACCAACAGATCCCATTTGA 2380  
GCAAGAACTTTTGCTTCAGGTTTGTGCGTGGGAAAGTTGTACACCCCGATGTACGCTATTCTTTCAAT 2450  
2460 2470 2480 2490 2500 2510 2520  
ATTCCAATTGAAGATAAACCTCAGCAGTTTTACTGGAACAGTCAATGGGCCATGGCAAGCATGCAGTAAAC 2520  
CCTGCCAAGGGGAACGGAAACGAAACCTTGTTTGCAACAGGGAATCTGATCAGCTTACTGTTTCTGATCA 2590  
AAGATGCGATCGGCTGCCCCAGCCTGGACACATTACTGAACCCCTGTGGTACAGGCTGTGACCTGAGGTGG 2660  
CATGTTGCCAGCAGGAGTGAATGTAGTGCCAGTGTGGCTTGGGTTACCGCACATTGGACATCTACTGTG 2730  
CCAAATATAGCAGGCTGGATGGGAAGACTGAGAAGGTTGATGATGGTTTTTGCAGCAGGCATGCCAAACC 2800  
2810 2820 2830 2840 2850 2860 2870  
AAGCAACCGTGAAAAATGCTCAGGGGAATGTAACACGGGTGGCTGGCGCTATTCTGCTGGACTGAATGT 2870  
TCAAAAAGCTGTGACGGTGGGACCCAGAGGAGAAGGGCTATTTGTGTCAATACCCGAAATGATGTACTGG 2940  
ATCACAGCAAATGCACACATCAAGAGAAAGTTACCATTCAGAGGTGCAGTGAGTTCCCTTGTCCACAGTG 3010  
GAAATCTGGAGACTGGTCAGAGTGCTTGGTCACTGTGGAAGGGCATAAGCAACCGCCAGGTCTGGTGT 3080  
CAGTTTGTCAAGATCGATTAAATGATAGAATGTGTGACCCCTGAGACCAAGCCAACATCTATGCAGACTT 3150  
3160 3170 3180 3190 3200 3210 3220  
GTCAGCAGCCCGAATGTGCATCCTGGCAGGCGGGTCCCTGGGTACAGTGCAGTGTCACTTGTGGACAGGG 3220  
ATACTAGCTTAAGAGCAGTGAAATGCATCATTGGGACTTATATGTCACTGGTAGATGACAATGACTGTAAT 3290  
GCAGTAACTAGACCAACTGATACCCAGGACTGTGAATTACCATCATGTGATCCTCCCCAGCTGCCCCGG 3360  
AAACGAGGAGAAGCACATACAGTGCAACCAAGAAGCCAGTGGCGATTTGGGTCTTTGGACCCCCATGCTCAGC 3430  
CACTTGTGCGAAAGGTACCCGGATGAGATACTCAGCTGCGAGATGAGAATGGCTCTGTGGCTGACGAG 3500

Fig. 7A (con't)

3510 3520 3530 3540 3550 3560 3570  
 AGTGCCTGTGCTACCCCTGCCTAGACCAGTGGCAAAGCAAGAATGTTCTGTGACACCCCTGTGGGCAATGGA 3570  
 AGGCCCTTGGACTGGAGCTCTTGGCTCTGTGACCTGTGGGCAAGGTAGGGCAACCCCGCAAGTGATGTGTGT 3640  
 CAACTACAGTGACCACGTGATCGATCGGAGTGAGTGTGACCCAGGATTATATCCCAGAACTGACCAGGAC 3710  
 TGTTCATGTCAACCATGCCCTCAAAGGACCCCGACAGTGGCTTAGCTCAGCACCCCTTCCAAAATGAGG 3780  
 ACTATCGTCCCCCGAGCGCCAGCCCCAGCCGCACCCATGTGCTCGGTGGAAACCAGTGGAGAACTGGCCCC 3850  
 3860 3870 3880 3890 3900 3910 3920  
 CTGGGGAGCATGTTCCAGTACCTGTGCTGGCGGATCCCAGCGCGTGTGTGTATGTTCAGGATGAAAAT 3920  
 GGATACACCGCAAACGACTGTGTGGAGAGAATAAAACCTGATGAGCAAAGAGCCTGTGAATCCGGCCCTT 3990  
 GTCCCTCAGTGGGCTTATGGCAACTGGGGAGAGTGCCTAAGCTGTGTGTGGAGGCATAAGAACAAGACT 4060  
 GGTGTCTGTTCAGCGTCCCAACGGTGAACGGTTTTCCAGATTTGAGCTGTGAAATTTCTTGATAAACCTCCC 4130  
 GATCGTGAGCAGTGTAAACACACATGCTTGTCCACACGACGCTGCATGGAGTACTGGCCCTTGGAGCTCGT 4200  
 4210 4220 4230 4240 4250 4260 4270  
 GTTCTGTCTCTTGTGGTCCAGCGGCATAAACAACGAAATGTTTACTGCATGGCAAAGATGGAAGCCATTT 4270  
 AGAAAATGATTACTGTAAAGCACCTGGCTAAGCCACATGGGCACAGAAAGTGCCGAGGAGGAAGATGCCCC 4340  
 AAATGGAAAGCTGGCGCTTGGAGTCAGTGCTCTGTGTCTGTGGCCGAGGCGTACAGCAGAGGCATGTGG 4410  
 GCTGTTCAGATCGGAACACACAAAAATAGCCAGAGAGACCGAGTGCACCCCATACACCAGACCGGAGTCGGA 4480  
 ATGCGAATGCCAAGGCCACCGGTGTCCCTTTACACTTGGAGGGCAGAGGAATGCAAGAATGCACCAAG 4550  
 4560 4570 4580 4590 4600 4610 4620  
 ACCTGGGGCAAGGCTCCAGGTACCGCAAGGTGGTGTGTGTGGATGACAACAAAAACGAGGTGCATGGGG 4620  
 CACGGTGTGACGTGAGCAAGCGGCGGTGGACCGTGAAAGCTGTAGTTTTCAACCCCTGCGAGTATGTCTG 4690  
 CATCACAGGAGAATGCTCAGAGTCTCTAGTGAACCTGTGGAAAAGGCTACAAACAAGGCTTGTCTGTGTG 4760  
 AGTGAGATTTACACCGGGAAGAGAAATTATGAATACAGCTACCAAAACACCATCAACTGCCCGAGGCACGG 4830  
 AGCCCCCAAGTGTACCCCTGTGTACCTGAGCGAGTGGCCCTGTCTCGGCCACCTGGAGAGTTGGCAACTG 4900  
 4910 4920 4930 4940 4950 4960 4970  
 GGGGAGCTGTTCAGTGTCTTGTGGTGTTCGAGTGCATGCAGAGATCTGTGCAATGTTtaaccaatgaggac 4970  
 caaccagccacttatgccacactgatctgaagccagaagaacgaaaaacctgcgtaatgtotataact 5040  
 ctcaatttaccacagaatttcacagaggtataaaagacttaaggtgcagtggaagatggtgaatatttcc 5110

Fig. 7A (con't)

5260 5270 5280 5290 5300 5310 5320  
GTCCCTATAACGGGAGCCGGCGCGATGACTGCCAATGTGGGAAGGATTACACGGCCGCTGGGTTTTCCAG 5320  
TTTTTCAGAAAATCAGAATAGACCTGACCAGCATGCAGATAATCACCCTGACTTACAGTTTGCAAGGACA 5390  
AGCGAAGGACATCCCGTCCCTTTTGCCACAGCCGGGGATTGCTACAGCGCTGCCAAGTGCCACAGGGTC 5460  
GTTTTAGCATCAACCTTTATGGAACCGGCTTGTCTTTAACTGAATCTGCCAGATGGATATCACAAGGGAA 5530  
TTATGCTGTCTCTGACATCAAGAAGTCGCCGGATGGTACCCGAGTCGTAGGGAAATGCGGTGGTTACTGT 5600  
5610 5620 5630 5640 5650 5660 5670  
GGAAAATGCACTCCATCCTCTGGTACTGGCCTGGAGGTGCGAGTTTTATAGCTAAGGTGCTTTGAAGAGG 5670  
AAGCCATTATGGATGGATGAAGGATAGTAATGCAATACCTCCACCTTAATTTGGGTGCATGTGTATGTGT 5740  
GTGTGTGTTTGTGTGTGACTTCTATGCTTGTGTGTGTAATGTGTGTACATATACATATATACA 5804



Fig. 7B




Fig. 7B (con't)

1760 1770 1780 1790 1800 1810 1820

---

FYNGSRDDQCCRKYTAAGFSSFQKIRJDLTSMQIITTDLQFARTSEGHPVPFATAGDCYSAAKCPQGR 1820  
FSINLYGTGLSLITESARWISQGNVAVSDIKKSPDGTIRVVGKGGYCGKCTPSSGTGLEVRVL.LRCFEEE 1890  
AEMDG.RIVMQYLHNLGACVVCVFVCDLYACVCKCVYTYTYT 1934

Fig. 8

ORF=2

HTAVTSLCSQMGTFRSHDGDYFTEPLQSVDEQDEEEQN 40  
 KPHEIYRHSTPQREPSTGKHACATSELKNSHSHKDKRKIRM 80  
 RKRRKRNSLADIVALLKSGLATKVLSGYSNOTNNIRDRWN 120  
 HKRTKRF<sup>protein</sup>LSYPRFVEVMVADHRMVLHGANLQHYILTLM 160  
 SIVASITYKDSSIGNLINIVIVNLWVLENEQEGPYINFINAQ 200  
 TILKNFCQWQHSHKNYLGGIQHDTAVLVITREDICRAQDKCD 240  
 TLGLAELGTICDPYRSCSISEDGLSTAFTIAHELGHVEN 280  
 MPHDDSNKCKEEGVKSPQHVMAPTILNFYINPAMWSKCSRK 320  
 YITEFLDTGYGECLINEPASRTYPLPSQLPGLLYNVNKQC 360  
 ELIFGPGSQVCPYMMQCRRLWCNNVDGAHKGCRTOHTPWA 400  
 DQTECEPKKHCKFGFCVPEMEGPAIDGSWGGWSEHFGTCS 440  
 RTCGGGIKTAIRECNRPPEPKNGGKYCVGRFMKFKSCNTEP 480  
 CMKQKRDFFREEQCAHFDGKHFNINGLLPSVFAFPKYSGL 520  
 MKDRCKLFCRVAGNTAYYQLRDRVIDGTFCGQDTINDICVQ 560  
 GLCRQAGCDHILNSKVRKOKCGICGGDINSCKTVAGTFNT 600  
 VHYGYNIWVRI PAGATSIDVRQHFSFGKSEDDNYLALSNS 640  
 KGEFLINGDFVWSMSKREVRVGSVIEYSGSDNVVERLNC 680  
 TDRIEEELLQVL SVGKLYNPDVRYSFNIPIEDKPPQFYW 720  
 NSHGFWQACSKPOQGERRRKLVCTRESQDLTVSDQRCRL 760  
 PQPGFVTEACGTDCDLRWVASKSECSAQCGLYRTLDIH 800  
 CAKYSRMDGKITEKVDDSFCSQPRPSNQEKCSGECSTGGW 840  
 RYSAWTECSRSCDGGTQRRRAICVNIRNEVLDDS 874

mouse adam-759

FLSYPRF...

Mouse Adam-759

partial sequence

(see figure)

Created: Saturday, April 10, 1999 11:40 AM

DNA

10 20 30 40 50 60 70  
 GCACACTGCGGTCATCAGCCTGTGCTCCGGAATGATGGGCAO<sup>70</sup>GTTCGGCTCTCACGATGGAGATTATTTC 70  
 ATTGAACCACTGCAGTCTGTGATGAGCAAGAGGATGAAGAGGAACAAAAACAAACCCACATTATTTATA 140  
 GGCACAGCAACCCCTCAGAGGGAAACCCCTCCACAGGAAAGCATGCTCTGTGCCACCTCAGAACTCAAAAATAG 210  
 TCACAGTAAAGACAAGCGGAAAATCAGAATGCGAAAACGGAGAAAGAGGAATAGCCTGGCTGACGACGTG 280  
 GCACCTGCTAAAGAGCGGTTTGGCAACAAAGGTGCTCTCTGGCTATAGCAACCCAGACAAACAACACAAGGG 350

Fig. 8 (con't)

360 370 380 390 400 410 420  
ACAGATGGAACCACAAAAGAACCAACGCTTCTGTGCTACCCACGGTTTGTAGAGGTGATGGTGGTGGC 420  
TGACCACAGGATGGTTTTATAACCGAGCAAAACCTTCAACATTATATCTTAACCTTAATGTCCATTGTA 490  
GCTTCTATCTATAAAGACTCAAGTATTGGAAATTTAATTAATATTGTTATTGTGAACCTAGTTGTGATT 560  
ATAATGAACAGGAAGGACCTTACATAAATTTCAATGCCAGACAACATTAAAGAACTTTTGCCAGTGGCA 630  
GCACTCAAAGAACTACTTGGGTGGGATTTCAGCACGACACAGCCGTTCTGGTCACAAGGGAAGATATCTGC 700  
710 720 730 740 750 760 770  
AGAGCTCAACACAAATGTGACACCTTAGGTCTTGTGAACTGGGAACCATTTTGGGACCCCTACCGAAGCT 770  
GTTCCATTAGTGAAGACAGTGGGCTGAGCACAGCTTTTACAATAGCTCACGAGCTGGGCCATGTGTTTAA 840  
TATGCCTCACGATGCAGCAATAAATGCAAAGAAGAAGGAGTTAAGAGTCCCCAGCATGTCATGGCACCA 910  
ACACTGAACCTTCTACACCAACCCCTGGATGTGGTCAAGTGCAGTCCGAAATACATCACTGAGTTCTTAG 980  
ACACTGGGTACCGAGAGTGCTTGCTGAATGAACCTGCATCCAGGACCTATCCTTTGGCTTCCCAACTGCC 1050  
1060 1070 1080 1090 1100 1110 1120  
CGGCTTCTCTACAACGTGAATAAACAATGTGAACTGATTTTTTGGGCCAGGCTCTCAAGTGTGCCCCCTAT 1120  
ATGATGCAGTGCAGACCGCTCTGGTGCAATAATGTGGATGGAGCACACAAAGGCTGCAGGACTCAGCACA 1190  
CGCCTTGGGCAGATGGAAACCGAGTGTGAGCCTGGAAAGCACTGCAAGTTTGGATTTTGTGTTCCCAAAGA 1260  
AATGGAGGGCCCTGCAATTGATGGATCCTGGGGAGGTTGGAGCCACTTTGGGACCTGCTCAAGAACGTGT 1330  
GGAGGAGGCATCAAAACAGCCATCAGAGAGTGCAACAGACCAGAGCCAAAAATGGTGGGAAGTACTGTG 1400  
1410 1420 1430 1440 1450 1460 1470  
TAGGAAGGAGAATGAAGTTCAAATCCTGCAACACGGAGCCCTGCATGAAGCAGAAGCGAGACTTCCGAGA 1470  
GGAGTAGTGTCTCACTTTGATGCCAAACACTTCAACATCAATGGTCTGCTGCCAGCGTACGCTGGTTTT 1540  
CCTAAGTACAGCGGAATTTTGTATGAAGGACCGGTGCAAGTGTGTTCTGCAGAGTGGCAGGAAACACAGCCT 1610  
ACTAACCAGCTCCGAGACAGAGTGATTGACGGAAACCCCTTGTGGCCAGGACACAAATGACATCTGTGTCCA 1680  
AGGCTTTTGGCCGCAAGCTGGATGTGATCATATTTTAAACTCAAAGGTCCGGAAAGATAAATGTGGGATT 1750  
1760 1770 1780 1790 1800 1810 1820  
TGTGGTGGAGATAATTTCTTCATGCAAAACAGTGGCAGGAACATTTAACACTGTCCATTATGGTTACAATA 1820  
CTGTTGTCCGAATTCGGCTGGTGCTACCAGCATTTGACGTGGTGCAGCACAGCTTCTCAGGGAGTCTGA 1890  
GGATGACAACCTACCTAGCTTTTATCAAACAGTAAAGGTGAATTCCTGCTAAATGGACACTTTGTGTCTCC 1960  
ATGTCCAAAAGGGAGGTCCGCTGGGGAGCGCCGTCATTGAGTACAGCGGATCCGACAATGTGGTGGAAA 2030  
GACTCAACTGTACCGACCGTATCGAGGAGAACTTCTCCTTCAGGTGTTGTCCGTGGGAAAGCTGTATAA 2100

**Fig. 8 (con't)**

2110 2120 2130 2140 2150 2160 2170

CCCAGATGTGCGGTACTTCATTCAATATTCCCAATTGAGGACAAAACCTCAGCAATTTTACTGGAAACAGTCAC 2170

GGGCCCGTGGCAAGCATGCAGCAAGCCCTGCCAAGGGGAGCCGAGACGAAAACCTGTGTTTGCACCGAGGGAGT 2240

CTGATCAGCTAACCGTTTTCTGATCAAAGATGTGACCGGCTGCCCCAGCCAGGACCTGTCACTGAAGCGTGT 2310

CGGCACAGACTGTGACTTTGAGGTGGCACGTTGCCAGCAAGAGCGAAATGCAGTGGCCAGTGTGGTTTGGGC 2380

TACCGTACTTTAGACATCCACTGTGCCAATACACCAGGATGCACGGGAAGACGGGAGAAGGTGGATGACA 2450

2460 2470 2480 2490 2500 2510 2520

GTTTCTGTAGCAGTCAACCCAGACCGAGTAACCAGGAGAAATGCTCAGGAGAGTGCAGCACAGGTGGATG 2520

GCGCTATTTCAGCCTGGACCGAATGTTCTAGAAGCTGTGATGGTGGTACCCAGAGAAGAAGAGCAATTTGT 2590

GTCAACACCCCGCAATGATGTCTCTGGATGACAGCAA 2625

Fig. 9A





Fig. 9A (con't)

1760 1770 1780 1790 1800 1810 1820  
 ACTTCAGAGAAGTGCAGTGTCTGAATTTGACAGCATCCCTTTCCGTGGGAAATTCTACAAGTGGAAAAC 1820  
 GTACCGGGGAGGGGGCGTGAAGCCCTGCTCGCTCACGAGCCTAGCGGAAGGCTTCAACTTCTACACGGAG 1890  
 AGGGCGGCAGCCGTGGTGGACGGGACACCCTGCCGTCCAGACACGGTGGACATTTGCGTCAGTGGCGAAT 1960  
 GCAAGCACGTGGGCTGGACCCGAGTCTCTGGGCTCCGACCTGCCGGAGGACAAGTGCCGAGTGTGTGGCGG 2030  
 TGACGGCAGTGCCTGCGAGACCATCGAGGGCGTCTTCAGCCCAGCCTCACCTGGGGCCGGGTACGAGGAT 2100  
 2110 2120 2130 2140 2150 2160 2170  
 GTCGTCTGGATTCCCAAGGCTCCGTCCACATCTTCATCCAGGATCTGAACCTCTCTCTCAGTCACTTGG 2170  
 CCGTGAAGGGAGACCAAGAGTCCCTGCTGCTGGAGGGGCTGCCTGGGACCCCCAGCCCCACCGTCTGCC 2240  
 TCTAGCTGGGACCACTTTCAACTGGGACAGGGGCCACACCAGGTCCAGAGCCTCGAAGCCCTGGGACCG 2310  
 ATTAATGCATCTCTCATGTTCATGGTGTCTGGCCCCGACCGAGCTGCCTGCCCTCCGCTACCGCTTCAATG 2380  
 CCCCCATCGCCCGTGAAGTGTCTGCCCCCCCTACTCTGGCACTATGCGCCCTGGACCAAGTGTCTGGGCCA 2450  
 2460 2470 2480 2490 2500 2510 2520  
 GTGTGCAGGCGGTAGCCAGGTGCAGGCGGTGGAGTGGCCGAACCAGCTGGACAGCTCCGCGGTGCCCCC 2520  
 CACTACTGCAGTGGCCACAGCAAGCTGCCCCAAAGGCAGCGCGCCTGCAACACGGAGCCTTGCCCTCCAG 2590  
 ACTGGGTTGTAGGGAAGTGGTGGCTCTGCAGCCCGCAGCTGGCATGCAGGCGTGGCGAGTGGCTCGGTGT 2660  
 GTGCCAGCGCCCGCTCTCTGCCCGGGAGGAGAAGCGCTGGACGACAGCGCATGCCCGCAGCCCGGCCCA 2730  
 CCTGTACTGGAGGCGCTGCCACGGCCCCACTTGGCCCTCCGGAGTGGGCAACCCCTCGACTGCTCTGAGTGT 2800  
 2810 2820 2830 2840 2850 2860 2870  
 CCCCCAGCTGTGGGCGTGTCTCCGCCACCGAGTGGTCCCTTTGTAAGAGTGCAGATCAACGATCTACTCT 2870  
 GCGCCCTGGGCAGTGCCTTCTCTGCAGCCAGCCACCATCTACTATGGGATGTAACTTTGGCCCGCTGCCCT 2940  
 CCTGCCCCCTGGGTGACCAAGTGAAGTGGGCTGAGTGTTCACACAGTGTGGCCTCGGCCAGCAGCAGCGCA 3010  
 CAGTGGCTGCACCAAGCCACACCGGCCAGCCATCTCGAGAGTGCAGTGAAGCCTTTGGGCCATCCACCAT 3080  
 GCAGCAGTGTGAGGCCAAGTGTGACAGTGTGGTGGCGCTGGAGATGGGCCAGAGAATGCAAGGATGTG 3150  
 3160 3170 3180 3190 3200 3210 3220  
 AACCAAGGTGGCTTACTGCGCCCTGGTGTCTCAAATTTCAAGTCTGTAGCCGAGCTACTTCCGCCAGATGT 3220  
 GCTGTAAAAACCTGCCAAGGCCGCTagggtacctggaaccaacctggagcacaggctgagggcaggggacat 3290  
 ccactggagagggcatgagggaaagggggcttgaattgaaggggtgagatgcagttgaaagtattttat 3360  
 tgggtaacccctacagggctcctgactaaggggtggagaagagctggctacccagggacccctctgctgtat 3430  
 cttgcccagttgatagtgagagagagagactccttggtgacacatatatttaagtccctagcaccctccc 3500






26.54  
Fig. 9B

Fig. 9B (con't)

1010 1020 1030 1040  
|||||  
QQRIVRCTSHIGQPSRECTEALRPSTMQQCEAKCDSVVP 1040  
GDGPEECKIVNKVAYCPLVLKFQFCSPAYFRMOCKTCQG 1080  
R 1081



Fig. 10A (con't)

1010 1020 1030 1040  
GCAGCCAAGCCACCATCTACTATGCGATGTAACCTGCGGC 1040  
GCTGCCCCCTCTGCCCGCTGGGTGACCAAGTGAGTGGGGTGA 1080  
GTGTTCCACACAGTGTGGCCTGGGCCAGCAGCAGCGCACA 1120  
GTGCGCTGCACCAGCCACACCGGCCAGCCATCTCGAGAGT 1160  
GCACTGAAGCCCTTGCGGGCCATCCACCATGCAGCAGTGTGA 1200  
1210 1220 1230 1240  
GGCCAAATGTGACAGTGTGGTGCCCGCTGGAGATGGCCCA 1240  
GAAGAATGCAAGGATGTGAACAAGGTGGCTTACTGCCCCC 1280  
TGGTGCTCAAAATTTTCAGTTCTGTAGCCCGAGCCTTACTTCCC 1320  
CCAGATGTGCTGCAAAACCTGCCAAGGCCGCTAGGGTAAC 1360  
TGGAACCAACCTGGAGGCACAGCCTGAGGCAGGGGACATCC 1400  
1410 1420 1430 1440  
CACTGGAGAGGGCATGAGGGAAGGGGGCTTGAATTGAA 1440  
GGGTGAGATGCAAGTTGAAAGTATTTATTTGGGTAAACCCC 1480  
TACAGGCTTCTGACTTAAGGGGTGGAGAANAGCTGGCTA 1520  
CCCCAGGAGACCTTTTGTGGATCTTGGCCANITGATAG 1560  
TGAAGAGAGAGGACTTCTTGGTGNACACATTTTAAAGTCC 1600  
1610 1620 1630 1640  
TTAGAACCTTCCACCNITGATGGGATATGTCTGGGAAGAG 1640  
GN 1642

Fig. 10B

10 20 30 40 *mouse* *Adam T510*

AAAVVDGTPCRPDTVDICVSGECKHVGCDFVLGSDLREDK 40  
CRVCGGDGSACETIEGVFSPALPGTGYEDVWVIFKGSVHI 80  
FIQDLNLSLSHLALKGDQESLLEGLPGTPOPXRLPLXGT 120  
TFHLRQGPDAQSLEALGPINASLIIMVLAQAELPALHYR 160  
FNAPIARDALPPYSAHYAPWTKCSAQCAAGSQVQVVECRN 200

210 220 230 240

QLESSAVAPHYCSGHSKLPKRQRACNTEPCPPDWVGNWS 240  
RCSRSCDAGVRSRSVVQRRVSAAEKALDDSACPQPRFP 280  
VLEACQGPMPPEWATLDWSECTPSCCPGLRHRVVLCKSA 320  
DQRSTLPPGHCLPAAKPPSTMRCNLRRCPPARWTSEWGE 360  
CSTQCGLGQQQRIVRCTSHTGQPSRECTEALRPSTMQQCE 400

410 420 430 440

AKCDSVVPFGDGPEECKDVNKVAYCPLVLKFQFCSRAYFR 440  
QMCKTKQGR 450

Fig. 11A

Ligated 459225+482392 with Sac I(168)&Eco RI(or Not I)  
Cloning site:5';Eco RI 3';Not I Vector; PT7T3 pac.

You can put this construct to pcDNA3.1(+) for transfection  
5'-UTR is 50bp &3'-UTR is 175bp

210-215; in 482392 it's TCCTAC(SY).

```

      10      20      30      40
      |      |      |      |
gaattcgggcaagagggcagtgatgcgattctgattcgggcaa 40
ggatccaagcATGGAATGCTGCGGTGCGGCAACTCCTGGC 80
ACACTGCTCCTCTTTCTGGCTTTCTGCTCCTGAGTTCCA 120
GGACCGCACgctCCGAGGAGGACCGGGAACGGCTATGGGA 160
TGCCTGGGGCCCATGGAGTGAATGCTCAGCACCTGCGGG 200

      210      220      230      240
      |      |      |      |
GGTGGGGCCCGCCAACCTCTCTGAGGCGCTGCCTGAGCAGCA 240
AGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAG 280
TAATGTGGACTGCCACCAGAGGAGGTGATTTCCGAGCT 320
CAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGCC 360
AGTTTATGAATGGCTTCCTGTGTCTAATGACCCCTGACAA 400

      410      420      430      440
      |      |      |      |
OCCATGTTCACTCAAGTGCCAAAGCCAAAGGAACAACCCCTG 440
GTTGTTGAACTAGCACCTAAGGTCCTAGATGGTACGCGTT 480
GCTATACAGAATCTTTGGATATGTGCATCAGTGGTTTATG 520
CCAAATTGTTGGCTGCGATCACCAGCTGGGAAGCAACCGTC 560
AAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCA 600


      610      620      630      640
      |      |      |      |
CCTGCCGGCTGGTCCGAGGGCAGTATAAATCCCAGCTCTC 640
CCCAACCAAATCCGATGATACTGTGGTTGCAATTCCCTAT 680
GGAAGTAGACATATTCCGCTTGTCTTAAAGGTCCTGATC 720
ACTTATATCTGGAAACCAAAACCTCCAGGGGACTPAAAG 760
TGAABACAGTCTGAGTCCGACGCAACCTTCCCTCTGGAC 800

```

Fig. 11A (con't)

810 820 830 840  
 AATTCCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGA 840  
 TACTGAGAATGGCTGGACCACTCACAGCAGATTTTCATTGT 880  
 CAAGATTTCGTAACCTCGGGCTCCGCTGACAGTACAGTCCAG 920  
 TTCATCTTCTATCAACCCATCATCCACCGATGGAGGGAGA 960  
 CGGATTTCTTTTCTTGTCTCAGCAACCTGTGGAGGAGGTTA 1000  
 1010 1020 1030 1040  
 TCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAAC 1040  
 CGTGTGGTTGCTGACCAATACTGTCACTATTACCCAGAGA 1080  
 ACATCAAACCCAAACCCAAAGCTTCAGGAGTGCAACTTGA 1120  
 TCCCTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCT 1160  
 TATGACCTCTACCATCCCTTCTCTGGTGGGAGGCCACCC 1200  
 1210 1220 1230 1240  
 CATGGACCGCGTGCTCTCTCTCGTGTGGGGGGGGCATCCA 1240  
 GAGCGGGGCGAGTTTCTCTGTGTGGAGGAGGACATCCAGGGG 1280  
 CATGTCACTTCAGTGGAAGAGTGGAAATGCATGTACACCC 1320  
 CTAAGATGCCCCATCGGCGAGCCCTGCAACATTTTTGACTG 1360  
 CCGTAAATGGCTGGCACAGGAGTGGTCTCCGTGCACAGTG 1400  
 1410 1420 1430 1440  
 ACGTGTGGCCAGGGCCCTCAGATACCGTGTGGTCTCTGCA 1440  
 TCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCAAA 1480  
 AACAAAGCCCCACATAAAAGAGGAATGCATCGTACCCACT 1520  
 CCTTCTATAAACCCAAAGAGAAACTTCCAGTCGAGGCCA 1560  
 AGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGG 1600  
 1610 1620 1630 1640  
 AGTGTCTGTGTGAGAGGAGCCCTCGTAAGttgtaaaagca 1640  
 cagactgtttctatatatttgaaacttttgrtttaaagaaagca 1680  
 gtgtctcactgggttgtagcttttcagggttctgaactaag 1720  
 tgtaatcatctcaccaaagctttttggctctcaaattaaa 1760  
 gattgattagtttcaaaaaaaaaaaaaaaaaagatgcggc 1800

g. 11A (con't)





34:54  
Fig. 11B

---	Asp(D)	30	#	cua	Leu(L)	3	#	uua	Ser(S)	6	#	guu	Val(V)	6
ugc	Cys(C)	26	#	cuc	Leu(L)	11	#	ucc	Ser(S)	10	#	---	Val(V)	29
ugu	Cys(C)	10	#	cug	Leu(L)	14	#	ucg	Ser(S)	5	#	nnn	???(X)	0
---	Cys(C)	36	#	cuu	Leu(L)	6	#	uuu	Ser(S)	5	#	TOTAL		526
caa	Gln(Q)	7	#	uua	Leu(L)	4	#	---	Ser(S)	43	#			

Created: Wednesday, May 5, 1999 10:19 AM

Ligated 459225+482392 with Sac I(168)&Eco RI(or Not I)  
Cloning site:5';Eco RI 3';Not I Vector; PT7T3 pac.

...


human ADAM-TSR1

Adam-TS related protein - 1.

10	20	30	40	
MECCRRATPGTLLLLFLAFLLLSSRTARSEEORDGLWDANG	40			Signal peptide
PWSECSRTGGGAANSLRRLSSKSCSEGRNIRYRCSNVD	80			
CPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNDFDNPCS	120			
LKQCAKGITLWVELAPKVLDTGTRCYTESLDMCISGLQIV	160			
GCDHQLGSTV:EDNCGVCNGDGSTCRLVRGQYKSQLSATK	200			
210	220	230	240	
SDDTVAIFPYGSRHERLMLKGPDLHYLETKTLLQGIKGENS	240			
LSSTGTFLVDNSSVDFQFFPDKEILRMAGPLTADFIVKIR	280			
NSGSADSTVQFIFYQPIIHFWRETDFFPCSATCGGGYQLT	320			
SACCYDLRSTFWVADQYCHYYPENIKPKPKLQECNLDPCP	360			(C) YYPE NIKPKPKLQE
ASDGYKQEMFYDLYHPLPFWEATPWTACSSSCGGIQSRA	400			
410	420	430	440	
VSCVEEDIQGHVTSVEEWKQMYTFKQPIAQPCNIFDCPKW	440			(C) QELEE GAAV
LAQEWSPCIVTCGQGLRFEVVLCLDHRGMHTGGCSFKIKP	480			
HIKEECIVPTPCYKPKFELPVEAKLPWFKQAQEEBGAAY	520			C-terminal epitope for Ab
SEEPS. 526				

Similar to ADAM-TS family but lacks the  
prometalloprotease and disintegrin domain. Our  
data may be an inhibitor of the

**Fig. 12**



a

MRLEVFASLIILLILLLSA\*  
 SCLSLAADSPAPAPACDKTRQPPAAAAAEFDQPPQGETRFRGLQPLAQRRSSGLVHNIDQ 60  
 -----  
 LYSGGKNGVAVYAGGRFLLDLERDDTVGAGSTVTAGGGLSASSGFRGHCFIRGTVDGSPFSLAVFDLOGGLDGFVAV 120  
 -----  
 KHARITLKPLLEGSVAEYERIVYDGSRRILVVRREGFSFEALPPFRASCETPASPSGPQESPSVHSPRRPSALAPQLLD 240  
 -----  
 HSAFSPSGTAGPQTWRRFRRSISRARQVELLLVADSSMAPMYGRGLCHYLLTLASIANFLYSHASIGNHRLAWKVVV 320  
 -----  
 LITDKDTSLEVSKNAATILKINFCWQHCHYLGGDHEEHYDAAILFTREDLOGFHSCDILGMADVGTI CSPERSCAVIEDD 400  
 -----  
 GLHAAFTVHEIGHLLGLSHDCKFCENFGITEDFRILSSILTSIDASKPWSKOTSATITEFLDDGHGNCILLDLPRFQI 480  
 -----  
 Dis  
 LGPEELPGQTYCATQQCNLTGFEYSVCPGMDVCAFLWCAVVRQQQMVCLTKLPAVBGSTPOGKGRVCLQKGVDRTHKK 560  
 LGPEELPGQTYCATQQCNLTGFEYSVCPGMDVCAFLWCAVVRQQQMVCLTKLPAVBGSTPOGKGRVCLQKGVDRTHKK  
 YYSTSSHGWGWSGFWGQCSRSCGGVQFAYRHONNPAFRNSGRYCTGKFRALYRSCSVTRCPHNGKSTRHBQCEAKNGYQ 640  
 YYSTSSHGWGWSGAGGCCSRSCGGVQFAYRHONNPAFRNNGPYCTGKFRALYRSCSLMECPHNGKSTRHBQCEAKNGYQ  
 SDAKGVKTFVWVWKYAGVLPADVCKLTCRAKGTGYVVFSPFVTDGTBCRPYSNSVCRGFCVTRGCDGIISSKLQYDK 720  
 SDAKGVKTFVWVWKYAGVLPADVCKLTCRAKGTGYVVFSPFVTDGTBCRPYSNSVCRGFCVTRGCDGIISSKLQYDK  
 \* \* \* \* \*  
 CGVGGGINSSTKILGTENKSKGYTDVRIPEGATHIKVRQFKAKDQTRFPAYLALKGGTGEYLINGKYMISTSETIID 800  
 CGVGGGINSSTKIVGTENKSKGYTDVRIPEGATHIKVRQFKAKDQTRFTAYLALKGGTGEYLINGKYMISTSETIID  
 INGTVMNYSGWSHRDDFLHGGYSATKEILLVQILATDPTKALGVRYSEFFVPKKTTQKNVSHSGSKVGFHSTQLQWV 880  
 INGTVMNYSGWSHRDDFLHGGYSATKEILLVQILATDPTKPLDVRYSFFVPKKSTFKNSVSHSGSKVGSHTSQPQWV  
 \* \* \* \* \*  
 TGPWLACSRCTGTGWHFTVQCQDGRKLAKGCLLSQRPSPAFKQCLLKKC 930  
 TGPWLACSRCTGTGWHFTVQCQDGRKLAKGCLLSQRPSPAFKQCLLKKC

Fig. 13

Hurskainen et al., Fig. 2a

MEILWATLWILSLINASSEFHSCHFLSYSSQEEFLTYLEHYQLTPIERVDQNGAFLSPVWKKHSRFRSMDPDPQQ 80  
 AVSKLFFKLSAYGKHFLNLTNTDFVSKHFTVEYWGKDGPMKHDFLDQCHYTGYLQDQFSTIKVALSKVGLHEVIAT 160  
 EDERVTEPLKNTTETSKHFSYENGHPHVTYKYSALQQRHLYCHSHCGVSDFTASGKPMALDTSTNSVSLPENTHIEH 240  
 RQKRSVSIEFVETLWADKAMVGYHGRADIEHYTLWNTIVAKLYRDSILGWNTIVARLIVLTEDQFLEINFWADK 320  
 SLDSFCKWQKLSILSHQSDGNTIPENGIAHINAVLITFDICTYKPKQGTGLASVAGCEPERSCSINEDIGLGSFT 400  
 LPHEIVHFGNHDGIGNSCGRKMKQKNGSSHYCEYQSFLLVCLQSRLLHQLFREVCHELWCLSKSNRCVTSINIPAE 480  
 GTLCQGTGNIKGWYQCDCVPFGTWFPQSIDGGWPSLWAGECSRCTGGGVSSSLPHCDSPAPSGGKCYLGERKRYRSCN 560  
 TDPCLGSRDFREKQCADFINMPFRGKYNAKPYTGGGVKPCALNCLABGNFYTERAPAVIDGTQCNADSLDICTINGEC 640  
 KHWGCDINILGSDAREDRCKVCGGGSTCDALGFFNDSLFRGGYMEVQIPRGSVHEVEFVAMSKNYTALKSEGEDVYT 720  
 NGAWTIDWPKFDVAGTAFHYKRPTEDEPESLEALGPTSENLTVMVLLQEQNLGIRYKFNVPITRTGSGDNEVGFTANQOP 800  
 WSECSATCAGGMPTRQPTQFARVTHHLSYALCLLHKLIGNISCRFASSCNLAKETLL 860

## C

MPGGPSFRSPAPLLRPLLLLLLALAPGAPGAPGRATEGRAALDIVHPVRVDAGGSFLSYELWFRALRKRDVSVRRDAPA 80  
 FYELQVGRRELRFNLTAHQHLLAPGFVSETRRGGLAGRAHRAHTPACHLLGEVQDPELEGGLAAISACDGLKGVFQLSN 160  
 EDYFIEFLDSAPAPGHAQPHVVYKQAPERLAQRGDSSAPSTOGVQVYPELESRRERWEQRQQWRPRLRRLHQRSVSK 240  
 EGWETLWADAKMVEYHGQPVQVESVLTIDTMVAGLFDPSIGNPIHTIVRLVLEDEEEDLKIITHADNTLSPCKW 320  
 QKSDWYGDAPHLPHDTAILLTRKDLCAAMTRPCETLGLSHVAGMQPHRSCSINEDTGLPLAFTVAHELGHSPGZQHIG 400  
 SGNDCEFVGKREFIMSPQLLYDAAPLWSCRQYITRFLDRGAGLCLDDPPAXDLIDFPSVPPGVLYDWSHQRLQYGA 480  
 YSAPCEMINDVCHTLWCSVGTCHSKLDAADGTROGENWCLSGECVPAVGRPEAVDGGWSGASANSICSRSQNGVQS 560  
 AEFQDQPTPKYKGRYCVGERKRFELCNLCACPAGEPSPFRHVQCSEFDAMLYKGQLHWPPVANDVNECELHCRPANEF 640  
 AKFLRDAVVDGTFCVQVRAERDLCEINGICKMGCDPELDSGAMEDROGVCHENGSTCHIVSGIFEEAEGLGYDVGLIPA 720  
 GAREIRIQEVAEAAFTALRSEDFEKYFLNGGWITQVNGDQVAGITFTVARRGWENLTSFGPTKEPWWIQVFPASRPG 800  
 GGSRGVFRPSTLHGESRPGGVSPGSVTEPGSERGPAAASTSVSPSLKWERLVAAVHROGAGQAFGLGGWRRHLVLMG 880  
 PRLPQQLLPQSNRGVHYEYTHFEAGGHEVPPFVFSWYHGPWKCTVTCGRGEGVGRHSPTCEGLVSCQGHNLQPAH 960  
 QWATOLEMCFSEPPQPSICENRLALALCFRPAGRVHG 997

Fig. 13 (con't)

adamalysin II  
atrolysin A

HELGHNLGMEHD  
HELGHNLGMVHD

hADAM-9  
hADAM-10  
hADAM-15  
hADAM-17  
mADAM-19

HELGHNLGMNHD  
HEVGHNFGSPHD  
HELGHSLGLDHD  
HELGHNFGAEHD  
HEIGHNFGMSHD

**a**

mADAM-TS1  
hADAM-TS2  
hADAM-TS3  
hADAM-TS4  
mADAM-TS5  
hADAM-TS6  
hADAM-TS7

HELGHVFNMPHD  
HETGHVLGMEHD  
HETGHVLGMEHD  
HELGHVFNMLHD  
HEIGHLGLLSHD  
HEIVHNFGMNH  
HELGH SFGIQHD

mADAM-TS1  
hADAM-TS2  
hADAM-TS3  
hADAM-TS4  
hADAM-TS5  
hADAM-TS6  
hADAM-TS7

W	G	P	W	G	P	W	G	D	C	S	R	T	C	G	G	G	V	Q	Y	20
W	G	A	W	S	P	F	G	S	C	S	R	T	C	G	T	G	V	K	F	20
W	G	A	W	S	P	F	G	S	C	S	R	T	C	G	T	G	V	K	F	20
W	G	P	W	G	P	W	G	D	C	S	R	T	C	G	G	G	V	Q	F	20
W	G	S	W	G	S	W	G	Q	C	S	R	S	C	G	G	G	V	Q	F	20
W	G	P	W	S	L	W	G	E	C	S	R	T	C	G	G	G	V	S	S	20
W	S	G	W	S	A	W	S	I	C	S	R	S	C	G	M	G	V	Q	S	20

mADAM-TS1  
hADAM-TS2  
hADAM-TS3  
hADAM-TS4  
hADAM-TS5  
hADAM-TS6  
hADAM-TS7

T	M	R	E	C	D	N	P	V	P	K	N	G	G	K	Y	C	E	G	K	40
R	T	R	Q	C	D	N	P	H	P	A	N	G	G	R	T	C	S	G	L	40
R	T	R	Q	C	D	N	P	H	P	A	N	G	G	R	T	C	S	G	L	40
S	S	R	D	C	T	R	P	V	P	R	N	G	G	K	Y	C	E	G	R	40
A	Y	R	H	C	N	N	P	A	P	R	N	N	G	R	Y	C	T	G	K	40
S	L	R	H	C	D	S	P	A	P	S	G	G	G	K	Y	C	L	G	E	40
A	E	R	Q	C	T	Q	P	T	P	K	Y	K	G	R	Y	C	V	G	E	40

**b**



mADAM-TS1  
hADAM-TS2  
hADAM-TS3  
hADAM-TS4  
hADAM-TS5  
hADAM-TS6  
hADAM-TS7

R	V	R	Y	R	S	C	N	I	E	D	C	52
A	Y	D	F	Q	L	C	N	S	Q	D	C	52
A	Y	D	F	Q	L	C	N	S	Q	D	C	52
R	T	R	F	R	S	C	N	T	E	D	C	52
R	A	I	Y	H	S	C	S	L	M	P	C	52
R	K	R	Y	R	S	C	N	T	D	P	C	52
R	K	R	F	R	L	C	N	L	Q	A	C	52

Fig. 13 (con't)




Fig. 14

Gestational age (days)  
7 11 15 17



a

Heart  
Brain  
Placenta  
Lung  
Liver  
Skeletal mus  
Kidney  
Pancreas



b

Fig. 15

# ADAM-TS RELATED PROTEIN-1 (ADAM-TSR1)




Fig. 15 (con't)










FIGURE 16 (continued)

Pa

210 220 230 240  
GAACCTGACCCGCGAGCTCCCGTCTACTGGCAGGGCGCGTC 240  
TCCGTGGAGTACTGGACACGGGAGGGCCTGGCCTGGCAGA 280  
GGGCGGCCCCGGCCCCACTGCGCTCTACGCTGGTCACCTGCA 320  
GGGCCAGGCCAGCAGCTCCCATGTGGCCATCAGCACCTGT 360  
GGAGGCCTGCACGGCCTGATCGTGGCAGACGAGGAAGAGT 400  
410 420 430 440  
ACCTGATTGAGCCCCCTGCACGGTGGGCCCCAAGGGTTCTCG 440  
GAGCCCTGAGGAAAGTGGACCACATGTGGTGTACAAGCGT 480  
TCCTCTCTGCGTCACCCCCACCTGGACACAGCCTGTGGAG 520  
TGAGAGATGAGAAACCGTGGAAAGGGCGGCCATGGTGGCT 560  
GCGAACCITGAAGCCACCGCCTGCCAGACCCCTGGGGAAT 600  
610 620 630 640  
GAAACAGAGCGTGGCCAGCCAGGCCTGAAGCGATCGGTCA 640  
GCGAGAGCGCTACGTGGAGACCCCTGGTGGTGGCTGACAA 680  
GATGATGCTGGCCTATCACGGGCGCCGGGATGTGGAGCAG 720  
TATGTCTGGCCATCATGAACATTGTTGCCAACTTTTCC 760  
AGGACTCGAGTCTGGGAAGCACCGTTAACAATCCTCGTAAC 800  
810 820 830 840  
TGCCCTCATCCTGCTCACGGAGGACCAGCCCACTCTGGAG 840  
ATCAACCAACCATGCCGGGAAGTCCCTAGACAGCTTCTGTA 880  
AGTGGCAGAAATCCATCGTGAACCACAGCGGCCATGGCAA 920  
TGCAATTCCAGAGAACCGTGTGGCTAACCATGACACAGCA 960  
GTCTCATCACCGCTATGACATCTGCATCTACAAGAACA 1000  
1010 1020 1030 1040  
AACCCTGCGGCACACTAGGCCTGGCCCGGTGGGCGGAATG 1040  
TGTGAAGCGAGAGAAGCTGCAGCGTCAATGAGGACATTG 1080  
GCTGCCACAAGCGTTCAACATTGCCACGAGATCGGGCACA 1120  
CATTCGGCATGAACCATGACGGCGTGGGAAACAGCTGTGG 1160

FIGURE 16 (continued)

Pa

1210 1220 1230 1240  
ATTACCATGAAGACCAACCCATTTCGTGTGGTTCATCCTGCA 1240  
ACCGTGACTACATCACCAGCTTTCTAGACTCGGGCCTGGG 1280  
GCTCTGCCTGAACAACCGGCCCCCAGACAGGACTTTGTG 1320  
TACCCGACAGTGGCAACCGGGCCAAGCCTACGATGCAGATG 1360  
AGCAATGCCGCTTTTCAGCATGGAGTCAAATCGCGTCAGTG 1400

1410 1420 1430 1440  
TAAATACGGGGAGGTCTGCAGCGAGCTGTGGTGTCTGAGC 1440  
AAGAGCAACCGGTGCATCACCAACAGCATCCCGGCCGCGG 1480  
AGGGCACGCTGTGCCAGACGCACACCATCGACAAGGGGTG 1520  
GTGCTACAAACGGGTCTGTGTCCCTTTTGGGTGCGGCCCA 1560  
GAGGGTGTGGACGGAGCCTGGGGCCCGTGGACTCCATGGG 1600

1610 1620 1630 1640  
GCGACTGCAGCCGGACCTGTGGCGGGCGGTGTCTCTTC 1640  
TAGTGTGCTACTGCGACAGCCCCAGGCCAACCATCGGGGGC 1680  
AAGTACTGTCTGGGTGAGAGAAAGCGGCAACCGCTCCTGCA 1720  
ACACGGATGACTGTCCCCCTGGCTCCAGGACTTCAGAGA 1760  
AGTGCAGTGTCTGAATTTGACAGCATCCCTTTCCGTGGG 1800

1810 1820 1830 1840  
AAATTCTACAAGTGGAAAACGTACCGGGGAGGGGGCGTGA 1840  
AGGCGTGTCTCGCTCAGGAGCCTAGCGGAAGGCTTCAACTT 1880  
CTACACGGAGAGCGCGGCAGCGGTGGTGGACGGGACACCC 1920  
TGCGGTCCAGACACGGTGGACATTTGGGTGAGTGGCGAAT 1960  
GCTAGGTACGTGGGCTGCGACCGAGTCTGTGGCTCCGACCT 2000

2010 2020 2030 2040  
GCGGGAGGACAAGTGGCGAGTGTGTGGCGGTGACGGCAGT 2040  
GCGTGCAGACCATCGAGGGCGTCTTCAGCCCAGCCTCAC 2080  
CTGGGCGCGGTACGAGGATGTCTGTGGATTCCCAAGG 2120  
CTCGGTCCACATCTTCATCCAGGATCTGAACCTCTCTCTC 2160

FIGURE 16 (continued)

Pa

2210 2220 2230 2240  
TGGAGGGGCTGCCTGGGACCCCCAGCCCCACCGTCTGCC 2240  
TCTAGCTGGGACCACCTTTCAACTGCGACAGGGGCCAGAC 2280  
CAGGTCCAGAGCCTCGAAGCCCTGGGACCGATTAAATGCAT 2320  
CTCTCATCGTCATGGTGCCTGGCCCGGACCGAGCTGCCTGC 2360  
CCTCCGCTACCGCTTCAATGCCCCCATGCCCCGTGACTCG 2400

2410 2420 2430 2440  
CTGCCCCCCTACTCCTGGCACTATGCGCCCTGGACCAAGT 2440  
GCTCGGCCCAGTGTGCAGGCGGTAGCCAGGTGCAGGCGGT 2480  
GGAGTGGCGCAACCAGCTGACAGCTCCGCGGTGCCCCC 2520  
CACTACTGCAGTGGCCACAGCAAGCTGCCCCAAAAGGCAGC 2560  
GCGCCTGCAACACGGAGCCTTGCCCTCCAGACTGGGTTGT 2600

2610 2620 2630 2640  
AGGGAACTGCTCGCTCTGCAGCCGCAGCTGCGATGCAGGC 2640  
GTGCGCAGTCGCTCGGTGCTGTGCCAGCGCCGCGTCTCTG 2680  
CCGCGGAGGAGAAGGCGCTGGACGACAGCGCATGCCCGCA 2720  
GCGCGCGCCACCTGTACTGAGGCCTGCCACGGCCCCACT 2760  
TGCCCTCCGAGTGGGCGGCCCTCGACTGGTCTGAGTGCA 2800

2810 2820 2830 2840  
CCCCCAGCTGCGGGCCGGGCTCCGCCACCGGTGGTCTCT 2840  
TTGCAAGAGCGCAGACCACTGGGCCACGCTGCCCCCGGCG 2880  
CACTGCTCAACCCCGCCAAAGCCACCGGCCACCATGCGCT 2920  
GCAACTTGGCGCGCTGCCCGCCCGGCCCGCTGGGTGGCTGG 2960  
CGAGTGGGGTGAAGTCTCTGCACAGTGCGGCGTGGGGCAG 3000

3010 3020 3030 3040  
CGGCAGCGCTCGGTGCGCTGCACCAGCCACAACGGGCCAGG 3040  
CGTGGCACGAGTGCAACGGAGGCCCTGCGGCGCGCCACAC 3080  
GCAGCAGTGTGAGGCCAAGTGGACAGCCCCAACCCCGGG 3120  
GAAGGCCCTGAAGAGTGCAAGGATGTGAACAAGGTGGCCT 3160

FIGURE 16 (continued)

Page

---

3210 3220 3230 3240  
CTACTTCCGCCAGATGTGCTGCAAAACCTGCCAGGGCCAC 3240  
taggggggcgcgcggcaccgcggagccacagctggcggggc 3280  
tcgcgcgcgcagccctgcagcgggcggccaaagggggccc 3320  
cgggggggcgggaactgggaggggaagggtgagacggagcc 3360  
ggaagtattttattgggaacccctgcagggccctggctgg 3400

---

3410 3420 3430 3440  
ggggatgga 3409

FIGURE 17

Molecular Weight 216301.30 Daltons

1934 Amino Acids

234 Strongly Basic(+) Amino Acids (K,R)

216 Strongly Acidic(-) Amino Acids (D,E)

477 Hydrophobic Amino Acids (A,I,L,F,W,V)

657 Polar Amino Acids (N,C,Q,S,T,Y)

7.734 Isoelectric Point

24.102 Charge at PH 7.0

MQFVSWATLLTLLVRDLAEMGSPDAAAARVKKDLHPRQVKLLLETLSEYEIVSPIRVNALG 60  
 EPFPINVHFRTTRRSINSATDPWPAFASSSSSSSTSPQAHYRLSAFGQQFLFNLTANAGFI 120  
 APLFTVTLLGTPGVNQTKFYSEEEAELKHCFYKGYVNTINSEHTAVISLCSGMLGTFRSHD 180  
 GGYFIEPLQSMDEQEDEEEQNKPHIYYRRSAPQREPSTGRHACDTSEHKNRHSDKKKTR 240  
 ARKNGERINLAGDVAALNSGLATEAFSAYGAKTDNTRKTRHRRTKRFLSYPRFVEVLVV 300  
 ADNRMVSYHGENLQHYILTLMSIVASTYKDPISGNLINTVTVNLIVIHNEQDGPSISFNA 360  
 QTTLKNFCQWQHSNSPGGIHHDITAVLLTRQDLCRAHDKCDITGLAELGTICDPYRSCSIS 420  
 EDSGSLSTAFTIAHELGHVFNMPHDDNNKCKEEGVKSPQHVMAPILNFYINPMMWSKCSRK 480  
 YITEFLDTGYGECLINEPESRPYPLPVQLPGILYNVVKQCELI FGPGSQVCPYMMQCRRL 540  
 WCNWNGVHKGCRTQHTPWADGTECEPGKHCKYGFVPEKMDVFTDGSWGSWSFPGTCS 600  
 RTCGGGLKTAIRECNRPPEPKNGGKYCVGRFMKFKSCNTEPCIKQKRDFRDEQCAHFDGKH 660  
 FNINGLLPNVFWPKYSGILMKDRCKLFCRVAGNLAAYQLRDRVIDGTPCGQDTINDICVQ 720  
 GLCRQAGCDHVLNSKARRDKCGVCGGENSSCKTVAGTFNIVHYGYNTVRI PAGATNIDV 780  
 RQHSFSGEITDDNYLALSSSKGEFLLNGFVVTMAKREIRIGNAWEYSGETAVERINS 840  
 TDRIEQEELLQVLSVGKLYNPDVRYSFNIPIEDKPPQFYWNHSGPWQACSKPCQGERKRK 900  
 LVCTRESQDLTVSDQRCRDLPPGHITPECGTGCDLFWHVASRSECSAQCGLYRTLDIT 960  
 CAKYSRLDGKTEKVDGFCSSHPKPSNREKCSGECNIGGWRYSAWTECSKSCDGGTQRRR 1020  
 ALCVNIRNDVLDDSKCTHKEKVTIQRCSEFFPCPQWKSCEWSECLVTCGKGHKHRQWQCQF 1080  
 GEDRLNDRMCDPEITPTSMQTCQQPECASWQAGFWQCSVTCGGYQLRAVKCIIGTYMS 1140  
 VVDGNDCAATRPDTDTQDCELPSCHPFPAAPETRSTYSAPRTQWRFGSWIPCSATCGKG 1200  
 TRMEYVSCFLENGSVADESACATLPRFVAKEECSVTPCGQWKALDWSSCSVTCGQGRATR 1260  
 QVMCVNYSLHVITDRSECDQDYIPEITDQDCSMSPCPQRTPD SGLAQHPFQNEYRFRSASP 1320  
 SRTHVLGGNQWRTGFWGACSSTCAGGSQRRVWQDENGYTANDCVERIKPDEQRPACESG 1380  
 PCPQWYAGNWGECTFKCGGGIRTRLVVCQRSNGERFPDLSCEILLKPPDREQCINTHACPH 1440  
 DAAWSTGFWSSCSVSCGRGHKQRNVYCMAKDGSHLES DYCKHLAKPHGHRKCRGGRCPKW 1500  
 KAGAWSQCSVSCGRGVQQRHVGCQIGTHKIAFETECNPYTRPESECECQGPCPLYTWRA 1560  
 EEWQEGTHTCGEGSRYKVVQVDINKNEVHGARCIVSKRPVDRESCSIQPCFYVWITGEW 1620

The amino acid sequence of the protein encoded by the DNA sequence shown above is:

FIGURE 17 (continued)

$P_{21}$

DCYSAKCPQGRFSINLYGTGLSLTESARWLSQGNVAVSDIKKSPDGTFRWCKOGGYCGK 1920  
CTPSSGTGLEVRVL 1934

10 20 30 40  
 tgggggagcagcggagggaggggtgggaagcaccATGCAGTT 40  
 TGTATCCTGGGCCACACTGCTAACGCTCCTGGTGGGGAC 80  
 CTGGCCGAGATGGGGAGCCCGAGCCCGGGCGGGCGTGC 120  
 GCAAGGACAGGCTGCACCCGAGGCAAGTGAAATTATTAGA 160  
 GACCCGTGAGCGAATACGAAATCGTGTCTCCCATCCGAGT 200

210                  220                  230                  240

AACGCTCTCGGAGAACCCCTTTCCCACGAACGTTCACACTTCA 240  
AAAGAACGGCAGCGAGCATTAACATCTGCCACTGACCCCTG 280  
GCCTGCCTTCGGCTCTCTCTCTCTCTCTCTAACCCTCCCC 320  
CAGGCGCATTACCGCCTCTCTTGCTTCGGCCAGCAGTTTC 360  
TA'TTTAATCTCACCGCCAAT'GCGCGA'TTTATCGCTCCACT 400

410 420 430 440

GTTCAC TGTCA CCGCT CCGGG ACGCC CGGGG TGAAT CAG 440  
ACCAAG TTTTAT TCCGA AGAGG AAGCG GGAAC TCAAG CACT 480  
GTTTCT ACAAA GGCAT GTTCA ATACCA ACTCC GAGCA CAC 520  
GGCGGT CATCA GCGCT CTGCT CAGGA ATGCT GGGCA CATTC 560  
CGGTCT CATGA TGGGG GTTAT TTTTAT TGAAC CACTA CAGT 600

610 620 630 640

CTATGGATGAACAAGAAGATGAAGAGGAACAAAACAAACC 640  
CCACATCATTTTATAGGGCGCAGCGCCCGCCCGCAGAGAGAGGCC 680  
TCACACAGCAAGGCATGCHTGTGACACCTCAGAACACCAAAA 720  
ATAGGCCACAGTAAAGACAAGAAGAAAACCAGAGCAAGAAA 760  
ATGGGCGAGAAAGGATTAAACCTGCGCTGGTGACGTAGCAGCA 800

810 820 830 840

SECRET



FIGURE 17 (continued)

Pa

1010 1020 1030 1040  
TGTAGCCTCTATCTATAAAGACCCCAAGTATTGGAAATTTA 1040  
ATTAATATTGTTATTGTGAACTTAATTGTGATTCATAATG 1080  
AACAGGATGGGCCTTCCATATCTTTTAATGCTCAGACAAC 1120  
ATTAAAAAACTTTTGCCAGTGGCAGCATTCGAACAGTCCA 1160  
GGTGGAAATCCATCATGATACTGCTGTTCTCTTAACAAGAC 1200

1210 1220 1230 1240  
AGGATATCTGCAGAGCTCAGGACAAATGTGATACCTTAGG 1240  
CCTGGCTGAACTGGGAACCATTTGTGATCCCTATAGAAGC 1280  
TGTTCTATTAGTGAAGATAGTGGATTGAGTACAGCTTTTA 1320  
CGATCGCCCATGAGCTGGGCCATGTGTTTAACATGCCTCA 1360  
TGATGACAACAACAAATGTAAAGAAGAAGGAGTTAAGAGT 1400

1410 1420 1430 1440  
CCCCAGCATGTGATGGCTCCAACACTGAACTTCTACACCA 1440  
ACCCCTGGATGTGGTCAAAGTGTAGTCGAAAATATATCAC 1480  
TGAGTTTTTTAGACACTGGTTATGGCGAGTGTTCCTTAAC 1520  
GAACCTGAATCCAGACCCCTACCCCTTTGCCTGTCCAACATGC 1560  
CAGGCATCCTTTACAACGTGAATAAACAATGTGAATTGAT 1600

1610 1620 1630 1640  
TTTTGGACCAGGTTCTCAGGTGTGCCCATATATGATGCAG 1640  
TECAGACCGCTCTGGTGCAATAACGTCAATGGAGTACACA 1680  
AAGGCTGCCCGACTCAGCACACACCCCTGGGCGGATGGGAC 1720  
GAGTGCGAGCGCTGCAAGCACTGCAAGTATGGATTTTGT 1760  
GTTCCCAAGAAATGGATGTCCCGTGACAGATGGATCCT 1800

1810 1820 1830 1840  
GGGGAAGTTGGAGTCCCTTTTGAACTGTCTCCAGAACATG 1840  
TGGAGGGGGCATCAAAACAGTCATTCAGAGTGCAACAGA 1880  
CCAGAAOCAAAAAATGGTGGAAAATACTGTGTAGGACGTA 1920  
GAATGAAATTTAAGTCCCTGCAACACGAGCCATGTCTCAA 1960

FIGURE 17 (continued)

26

2010 2020 2030 2040  
GA CGGGAAGCATT TTTAACATCAACGGTCTGCTTCCCAATG 2040  
TGCGCTGGGTCCCTAAATACAGTGAATTCTGATGAAGGA 2080  
CCGGTGCAAGTTGTTCTGCAGAGTGGCAGGGAACACAGCC 2120  
TACTATCAGCTTCGAGACAGAGTGATAGATGGAACCTCCTT 2160  
GTGGCCAGACACAAATGATATCTGTGTCCAGGGCCTTTG 2200

2210 2220 2230 2240  
CCGCAAGCTGGATGCGATCATGTTTTAAACTCAAAAGCC 2240  
CGGAGAGATAAATGCCGGGTTTGTGGTGGCGATAATTCTT 2280  
CATGCAAAACAGTGGCAGGAACATTTAATACAGTACATTA 2320  
TGGTTACAATACTGTGGTCCGAATTCAGCTGGTGCTACC 2360  
AATATTGATGTGCGGCAGCACAGTTTTCTCAGGGGAAACAG 2400

2410 2420 2430 2440  
ACGATGACAACACTACTTAGCTTTATCAAGCAGTAAAGGTGA 2440  
ATTCTTGCTAAATGGAAACTTTGTTGTCACAATGGCCAAA 2480  
AGGGAAATTCGCATTGGGAATGCTGTGGTAGAGTACAGTG 2520  
GGTCCGAGACTGCCGTAGAAAGAATTAACCTCAACAGATCG 2560  
CATTGAGCAAGAACTTTTGCTTCAGGTTTTGTCCGGTGGGA 2600

2610 2620 2630 2640  
AAGTTGTACAACCCCGATGTACGCTATTCTTTCAATATTC 2640  
CAATTGAAGATAAACCTCAGCAGTTTTACTGGAACAGTCA 2680  
TGCGCCATGGCAAGCATGCAGTAAACCTGCCAAGCGGAA 2720  
CGEAAACGAAAACCTTGTTTGCAACCAGGGAATCTGATCAGC 2760  
TTACTGTTTTCTGATCAAAAGATGCGATCGGCTGODOCAGCC 2800

2810 2820 2830 2840  
TGGACACATTACTGAACCCCTGTGGTACAGGCTGTGACCTG 2840  
AGGTGGCATGTTGCCAGCAGGAGTGAATGTAGTGCCAGT 2880  
GTGGCTTGGGTTACCGCACATTGGACATCTACTGTGCCAA 2920  
ATATAGCAGGCTGGATGGGAAGACTGAGAAGGTTGATGAT 2960

FIGURE 17 (continued)

Pa

3010 3020 3030 3040  
AATGCTCAGGGGAATGTAACACGGGTGGCTGGCGCTATTC 3040  
TGCTTGGACTGAATGTTCAAAAAGCTGTGACGGTGGGACC 3080  
CAGAGGAGAAGGGCTATTTGTGTCAATACCCGAAATGATG 3120  
TACTGGATGACAGCAAATGCACACATCAAGAGAAAGTTAC 3160  
CATTCAGAGGTGCAGTGAGTTCCCTTGTCCACAGTGGAAA 3200  
3210 3220 3230 3240  
TCTGGAGACTGGTCAGAGTGCTTGGTCAOCTGTGGAAAAG 3240  
GGCATAAGCACCGCCAGGTCTGGTGTGAGTTTGGTGAAGA 3280  
TCGATTAAATGATAGAAATGTGTGACCCCTGAGACCAAGCCA 3320  
ACAATCATGTCAGACTTGTTCAGCAGCCCGAATGTGCATCCT 3360  
GGCAGGCGGGTCCCTGGGTACAGTGCAAGTGTCACTTGTGG 3400  
3410 3420 3430 3440  
ACAGGGATACCAGCTAAGAGCAGTGAAATGCATCATTGGG 3440  
ACTTATATGTGTCAGTGGTAGATGACAATGACTGTAATGCAG 3480  
CAACTAGACCAACTGATACCCAGGACTGTGAATTACCATC 3520  
ATGTTCATCCTCCCCCAGCTGCCCCGGAACGAGGAGAAGC 3560  
ACATACAGTGCACCAAGAACCCAGTGGCGATTTGGGTCTT 3600  
3610 3620 3630 3640  
GGAOCCCATGCTCAGCCACTTGTGGGAAAGGTACCCGGAT 3640  
GAGATAOCTCAGCTGCCGAGATGAGAATGGCTCTGTGGCT 3680  
GACGAGAGTGCCTGTGCTACCCCTGCCTAGACAGTGGCAA 3720  
AGGAAAGAAATGTTCCTGTGACACCCCTGTGGGCAATGGAAGGC 3760  
CTTGCACTGGAGCTCTTGTCTGTGACCTGTGGGCAAGGT 3800  
3810 3820 3830 3840  
AGGGCAACCCCGCAAGTGATGTGTGTCAACTACAGTGACC 3840  
ACGTGATCGATCCGAGTGAGTGTGACCAGGATTATATCCC 3880  
AGAAACTGACAGGACTGTTCATGTCAACATGCCCTCAA 3920  
AGGACCCAGACAGTGGCTTAGCTCAGCAOCCCTTCCAA 3960

FIGURE 17 (continued)

Pe

4010 4020 4030 4040  
CCATGTGCTCGGTGGAAACCACTGGAGAACTGGCCCCCTGG 4040  
GGAGCATGTTCCAGTACCTGTGCTGGCGGATCCCAGCGGC 4080  
GTGTTGTGTGATGTCAGGATGAAAATGGATACACCGCAA 4120  
CGACTGTGTGGAGAGAATAAAACCTGATGAGCAAAGAGCC 4160  
TGTGAATCCGGCCCCCTGTCTCAGTGGGCTTATGGCAACT 4200

4210 4220 4230 4240  
GGGGAGAGTGCCTAAGCTGTGTGGTGGAGGCATAAGAAC 4240  
AAGACTGGTGGTCTGTTCAGCGGTCCAACGGTGAACGGTTT 4280  
CCAGATTTGAGCTGTGAAATTCCTTGATAAACCTCCCGATC 4320  
GTGAGCAGTGTAAACACACATGCTTGTCCACACGACGCTGC 4360  
ATGGAGTACTGGCCCTTGGAGCTCGTGTCTCTCTCTTGT 4400

4410 4420 4430 4440  
GCTCGAGGGCATAAACCAACGAAATGTTTACTGCATGGCAA 4440  
AAGATGGAAGCCATTTAGAAAGTGATTACTGTAAGCACCT 4480  
GCTTAAGCCACATGGGCACAGAAAGTGGCCGAGGAGGAAGA 4520  
TGCCCCAAATGGAAAGCTGGCGCTTGGAGTCAGTGTCTCTG 4560  
TGTCTGTGTGGCCGAGGCGTACAGCAGAGGCATGTGGGCTG 4600

4610 4620 4630 4640  
TCAGATCGGAACACACAAAATAGCCAGAGAGACCGAGTGC 4640  
AATCCATACACCAGACCGGAGTCGGAATGCGAATGCCAAG 4680  
GCCCCAGGTGTCTCCCTTTACACTTGGAGGGCAGAGGAATG 4720  
GTAAGAATGCACCAAGACCTGGCGGAAAGCTCCAGGTAC 4760  
GCAAGGTGGTGTGTGTGGATGACAACAAAAACGAGGTGC 4800

4810 4820 4830 4840  
ATGGGGCACGCTGTGACGTGAGCAAGCGGCCCGGTGGACCG 4840  
TGAAAGCTGTAGTTTTCGCAACCTGGAGTATGTCTGGATC 4880  
ACAGGAGAATGGTCAGAGTGCTCAGTGACCTGTGGAAAAG 4920  
GCTACAAACAAAAGCTTGTCTCGTGCAGCGAGATTTACAC 4960

FIGURE 17 (continued)

Pa

5010 5020 5030 5040  
AACTGCCCCAGGCACGCAGCCCCCAGTGTTCACCCCTGTT 5040  
ACCTGAGGGAGTGCCTGTCTCGGCCACCTGGAGAGTTGG 5080  
CAACTGGGGGAGCTGCTCAGTGTCTTGTGGTGTTCGAGTG 5120  
ATGCAGAGATCTGTGCAATGTTTAACCAATGAGGACCAAC 5160  
CCAGCCACTTATGCCACACTGATCTGAAGCCAGAAGAACG 5200


5210 5220 5230 5240  
AAAAACCTGCCGTAATGTCTATAACTGTGAGTTACCCCAG 5240  
AATTGCAAGGAGGTAAAAAGACTTAAAGGTGCCAGTGAAG 5280  
ATGGTGAATATTTCTGATGATTAGAGGAAAGCTTCTGAA 5320  
GATATTCTGTGCGGGGATGCACTCTGACCACCCCAAAGAG 5360  
TACGTGACACTGGTGCATGGAGACTCTGAGAATTTCTCCG 5400

5410 5420 5430 5440  
AGGTTTATGGGCACAGGTTACACAACCCAAACAGAATGTCC 5440  
CTATAACGGGAGCCGGGCGGATGACTGCCAATGTCCGAAG 5480  
GATTACACGGCGCGCTGGGTTTTCCAGTTTTTCAGAAAATCA 5520  
GAATAGACCTGACCAGCATGCAGATAATCACCCTGACTT 5560  
ACAGTTTTCGAAGGACAAGCGAAGGACATCCCGTCCCTTTT 5600

5610 5620 5630 5640  
GCTACAGCCGGGGATTGCTACAGCGCTGCCAAGTGCCAC 5640  
AGGTGCGTTTTAGCATCAACCTTTATGGAAACCGGCTTGTC 5680  
TTTAACTGAATCTGCCAGATGGATATCACAAGGGAATTAT 5720  
GCTGTCTCTGACATCAAGAAGTCGCGCGGATGGTACCCGAG 5760  
TCTTAGGGAAATGCGGTGGTTACTGTGGAAAATGCACTCC 5800

5810 5820 5830 5840  
ATCCTCTGGTACTGGCTTGAGGTGCGAGTTTTATagcta 5840  
aggtgctttgaagaggaagccattatggatggatgaagga 5880  
tagtaatgcaatacctccacottaatttgggtgcatgtgt 5920  
atgtgtgtgtgtgtttgtgtgtgacttgtatgcttgtgtg 5960

FIG. 1





	ggc ttc ttt gca gtc aag cat ggc cgc tac act cta aag cca ctc ctg	530
	Gly Phe Phe Ala Val Lys His Ala Arg Tyr Thr Leu Lys Pro Leu Leu	
	160 165 170	
5	cgt ggg tcc tgg gca gag tat gaa cga att tat ggg gat gga tct tcc	575
	Arg Gly Ser Trp Ala Glu Tyr Glu Arg Ile Tyr Gly Asp Gly Ser Ser	
	175 180 185	
10	cgc atc ctg cat gtc tac aac cgc gag ggc ttt agc ttc gag gcc ctg	626
	Arg Ile Leu His Val Tyr Asn Arg Glu Gly Phe Ser Phe Glu Ala Leu	
	190 195 200	
15	ccg cca cgc gcc agt tgc gag act cct gca tcc cca tct ggg ccc caa	674
	Pro Pro Arg Ala Ser Cys Glu Thr Pro Ala Ser Pro Ser Gly Pro Gln	
	205 210 215	
20	gag agc ccc tgg gtg cac agt aga tct agg aga cgc tca ggc ctg gcc	722
	Glu Ser Pro Ser Val His Ser Arg Ser Arg Arg Ser Ala Leu Ala	
	220 225 230 235	
25	ccg cag ctg ctg gac cac tca gct ttc tgg cca tct ggg aac gcg gga	770
	Pro Gln Leu Leu Asp His Ser Ala Phe Ser Pro Ser Gly Asn Ala Gly	
	240 245 250	
30	cct cag act tgg tgg agg cgt agg cgc cgt tcc atc tcc agg gcc cgc	818
	Pro Gln Thr Trp Trp Arg Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg	
	255 260 265	
35	cag gtg gag ctc ctc ttg gtg gct gac tgg tcc atg gcc agg atg tat	866
	Gln Val Glu Leu Leu Leu Val Ala Asp Ser Ser Met Ala Arg Met Tyr	
	270 275 280	
40	ggg cgg ggc ctg cag cat tac ctg ctg acc atg gcc tcc atc gcc aac	914
	Gly Arg Gly Leu Gln His Tyr Leu Leu Thr Met Ala Ser Ile Ala Asn	
	285 290 295	
45	agg ctg tac agt cat gca agc att gag aac cac atc cgc ctg gcg gtg	962
	Arg Leu Tyr Ser His Ala Ser Ile Glu Asn His Ile Arg Leu Ala Val	
	300 305 310 315	
50	gtg aag gtg gtg gtg ctg acg gac aag gac acg agt ctg gag gtg agc	1010
	Val Lys Val Val Val Leu Thr Asp Lys Asp Thr Ser Leu Glu Val Ser	
	320 325 330	
55	aag aat ggc ggc aag acc ctc aag aac att tgc aaa tgg cag cac cga	1058
	Lys Asn Ala Ala Thr Thr Leu Lys Asn Phe Cys Lys Trp Gln His Gln	
	335 340 345	
60	cat aat tag cta ggg gat gat cac gaa gag cac tac gat cca gcc atc	1106
	His Asn Gln Leu Gly Asp Asp His Glu Glu His Tyr Asp Ala Ala Ile	
	350 355 360	
65	ctg ttc acc cga gag gat tta tgt ggg cat cat tca tgt gac acc ctg	1154
	Leu Phe Thr Arg Glu Asp Leu Cys Gly His His Ser Cys Asp Thr Leu	
	365 370 375	
70	cca atc gaa aac att gaa aac ata tat tat cca tag cct agc tat gta	1202
75	att ggg cat cta att ggg att tat cat ccc gat ttt aaa ttc tgt gaa	1250



Ile Gly His Leu Leu Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu  
 415 420 425  
 gag aac ttc ggt act aca gaa gac aag cgt tta atg tct tca atc att 1346  
 5 Glu Asn Phe Gly Thr Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu  
 430 435 440  
 acc agc atc gat gca tcc aag ccc tgg tcc aaa tgc acg tca gcc acc 1394  
 10 Thr Ser Ile Asp Ala Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr  
 445 450 455  
 atc aca gaa ttc ctg gat gat ggt cat ggt aat tgt ttg cta gac cta 1442  
 15 Ile Thr Glu Phe Leu Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu  
 460 465 470 475  
 cca cgg aag cag att ttg ggt ccc gag gaa ctg cca gga cag acc tac 1490  
 20 Pro Arg Lys Gln Ile Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr  
 480 485 490  
 gat gcc acc cag cag tgc aac ttg aca ttt ggg cct gag tac tcg gtg 1538  
 25 Asp Ala Thr Gln Gln Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val  
 495 500 505  
 tgc cct ggc atg gat gtc tgt gcg cgg ctg tgg tgt gct gtg gtg cgc 1586  
 30 Cys Pro Gly Met Asp Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg  
 510 515 520  
 caa ggc caa atg gtg tgt ctg acc aag aag ctg ccg gct gtg gag ggc 1634  
 35 Gln Gly Gln Met Val Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly  
 525 530 535  
 act ccc tgt ggg aag gga aga gtc tgc ctt caa ggc aaa tgt gtg gac 1682  
 40 Thr Pro Cys Gly Lys Gly Arg Val Cys Leu Gln Gly Lys Cys Val Asp  
 540 545 550 555  
 aaa act aag aaa aaa tat tac tcc aca tca agc cat gga aat tgg ggg 1730  
 45 Lys Thr Lys Lys Lys Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly  
 560 565 570  
 tcc tgg ggc ccc tgg ggt cag tgt tct cgc tca tgc ggg gga gga gtg 1778  
 50 Ser Trp Gly Pro Trp Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val  
 575 580 585  
 cag ttt gcc tac cgc cat tgt aat aac cct gca cct cga aac agt ggc 1826  
 55 Gln Phe Ala Tyr Arg His Cys Asn Asn Pro Ala Pro Arg Asn Ser Gly  
 590 595 600  
 cgc tac tgc aca ggg aag agg ggc ata taa cgt tcc tgc act gtt aca 1874  
 60 Arg Tyr Cys Thr Gly Lys Arg Ala Ile Tyr Arg Ser Cys Ser Val Thr  
 605 610 615  
 ccc tgc cca ccc aat ggt aaa tct ttt cgc cat gag cag tgt gaa gcc 1922  
 65 Pro Cys Pro Pro Asn Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala  
 620 625 630 635  
 aaa aat ggc tat cag tct gat gca aaa gga gtc aaa aca ttt gta gaa 1970  
 70 Lys Asn Gly Tyr Gln Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu  
 640 645 650

75 Ile Tyr Arg Ala Lys Gly Thr Gly Ile Thr Val Val Phe Val Ile Lys  
 655 660 665

	gtt acg gat ggg acc gaa tgc agg ccg tac agc aac tct gtg tgt gtc	2114
	Val Thr Asp Gly Thr Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val	
	665 690 695	
5	cca gga cgg tgt gtg aga act gga tgt gac ggc att att ggc tca aag	2162
	Arg Gly Arg Cys Val Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys	
	700 705 710 715	
10	cta caa tat gac aag tgt gga gtg tgc gga ggg gat aac tcc agt tgt	2210
	Leu Gln Tyr Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys	
	720 725 730	
	aca aag att atc gga acc ttc aat aaa aaa agc aag ggt tat act gac	2258
15	Thr Lys Ile Ile Gly Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp	
	735 740 745	
	gtt gtg agg atc cct gaa gga gca acc cac ata aaa gtc cga cag ttc	2306
20	Val Val Arg Ile Phe Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe	
	750 755 760	
	aaa gcc aaa gac cag act aga ttc cct gcc tac tta gcc ctg aag aag	2354
	Lys Ala Lys Asp Gln Thr Arg Phe Pro Ala Tyr Leu Ala Leu Lys Lys	
	765 770 775	
25	aaa act ggc gag tac ctt atc aat ggc aag tac atg att tcc act tca	2402
	Lys Thr Gly Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser	
	780 785 790 795	
30	gag acc atc atc gac atc aat ggt acc gtc atg aac tac agt gga tgg	2450
	Glu Thr Ile Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp	
	800 805 810	
	agc cac aga gat gat ttt tta cat ggg atg ggc tat tca gcc aca aaa	2498
35	Ser His Arg Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys	
	815 820 825	
	gaa atc ctg atc gtg cag atc ctt gcc aca gac cca act aaa gcg cta	2546
40	Glu Ile Leu Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Ala Leu	
	830 835 840	
	ggc gtc cgt tac agc ttt ttt gtt ccc aag aag acc act caa aaa gta	2594
	Gly Val Arg Tyr Ser Phe Phe Val Pro Lys Lys Thr Thr Gln Lys Val	
	845 850 855	
45	aac tct gtc atc agc cat ggc agt aac aag gtg gga cca cac tct aca	2641
	Asn Ser Val Ile Ser His Gly Ser Asn Lys Val Gly Pro His Ser Thr	
	860 865 870 875	
50	cag atg cag tgg gtg aca ggt cca tgg ctg gcc tct tct agc acc ggt	2689
	Gln Leu Gln Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys	
	880 885 890	
	gac aca gcc tgg cac act agg acc gtg cag tgc cag gat gga aac agg	2736
55	Asp Thr Gly Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg	
	895 900 905	
	aaa tta cct aca caa taa att atc tct cag agc cct tct aca ttt acc	2784

60  
 aacaggagga ttaacggaga taagaggttgg gtagagagaa ggt taacta aagaaagaa 2787

agtcacgccc tcatgacatc gtcaccacga gtcgaattat gggcagaata tgcctctctg 2960

gacccaaaagg tttaactctac ttgggtgaatg atgggtaccgt ga 3002

5

<210> 2

<211> 930

<212> PRT

10 <213> mus musculus ADAMTS-5

<400> 2

Met Arg Leu Glu Trp Ala Ser Leu Leu Leu Leu Leu Leu Leu Ser  
 1 5 10 15  
 15 Ala Ser Cys Leu Ser Leu Ala Ala Asp Ser Pro Ala Ala Ala Pro Ala  
 20 25 30  
 Gln Asp Lys Thr Arg Gln Pro Gln Ala Ala Ala Ala Ala Glu Pro  
 35 40 45  
 Asp Gln Pro Gln Gly Glu Glu Thr Arg Glu Arg Gly His Leu Gln Pro  
 50 55 60  
 20 Leu Ala Gly Gln Arg Arg Ser Gly Gly Leu Val His Asn Ile Asp Gln  
 65 70 75 80  
 Leu Tyr Ser Gly Gly Gly Lys Val Gly Tyr Leu Val Tyr Ala Gly Gly  
 85 90 95  
 25 Arg Arg Phe Leu Leu Asp Leu Glu Arg Asp Asp Thr Val Gly Ala Ala  
 100 105 110  
 Gly Ser Ile Val Thr Ala Gly Gly Gly Leu Ser Ala Ser Ser Gly His  
 115 120 125  
 Arg Gly His Tyr Phe Tyr Arg Gly Thr Val Asp Gly Ser Pro Arg Ser  
 130 135 140  
 30 Leu Ala Val Phe Asp Leu Cys Gly Gly Leu Asp Gly Phe Phe Ala Val  
 145 150 155 160  
 Lys His Ala Arg Tyr Thr Leu Lys Pro Leu Arg Gly Ser Trp Ala  
 165 170 175  
 35 Glu Tyr Glu Arg Ile Tyr Gly Asp Gly Ser Ser Arg Ile Leu His Val  
 180 185 190  
 Tyr Asn Arg Glu Gly Phe Ser Phe Glu Ala Leu Pro Pro Arg Ala Ser  
 195 200 205  
 Cys Glu Thr Pro Ala Ser Pro Ser Gly Pro Gln Glu Ser Pro Ser Val  
 210 215 220  
 40 His Ser Arg Ser Arg Arg Ser Ala Leu Ala Pro Gln Leu Leu Asp  
 225 230 235 240  
 His Ser Ala Phe Ser Pro Ser Gly Asn Ala Gly Pro Gln Thr Trp Trp  
 245 250 255  
 45 Arg Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg Gln Val Glu Leu Leu  
 260 265 270  
 Leu Val Ala Asp Ser Ser Met Ala Arg Met Tyr Gly Arg Gly Leu Gln  
 275 280 285  
 His Tyr Leu Leu Thr Met Ala Ser Ile Ala Asn Arg Leu Tyr Ser His  
 290 295 300  
 50 Ala Ser Ile Glu Asn His Ile Arg Leu Ala Val Val Lys Val Val Val  
 305 310 315 320  
 Leu Thr Asp Lys Asp Thr Ser Leu Glu Val Ser Lys Asn Ala Ala Thr  
 325 330 335  
 55 Thr Leu Lys Asn Phe Cys Lys Trp Gln His Gln His Asn Gln Leu Gly  
 340 345 350  
 Asp Asp His Glu Glu His Tyr Asp Ala Ala Ile Leu Phe Thr Arg Glu  
 355 360 365

37 Gly Leu Phe His Asp Arg Arg Tyr Phe 38 Gly Leu Ala Arg Ile Gly Val  
 400 410 420

Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu Thr Ser Ile Asp Ala  
 435 440 445  
 Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr Ile Thr Glu Phe Leu  
 450 455 460  
 5 Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu Pro Arg Lys Gln Ile  
 465 470 475 480  
 Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr Asp Ala Thr Gln Gln  
 485 490 495  
 Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val Cys Pro Gly Met Asp  
 500 505 510  
 10 Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg Gln Gly Gln Met Val  
 515 520 525  
 Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly Thr Pro Cys Gly Lys  
 530 535 540  
 15 Gly Arg Val Cys Leu Gln Gly Lys Cys Val Asp Lys Thr Lys Lys Lys  
 545 550 555 560  
 Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly Ser Trp Gly Pro Trp  
 565 570 575  
 Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val Gln Phe Ala Tyr Arg  
 580 585 590  
 20 His Cys Asn Asn Pro Ala Pro Arg Asn Ser Gly Arg Tyr Cys Thr Gly  
 595 600 605  
 Lys Arg Ala Ile Tyr Arg Ser Cys Ser Val Thr Pro Cys Pro Pro Asn  
 610 615 620  
 25 Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala Lys Asn Gly Tyr Gln  
 625 630 635 640  
 Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu Trp Val Pro Lys Tyr  
 645 650 655  
 Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu Thr Cys Arg Ala Lys  
 660 665 670  
 30 Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys Val Thr Asp Gly Thr  
 675 680 685  
 Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val Arg Gly Arg Cys Val  
 690 695 700  
 35 Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu Gln Tyr Asp Lys  
 705 710 715 720  
 Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Ile Ile Gly  
 725 730 735  
 Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp Val Val Arg Ile Pro  
 740 745 750  
 40 Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys Ala Lys Asp Gln  
 755 760 765  
 Thr Arg Phe Pro Ala Tyr Leu Ala Leu Lys Lys Lys Thr Gly Glu Tyr  
 770 775 780  
 45 Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu Thr Ile Ile Asp  
 785 790 795 800  
 Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser His Arg Asp Asp  
 805 810 815  
 Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu Ile Leu Ile Val  
 820 825 830  
 50 Gln Ile Leu Ala Thr Asp Pro Thr Lys Ala Leu Gly Val Arg Tyr Ser  
 835 840 845  
 Phe Phe Val Pro Lys Lys Thr Thr Gln Lys Val Asn Ser Val Ile Ser  
 850 855 860  
 55 His Gly Ser Asn Lys Val Gly Pro His Ser Thr Gln Leu Gln Trp Val  
 865 870 875 880  
 Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp Thr Gly Trp His  
 885 890 895

```

<210> 3
<211> 1520
<212> DNA
5 <213> homo sapiens ADAMTS-5

<400> 3
ggacatttac ttggcctctc ccattgacgat tccaaattct gtgaagagac ctttggttcc 60
acagaagata agcgcttaat gtcttccatc cttaccagca ttgatgcac taagccctcg 120
10 tccaaatgca cttcagccac catcacagaa ttcttgatg atggccatgg taactgtttg 180
ctggacctac caggaagca gatcctgggc cctgaagaac tcccaggaca gacctacgat 240
gctaccagc agtgcaacct gacattcggg cctgagtact cctgtgttcc cggcanggat 300
gtctgtgctc gctgtggtg tctgttggtt cgtcagggcc agatggtctg tctgaccaag 360
gagtgcagtt tgcctatcgt cactgtaata accctgtctc cagaaacaac ggacgctact 420
15 gcacaggga gagggccatc taccactcct gcagtctcat gccctgccca cccaatggta 480
aatcatttcc tcatgaacag tgtgaggcca aaaatggcta tcagtctgat gcaaaaggag 540
tccaaaacttt tgtggaatgg gttcccaaat atgcaggtgt cctgcccagc gatgtgtgca 600
agctgacctg cagagccaag ggcactgggt actatgtggt attttctcca aaggtagccg 660
atggcactga atgtaggccg tacagtaatt cctctgtcgt cggggggaag tgtgtgagaa 720
20 ctggctgtga cggcatcatt ggcctcaaac tgcagtatga caagtgcgga gtatgtggag 780
gagacaactc cagctgtaca aagattgttg gaacctttta taagaaaagt aagggttaca 840
ctgacgtggt gaggattcct gaaggggcaa cccacataaa agtcgacag ttcaaagcca 900
aagaccagac tagattcact gccattttag cctgaaaaa gaaaaacggc gactacetta 960
tcaatggaaa gtacatgac tccacttcag agactatcat tgacatcaat ggaacagta 1020
25 tgaactatag cgggttgagc cacagggatg acttctgtga tggcatgggc tactctgcca 1080
cgaaggaaat tctaatagtg cagattcttg caacagacc cactaaaaca ttagatgtcc 1140
gttatagctt ttttgttccc aagaagtcca ctccaaaagt aaactctgtc actagtcatg 1200
gcagcaataa agtgggatca cacacttcgc agccgagtg ggtcacgggc ccatggctcg 1260
cctgtcttag gacctgtgac acaggttggc acaccagaa ggtgcagtgc caggatggaa 1320
30 accggaagtt agcaaaagga tgtctctct cccaaaggcc ttctgcgttt aagcaatgct 1380
tgttgaagaa atgttagcct gtgggttatg atcttattgc acaaaagata ctggaggatt 1440
cancacccgt gcaatcnnng tgaacaggaa ggtacetta acgcacagaa agtcatgatt 1500
taatgacatt gtcaaccagg 1520

35
<210> 4
<211> 2848
<212> DNA
<213> Homo sapiens ADAMTS-6

40
<220>
<221> CDS
<222> (22)..(2601)

45
<230>
<231> misc_feature
<232> 1369..1371

<400> 4
50 aatcatccag ttttttaaat t atg gaa att ttg tgg ang aag ttg ac tgg 51
Met Glu Ile Leu Trp Lys Thr Leu Thr Trp
1 5 10

att ttg agc ctc atc atg gct tca tgg gaa ttt cat agt gac cac agg 99
55 Ile Leu Ser Leu Ile Met Ala Ser Ser Glu Phe His Ser Asp His Arg
15 20 25

ttt aat gtt aaa tat gtt aaa taa tta agt agt aga tgg agt atg gat 141

```

	Phe Thr Val Lys Asn Asp Lys His Ser Arg Arg Arg Arg Ser Met Asp	
	60 65 70	
5	cct att gat cca cag cag gca gta tct aag tta ttt ttt aaa ctt tca	291
	Pro Ile Asp Pro Gln Gln Ala Val Ser Lys Leu Phe Phe Lys Leu Ser	
	75 80 85 90	
10	gcc tat ggc aag cac ttt cat cta aac ttg act ctc aac aca gat ttt	339
	Ala Tyr Gly Lys His Phe His Leu Asn Leu Thr Leu Asn Thr Asp Phe	
	95 100 105	
15	gtg tcc aaa cat ttt aca gta gaa tat tgg ggg aaa gat gga ccc cag	387
	Val Ser Lys His Phe Thr Val Glu Tyr Trp Gly Lys Asp Gly Pro Gln	
	110 115 120	
20	tgg aaa cat gat ttt tta gac aac tgt cat tac aca gga tat ttg caa	435
	Trp Lys His Asp Phe Leu Asp Asn Cys His Tyr Thr Gly Tyr Leu Gln	
	125 130 135	
25	gat caa cgt agt aca act aaa gtg gct tta agc aac tgt gtt ggg ttg	483
	Asp Gln Arg Ser Thr Thr Lys Val Ala Leu Ser Asn Cys Val Gly Leu	
	140 145 150	
30	cat ggt gtt att gct aca gaa gat gaa gag tat ttt atc gaa cct tta	531
	His Gly Val Ile Ala Thr Glu Asp Glu Glu Tyr Phe Ile Glu Pro Leu	
	155 160 165 170	
35	aag aat acc aca gag gat tcc aag cat ttt agt tat gaa aat ggc cac	579
	Lys Asn Thr Thr Lys Asp Ser Lys His Phe Ser Tyr Glu Asn Gly His	
	175 180 185	
40	cct cat gtt att tac aaa aag tct gcc ctt caa caa cga cat ctg tat	627
	Pro His Val Ile Tyr Lys Lys Ser Ala Leu Gln Gln Arg His Leu Tyr	
	190 195 200	
45	gat cac tct cat tgt ggg gtt tcc gat ttc aca aga agt ggc aaa cct	675
	Asp His Ser His Cys Gly Val Ser Asp Phe Thr Arg Ser Gly Lys Pro	
	205 210 215	
50	tgg tgg ctg aat gac act cca ctg ttt ctt att cac tac caa att aac	723
	Trp Trp Leu Asn Asp Thr Pro Leu Phe Leu Ile His Tyr Gln Ile Asn	
	220 225 230	
55	aac aca cat atc cac cac aga cag aag aga tca gtg agc att gaa cgg	771
	Asn Thr His Ile His His Arg Gln Lys Arg Ser Val Ser Ile Glu Arg	
	235 240 245 250	
60	ttt gty gag aca ttg gta gtg gca gac aac atg atg gty ggc ttt cct	819
	Phe Val Glu Thr Leu Val Val Ala Asp Lys Met Met Val Gly Tyr His	
	255 260 265	
65	ggc cgc aaa gac att gaa cat tac att ttg agt gtg atg aat att gtt	867
	Gly Arg Lys Asp Ile Glu His Tyr Ile Leu Ser Val Met Asn Ile Val	
	270 275 280	
70	ggc aaa ctt tac cgt gat tcc agc cta gga aac gtt gtg aat att ata	915
	Ala Lys Leu Tyr Arg Asp Ser Ser Leu Gly Asn Val Val Asn Ile Ile	
	285 290 295	
75	att his his ala asp lys ser leu asp ser phe lys lys thr his lys	
	300 305 310 315	

tcc att ctc tcc cac caa agt gat gga aac acc att cca gaa aat ggg 1089  
 Ser Ile Leu Ser His Gln Ser Asp Gly Asn Thr Ile Pro Glu Asn Gly  
 335 340 345  
 5  
 att gcc cac cac gat aat gca ggt ctt att acc aga tat gat atc tgc 1107  
 Ile Ala His His Asp Asn Ala Val Leu Ile Thr Arg Tyr Asp Ile Cys  
 350 355 360  
 10 act tat aaa aat aag ccc tgt gga aca ctg ggc ttg gcc tct gtg gct 1155  
 Thr Tyr Lys Asn Lys Pro Cys Gly Thr Leu Gly Leu Ala Ser Val Ala  
 365 370 375  
 gga atg tgt gag cct gaa agg agc tgc agc att aat gaa gac att ggc 1203  
 15 Gly Met Cys Glu Pro Glu Arg Ser Cys Ser Ile Asn Glu Asp Ile Gly  
 380 385 390  
 ctg ggt tca gct ttt acc att gca cat gag att gtt cac aat ttt ggt 1251  
 20 Leu Gly Ser Ala Phe Thr Ile Ala His Glu Ile Val His Asn Phe Gly  
 395 400 405 410  
 atg aac cat gat gga att gga aat tct tgt gga cga aag gtc atg aag 1299  
 Met Asn His Asp Gly Ile Gly Asn Ser Cys Gly Arg Lys Val Met Lys  
 415 420 425  
 25 cag caa aat tat ggc agc tca cat tac tgc gaa tac caa tcc ttt ttc 1347  
 Gln Gln Asn Tyr Gly Ser Ser His Tyr Cys Glu Tyr Gln Ser Phe Phe  
 430 435 440  
 30 ctg gtc tgc ttg cag tgc aga nta cat cac cag ctt ttt aga gaa gtc 1395  
 Leu Val Cys Leu Gln Ser Arg Xaa His His Gln Leu Phe Arg Glu Val  
 445 450 455  
 tgt aga gag ctc tgg tgt ctc agc aaa agc aac cgc tgt gtc acc aac 1443  
 35 Cys Arg Glu Leu Trp Cys Leu Ser Lys Ser Asn Arg Cys Val Thr Asn  
 460 465 470  
 agt att cca gca gct gag ggg aca ctg tgt caa act ggg aat att gaa 1491  
 40 Ser Ile Pro Ala Ala Glu Gly Thr Leu Cys Gln Thr Gly Asn Ile Glu  
 475 480 485 490  
 aaa ggg tgg tgt tat cag gga gat tgt gtt cct ttt ggc act tgg ccc 1539  
 Lys Gly Trp Cys Tyr Gln Gly Asp Cys Val Pro Phe Gly Thr Trp Pro  
 495 500 505  
 45 cag agc ata gat ggg ggc tgg ggt ccc tgg tca cta tgg gga gag tgc 1587  
 Gln Ser Ile Asp Gly Gly Trp Gly Pro Trp Ser Leu Trp Gly Glu Cys  
 510 515 520  
 50 agt agg aac tgc ggg gga ggc gtn tcc tca acc cta aga cat tgt gat 1635  
 Ser Arg Thr Cys Gly Gly Gly Val Ser Ser Ser Leu Arg His Cys Asp  
 525 530 535  
 agt cca gca cct tgc gag gtc gaa aaa tat tgc ctt ggg gaa agg aaa 1683  
 55 Ser Pro Ala Pro Ser Glu Val Glu Lys Tyr Cys Leu Gly Glu Arg Lys  
 540 545 550  
 ccc tat ccc tcc tat aac acc gat cca ttt cct tta ggt tcc cca tat 1731  
 60  
 65  
 70  
 75  
 80  
 85  
 90  
 95  
 100  
 105  
 110  
 115  
 120  
 125  
 130  
 135  
 140  
 145  
 150  
 155  
 160  
 165  
 170  
 175  
 180  
 185  
 190  
 195  
 200  
 205  
 210  
 215  
 220  
 225  
 230  
 235  
 240  
 245  
 250  
 255  
 260  
 265  
 270  
 275  
 280  
 285  
 290  
 295  
 300  
 305  
 310  
 315  
 320  
 325  
 330  
 335  
 340  
 345  
 350  
 355  
 360  
 365  
 370  
 375  
 380  
 385  
 390  
 395  
 400  
 405  
 410  
 415  
 420  
 425  
 430  
 435  
 440  
 445  
 450  
 455  
 460  
 465  
 470  
 475  
 480  
 485  
 490  
 495  
 500  
 505  
 510  
 515  
 520  
 525  
 530  
 535  
 540  
 545  
 550  
 555  
 560  
 565  
 570  
 575  
 580  
 585  
 590  
 595  
 600  
 605  
 610  
 615  
 620  
 625  
 630  
 635  
 640  
 645  
 650  
 655  
 660  
 665  
 670  
 675  
 680  
 685  
 690  
 695  
 700  
 705  
 710  
 715  
 720  
 725  
 730  
 735  
 740  
 745  
 750  
 755  
 760  
 765  
 770  
 775  
 780  
 785  
 790  
 795  
 800  
 805  
 810  
 815  
 820  
 825  
 830  
 835  
 840  
 845  
 850  
 855  
 860  
 865  
 870  
 875  
 880  
 885  
 890  
 895  
 900  
 905  
 910  
 915  
 920  
 925  
 930  
 935  
 940  
 945  
 950  
 955  
 960  
 965  
 970  
 975  
 980  
 985  
 990  
 995

	Lys	Tyr	Tyr	Asn	Trp	Lys	Pro	Tyr	Thr	Gly	Gly	Gly	Val	Lys	Pro	Cys	
				590					595					600			
5	gca	tta	aac	tgc	ttg	gct	gaa	ggc	tat	aat	ttc	tac	act	gaa	cgt	gct	1675
	Ala	Leu	Asn	Cys	Leu	Ala	Glu	Gly	Tyr	Asn	Phe	Tyr	Thr	Glu	Arg	Ala	
			605					610					615				
10	cct	gcg	gtg	atc	gat	ggg	acc	cag	tgc	aat	gcg	gat	tca	ctg	gat	atc	1923
	Pro	Ala	Val	Ile	Asp	Gly	Thr	Gln	Cys	Asn	Ala	Asp	Ser	Leu	Asp	Ile	
			620				625					630					
15	tgc	atc	aat	gga	gaa	tgc	aag	cac	gta	ggc	tgt	gat	aat	att	ttg	gga	1971
	Cys	Ile	Asn	Gly	Glu	Cys	Lys	His	Val	Gly	Cys	Asp	Asn	Ile	Leu	Gly	
			635			640					645					650	
20	tct	gat	gct	agg	gaa	gat	aga	tgt	cga	gtc	tgt	gga	ggg	ggc	gga	agg	2019
	Ser	Asp	Ala	Arg	Glu	Asp	Arg	Cys	Arg	Val	Cys	Gly	Gly	Gly	Gly	Ser	
				655						660					665		
25	aca	tgt	gat	gcc	att	gaa	ggg	ttc	ttc	aat	gat	tca	ctg	ccc	agg	gga	2067
	Thr	Cys	Asp	Ala	Ile	Glu	Gly	Phe	Phe	Asn	Asp	Ser	Leu	Pro	Arg	Gly	
				670					675					680			
30	ggc	tac	atg	gaa	gtg	gtg	cag	ata	cca	aga	ggc	tct	gtt	cac	att	gaa	2115
	Gly	Tyr	Met	Glu	Val	Val	Gln	Ile	Pro	Arg	Gly	Ser	Val	His	Ile	Glu	
			685				690						695				
35	gtt	aga	gaa	gtt	gcc	atg	tca	aag	aac	tat	att	gct	tta	aaa	tct	gaa	2163
	Val	Arg	Glu	Val	Ala	Met	Ser	Lys	Asn	Tyr	Ile	Ala	Leu	Lys	Ser	Glu	
			700				705					710					
40	gga	gat	gat	tac	tat	att	aat	ggc	gcc	tgg	act	att	gac	tgg	cct	agg	2211
	Gly	Asp	Asp	Tyr	Tyr	Ile	Asn	Gly	Ala	Trp	Thr	Ile	Asp	Trp	Pro	Arg	
				715		720				725					730		
45	aaa	ttt	gat	gtt	gct	ggg	aca	gct	ttt	cat	tac	aag	aga	cca	act	gat	2259
	Lys	Phe	Asp	Val	Ala	Gly	Thr	Ala	Phe	His	Tyr	Lys	Arg	Pro	Thr	Asp	
				735					740					745			
50	gaa	cca	gaa	tcc	ttg	gaa	gct	cta	ggc	cct	acc	tca	gaa	aat	ctc	atc	2307
	Glu	Pro	Glu	Ser	Leu	Glu	Ala	Leu	Gly	Pro	Thr	Ser	Glu	Asn	Leu	Ile	
				750				755					760				
55	gtc	atg	gtt	ctg	cct	caa	gaa	cag	aat	ttg	gga	att	agg	tat	aag	ttc	2355
	Val	Met	Val	Leu	Leu	Gln	Glu	Gln	Asn	Leu	Gly	Ile	Arg	Tyr	Lys	Phe	
			765					770					775				
60	aat	gtt	ccc	atc	act	cga	act	ggc	agt	gga	gat	aat	gaa	gtt	ggc	ttt	2403
	Asn	Val	Pro	Ile	Thr	Arg	Thr	Gly	Ser	Gly	Asp	Asn	Glu	Val	Gly	Phe	
			780				785					790					
65	aca	tgg	aat	cat	cag	cct	tgg	tca	gaa	tgc	tca	gct	act	tgt	gct	gga	2451
	Thr	Trp	Asn	His	Gln	Pro	Trp	Ser	Glu	Cys	Ser	Ala	Thr	Cys	Ala	Gly	
			795			800					805					810	
70	ggc	aag	atg	ccc	act	agg	cag	ccc	acc	cag	agg	gca	aga	tgg	aga	aca	2499
	Gly	Lys	Met	Pro	Thr	Arg	Gln	Pro	Thr	Gln	Arg	Ala	Arg	Trp	Arg	Thr	
				815					820					825			
75	ggt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	
	Arg	Gln	Leu	Arg	Ser	Ala	Leu	Leu	Tyr	Asn	Leu	Ala	Gly	Gln	Ile	Ile	
				845				850					855				



ctc taa ttatattata ttccatttgt ttccaacctc atgtaatttg tgcagatttg 2661  
 Leu 860  
 5 ttggtaaaat acatcttggc acaatgagtg tctctgctgg tgcctctccc aagactatct 2711  
 tgaagggtggg ctgtttgctt ttctggaaca cattcttggt aaagaacatc aaaagtctta 2771  
 10 aaaaagaaaa tgagcaagaa tcagacatca cagatgcaac ttcttgtaat gggagatgag 2831  
 gagaatgtac ggctgtg 2848

15 <210> 5  
 <211> 859  
 <212> PRT  
 <213> Homo sapiens ADAMTS-6

20 <400> 5  
 Met Glu Ile Leu Trp Lys Thr Leu Thr Trp Ile Leu Ser Leu Ile Met  
 1 5 10 15  
 Ala Ser Ser Glu Phe His Ser Asp His Arg Leu Ser Tyr Ser Ser Gln  
 20 25 30  
 25 Glu Glu Phe Leu Thr Tyr Leu Glu His Tyr Gln Leu Thr Ile Pro Ile  
 35 40 45  
 Arg Val Asp Gln Asn Gly Ala Phe Leu Ser Phe Thr Val Lys Asn Asp  
 50 55 60  
 Lys His Ser Arg Arg Arg Ser Met Asp Pro Ile Asp Pro Gln Gln  
 65 70 75 80  
 30 Ala Val Ser Lys Leu Phe Phe Lys Leu Ser Ala Tyr Gly Lys His Phe  
 85 90 95  
 His Leu Asn Leu Thr Leu Asn Thr Asp Phe Val Ser Lys His Phe Thr  
 100 105 110  
 35 Val Glu Tyr Trp Gly Lys Asp Gly Pro Gln Trp Lys His Asp Phe Leu  
 115 120 125  
 Asp Asn Cys His Tyr Thr Gly Tyr Leu Gln Asp Gln Arg Ser Thr Thr  
 130 135 140  
 Lys Val Ala Leu Ser Asn Cys Val Gly Leu His Gly Val Ile Ala Thr  
 40 145 150 155 160  
 Glu Asp Glu Glu Tyr Phe Ile Glu Pro Leu Lys Asn Thr Thr Glu Asp  
 165 170 175  
 Ser Lys His Phe Ser Tyr Glu Asn Gly His Pro His Val Ile Tyr Lys  
 180 185 190  
 45 Lys Ser Ala Leu Gln Gln Arg His Leu Tyr Asp His Ser His Cys Gly  
 195 200 205  
 Val Ser Asp Phe Thr Arg Ser Gly Lys Pro Trp Trp Leu Asn Asp Thr  
 210 215 220  
 His Leu Phe Leu Ile His Tyr Gln Ile Asn Asn Thr His Ile His His  
 225 230 235 240  
 50 Arg Gln Lys Arg Ser Val Ser Ile Glu Arg Phe Val Glu Thr Leu Val  
 245 250 255  
 Val Ala Asp Lys Met Met Val Gly Tyr His Gly Arg Lys Asp Ile Glu  
 260 265 270  
 55 His Tyr Ile Leu Ser Val Met Asn Ile Val Ala Lys Leu Tyr Arg Asp  
 275 280 285  
 Ser Ser Leu Gly Asn Val Val Asn Ile Ile Val Ala Arg Leu Ile Val  
 290 295 300

35 Ala Val Leu Ile Thr Asp Lys Arg Ile Tyr Thr Tyr Lys Asn Tyr Glu  
 300 310 320

Cys Gly Thr Leu Gly Leu Ala Ser Val Ala Gly Met Cys Glu Pro Glu  
 370 375 380  
 Arg Ser Cys Ser Ile Asn Glu Asp Ile Gly Leu Gly Ser Ala Phe Thr  
 385 390 395 400  
 5 Ile Ala His Glu Ile Val His Asn Phe Gly Met Asn His Asp Gly Ile  
 405 410 415  
 Gly Asn Ser Cys Gly Arg Lys Val Met Lys Gln Gln Asn Tyr Gly Ser  
 420 425 430  
 10 Ser His Tyr Cys Glu Tyr Gln Ser Phe Phe Leu Val Cys Leu Gln Ser  
 435 440 445  
 Arg Xaa His His Gln Leu Phe Arg Glu Val Cys Arg Glu Leu Trp Cys  
 450 455 460  
 Leu Ser Lys Ser Asn Arg Cys Val Thr Asn Ser Ile Pro Ala Ala Glu  
 465 470 475 480  
 15 Gly Thr Leu Cys Gln Thr Gly Asn Ile Glu Lys Gly Trp Cys Tyr Gln  
 485 490 495  
 Gly Asp Cys Val Pro Phe Gly Thr Trp Pro Gln Ser Ile Asp Gly Gly  
 500 505 510  
 20 Trp Gly Pro Trp Ser Leu Trp Gly Glu Cys Ser Arg Thr Cys Gly Gly  
 515 520 525  
 Gly Val Ser Ser Ser Leu Arg His Cys Asp Ser Pro Ala Pro Ser Glu  
 530 535 540  
 Val Glu Lys Tyr Cys Leu Gly Glu Arg Lys Arg Tyr Arg Ser Cys Asn  
 545 550 555 560  
 25 Thr Asp Pro Cys Pro Leu Gly Ser Arg Asp Phe Arg Glu Lys Gln Cys  
 565 570 575  
 Ala Asp Phe Asp Asn Met Pro Phe Arg Gly Lys Tyr Tyr Asn Trp Lys  
 580 585 590  
 30 Pro Tyr Thr Gly Gly Gly Val Lys Pro Cys Ala Leu Asn Cys Leu Ala  
 595 600 605  
 Glu Gly Tyr Asn Phe Tyr Thr Glu Arg Ala Pro Ala Val Ile Asp Gly  
 610 615 620  
 Thr Gln Cys Asn Ala Asp Ser Leu Asp Ile Cys Ile Asn Gly Glu Cys  
 625 630 635 640  
 35 Lys His Val Gly Cys Asp Asn Ile Leu Gly Ser Asp Ala Arg Glu Asp  
 645 650 655  
 Arg Cys Arg Val Cys Gly Gly Gly Ser Thr Cys Asp Ala Ile Glu  
 660 665 670  
 Gly Phe Phe Asn Asp Ser Leu Pro Arg Gly Gly Tyr Met Glu Val Val  
 675 680 685  
 40 Gln Ile Pro Arg Gly Ser Val His Ile Glu Val Arg Glu Val Ala Met  
 690 695 700  
 Ser Lys Asn Tyr Ile Ala Leu Lys Ser Glu Gly Asp Asp Tyr Tyr Ile  
 705 710 715 720  
 45 Asn Gly Ala Trp Thr Ile Asp Trp Pro Arg Lys Phe Asp Val Ala Gly  
 725 730 735  
 Thr Ala Phe His Tyr Lys Arg Pro Thr Asp Glu Pro Glu Ser Leu Glu  
 740 745 750  
 Ala Leu Gly Pro Thr Ser Glu Asn Leu Ile Val Met Val Leu Leu Gln  
 755 760 765  
 50 Glu Gln Asn Leu Gly Ile Arg Tyr Lys Phe Asn Val Pro Ile Thr Arg  
 770 775 780  
 Thr Gly Ser Gly Asp Asn Glu Val Gly Phe Thr Trp Asn His Gln Pro  
 785 790 795 800  
 55 Trp Ser Glu Cys Ser Ala Thr Cys Ala Gly Gly Lys Met Pro Thr Arg  
 805 810 815  
 Gln Pro Thr Gln Arg Ala Arg Trp Arg Thr Lys His Ile Leu Ser Tyr  
 820 825 830

<211> 3218  
 <212> DNA  
 <213> Homo sapiens ADAMTS-7

5 <220>  
 <221> CDS  
 <222> (13)..(3003)

<400> 6

```

10 ccggttccctg cc atg ccc ggc ggc ccc agt ccc cgc agc ccc gcg cct ttg 51
      Met Pro Gly Gly Pro Ser Pro Arg Ser Pro Ala Pro Leu
          1             5             10

      ctg cgc ccc ctc ctc ctg ctc ctc tgc gct ctg gct ccc ggc ggc ccc 99
15 Leu Arg Pro Leu Leu Leu Leu Cys Ala Leu Ala Pro Gly Ala Pro
      15             20             25

      gga ccc gca cca gga cgt gca acc gag ggc cgg gcg gca ctg gac atc 147
      Gly Pro Ala Pro Gly Arg Ala Thr Glu Gly Arg Ala Ala Leu Asp Ile
20 30             35             40             45

      gtg cac ccg gtt cga gtc gac gcg ggg ggc tcc ttc ctg tcc tac gag 195
      Val His Pro Val Arg Val Asp Ala Gly Gly Ser Phe Leu Ser Tyr Glu
      50             55             60

25      ctg tgg ccc cgc gca ctg cgc aag cgg gat gta tct gtg cgc cga gac 243
      Leu Trp Pro Arg Ala Leu Arg Lys Arg Asp Val Ser Val Arg Arg Asp
      65             70             75

30      gcg ccc gcc ttc tac gag cta caa tac cgc ggg cgc gag ctg cgc ttc 291
      Ala Pro Ala Phe Tyr Glu Leu Gln Tyr Arg Gly Arg Glu Leu Arg Phe
      80             85             90

      aac ctg acc gcc aat cag cac ctg ctg gcg ccc ggc ttt gtg agc gag 339
35 Asn Leu Thr Ala Asn Gln His Leu Leu Ala Pro Gly Phe Val Ser Glu
      95             100             105

      acg cgg cgg cgc ggc ggc ctg ggc cgc gcg cac atc cgg gcc cac acc 387
      Thr Arg Arg Arg Gly Gly Leu Gly Arg Ala His Ile Arg Ala His Thr
40 110             115             120             125

      ccg gcc tgc cac ctg ctt ggc gag gtg cag gac cct gag ctc gag ggt 435
      Pro Ala Cys His Leu Leu Gly Glu Val Gln Asp Pro Glu Leu Glu Gly
      130             135             140

45      ggc ctg gcg gcc atc agc gcc tgc gac gcc ctg aaa ggt gtg ctc cag 483
      Gly Leu Ala Ala Ile Ser Ala Cys Asp Gly Leu Lys Gly Val Phe Gln
      145             150             155

50      ctg tcc aac gag gag ttt ttc att gag gcc ctg gac agt gcc ccg ggc 531
      Leu Ser Asn Glu Asp Tyr Phe Ile Glu Pro Leu Asp Ser Ala Pro Ala
      160             165             170

      cgg cct gcc cac gcc cag ccc cat gtg gtg tac aag cgt cag gcc cgg 579
55 Arg Pro Gly His Ala Gln Pro His Val Val Tyr Lys Arg Gln Ala Pro
      175             180             185

      ... 627
  
```

	Arg	Gln	Gln	Trp	Arg	Arg	Pro	Arg	Leu	Arg	Arg	Leu	His	Gln	Arg	Ser	
				225					230					235			
	gtc	agc	aaa	gag	aag	tgg	tgt	gag	acc	ctg	gta	gta	gct	gat	ggc	aaa	771
5	Val	Ser	Lys	Glu	Lys	Trp	Cys	Glu	Thr	Leu	Val	Val	Ala	Asp	Ala	Lys	
			240				245						250				
	atg	gtg	gag	tac	cac	gga	cag	ccg	cag	gtt	gag	agc	tat	gtg	ctg	acc	819
10	Met	Val	Glu	Tyr	His	Gly	Gln	Pro	Gln	Val	Glu	Ser	Tyr	Val	Leu	Thr	
		255				260						265					
	atc	atg	aac	atg	gtg	gct	ggc	ctg	ttt	cat	gac	ccc	agc	att	ggg	aac	867
	Ile	Met	Asn	Met	Val	Ala	Gly	Leu	Phe	His	Asp	Pro	Ser	Ile	Gly	Asn	
	270					275					280					285	
15																	
	ccc	atc	cac	atc	acc	att	gtg	cgc	ctg	gtc	ctg	ctg	gaa	gat	gag	gag	915
	Pro	Ile	His	Ile	Thr	Ile	Val	Arg	Leu	Val	Leu	Leu	Glu	Asp	Glu	Glu	
					290					295					300		
	gag	gac	cta	aag	atc	acg	cac	cat	gca	gac	aac	acc	ctg	aag	agc	ttc	963
20	Glu	Asp	Leu	Lys	Ile	Thr	His	His	Ala	Asp	Asn	Thr	Leu	Lys	Ser	Phe	
				305					310					315			
	tgc	aag	tgg	cag	aaa	agc	atc	aac	atg	aag	ggg	gat	gcc	cat	ccc	ctg	1011
25	Cys	Lys	Trp	Gln	Lys	Ser	Ile	Asn	Met	Lys	Gly	Asp	Ala	His	Pro	Leu	
			320					325					330				
	cac	cat	gac	act	gcc	atc	ctg	ctc	acc	aga	aag	gac	ctg	tgt	gca	gcc	1059
30	His	His	Asp	Thr	Ala	Ile	Leu	Leu	Thr	Arg	Lys	Asp	Leu	Cys	Ala	Ala	
		335					340					345					
	atg	aac	cgg	ccc	tgt	gag	acc	ctg	gga	ctg	ccc	cat	gtg	ggc	ggc	atg	1107
	Met	Asn	Arg	Pro	Cys	Glu	Thr	Leu	Gly	Leu	Ser	His	Val	Ala	Gly	Met	
	350					355					360				365		
35																	
	tgc	cag	ccg	cac	cgc	agc	tgc	agc	atc	aac	gag	gac	acg	ggc	ctg	ccg	1155
	Cys	Gln	Pro	His	Arg	Ser	Cys	Ser	Ile	Asn	Glu	Asp	Thr	Gly	Leu	Pro	
					370					375					380		
	ctg	gcc	ttc	act	gta	gcc	cac	gag	ctc	ggg	cac	agc	ttt	ggc	att	cag	1203
40	Leu	Ala	Phe	Thr	Val	Ala	His	Glu	Leu	Gly	His	Ser	Phe	Gly	Ile	Gln	
				385					390					395			
	cat	gac	gga	agc	ggc	aat	gac	tgt	gag	ccc	gtt	ggg	aaa	gga	ccc	ttc	1251
45	His	Asp	Gly	Ser	Gly	Asn	Asp	Cys	Glu	Pro	Val	Gly	Lys	Arg	Pro	Phe	
			400					405					410				
	atc	atg	tct	cca	cag	ctc	ctg	tac	gac	ggc	gct	ccc	ctc	acc	tgg	ttc	1299
50	Ile	Met	Ser	Pro	Gln	Leu	Leu	Tyr	Asp	Ala	Ala	Pro	Leu	Thr	Trp	Ser	
		415					420					425					
	ggc	tgc	agg	ggc	cag	tat	atc	acc	agg	ttc	ctc	gac	cgt	ggg	tgg	ggc	1347
	Arg	Cys	Ser	Arg	Gln	Tyr	Ile	Thr	Arg	Phe	Leu	Asp	Arg	Gly	Trp	Gly	
	430					435					440				445		
55																	
	ctg	tgc	ctg	gac	gac	ccc	ccc	ggc	aag	gac	att	atc	gac	ttc	ccc	tgg	1395
	Leu	Cys	Leu	Asp	Asp	Pro	Pro	Ala	Lys	Asp	Ile	Ile	Asp	Phe	Pro	Ser	
					450				455						460		

45 Val Ser Lys Glu Lys Trp Cys Glu Thr Leu Val Val Ala Asp Ala Lys  
 460 465 470

	aca	ccc	tgg	tgc	tct	gtg	ggg	acc	acc	tgt	cac	ccc	aag	ctg	gat	gga	1639
	Thr	Leu	Trp	Cys	Ser	Val	Gly	Thr	Thr	Cys	His	Ser	Lys	Leu	Asp	Ala	
	495						510					505					
5	gct	gtg	gac	ggc	acc	egg	tgt	ggg	gag	aat	aag	tgg	tgt	ctc	agt	ggg	1657
	Ala	Val	Asp	Gly	Thr	Arg	Cys	Gly	Glu	Asn	Lys	Trp	Cys	Leu	Ser	Gly	
	510					515					520					525	
10	gag	tgc	gta	ccc	gtg	ggc	ttc	egg	ccc	gag	gcc	gtg	gat	ggg	ggc	tgg	1635
	Glu	Cys	Val	Pro	Val	Gly	Phe	Arg	Pro	Glu	Ala	Val	Asp	Gly	Gly	Trp	
					530					535					540		
15	tct	ggc	tgg	agg	gcc	tgg	ccc	atc	tgc	tca	egg	agg	tgt	ggc	atg	ggc	1683
	Ser	Gly	Trp	Ser	Ala	Trp	Ser	Ile	Cys	Ser	Arg	Ser	Cys	Gly	Met	Gly	
				545				550						555			
20	gta	cag	agg	gcc	gag	egg	cag	tgc	acg	cag	cct	acg	ccc	aaa	tac	aaa	1731
	Val	Gln	Ser	Ala	Glu	Arg	Gln	Cys	Thr	Gln	Pro	Thr	Pro	Lys	Tyr	Lys	
			560					565					570				
25	ggc	aga	tac	tgt	gtg	ggg	gag	cgc	aag	cgc	ttc	cgc	ctc	tgc	aac	ctg	1779
	Gly	Arg	Tyr	Cys	Val	Gly	Glu	Arg	Lys	Arg	Phe	Arg	Leu	Cys	Asn	Leu	
			575				580					585					
30	cag	gcc	tgc	cct	gct	ggc	agg	ccc	tcc	ttc	egg	cac	gtc	cag	tgc	agg	1827
	Gln	Ala	Cys	Pro	Ala	Gly	Arg	Pro	Ser	Phe	Arg	His	Val	Gln	Cys	Ser	
	590					595					600					605	
35	cac	ttt	gac	gct	atg	ctc	tac	aag	ggc	cag	ctg	cac	aca	tgg	gtg	ccc	1875
	His	Phe	Asp	Ala	Met	Leu	Tyr	Lys	Gly	Gln	Leu	His	Thr	Trp	Val	Pro	
					610					615					620		
40	gtg	gtc	aat	gac	gtg	aac	ccc	tgc	gag	ctg	cac	tgc	egg	ccc	ggg	aat	1923
	Val	Val	Asn	Asp	Val	Asn	Pro	Cys	Glu	Leu	His	Cys	Arg	Pro	Ala	Asn	
				625				630					635				
45	gag	tac	ttt	gcc	aag	aag	ctg	egg	gac	gcc	tgt	gtc	gat	ggc	acc	ccc	1971
	Glu	Tyr	Phe	Ala	Lys	Lys	Leu	Arg	Asp	Ala	Cys	Val	Asp	Gly	Thr	Pro	
			640					645					650				
50	tgc	tac	cag	gtc	cga	gcc	agg	egg	gac	ctc	tgc	atc	aac	ggc	atc	tgt	2019
	Cys	Tyr	Gln	Val	Arg	Ala	Ser	Arg	Asp	Leu	Cys	Ile	Asn	Gly	Ile	Cys	
			655				660					665					
55	aag	aac	gtg	ggc	tgt	gac	ttc	gag	att	gac	tcg	ggg	gct	atg	gag	gac	2067
	Lys	Asn	Val	Gly	Cys	Asp	Phe	Glu	Ile	Asp	Ser	Gly	Ala	Met	Glu	Asp	
	670					675				680					685		
60	ggc	tgt	cgt	ggg	tgc	cac	ggc	aac	ggg	tcc	acc	tgc	cac	acc	gtg	tgc	2115
	Arg	Cys	Gly	Val	Cys	His	Gly	Asn	Gly	Ser	Thr	Cys	His	Thr	Val	Ser	
				690						695					700		
65	ggg	acc	ttc	gag	gag	gcc	gag	ggg	ctg	ggg	tat	gtg	gat	gtg	ggg	ctg	2163
	Gly	Thr	Phe	Glu	Glu	Ala	Glu	Gly	Leu	Gly	Tyr	Val	Asp	Val	Gly	Leu	
				705				710						715			
70	atc	cca	ggg	ggc	gca	ggc	gag	atc	ggc	atc	caa	gag	ttt	gcc	gag	gct	2211

cat ggt ggt tgg acc atc gag tgg acc tgg tat tat gag tgg acc ggt

	Asn Gly Gly Trp Thr Ile Gln Trp Asn Gly Asp Tyr Gln Val Ala Gly	
	750 755 760 765	
5	acc acc ttc aca tac gca cgc agg ggc aac tgg gag aac ctc acg tcc Thr Thr Phe Thr Tyr Ala Arg Arg Gly Asn Trp Glu Asn Leu Thr Ser	2355
	770 775 780	
10	ccg ggt ccc acc aag gag cct gtc tgg atc cag gtg cct gcc tcc cgt Pro Gly Pro Thr Lys Glu Pro Val Trp Ile Gln Val Pro Ala Ser Arg	2403
	785 790 795	
15	ggc cca ggc ggg ggg agc aga ggc gga gtc ccc agg ccc agc acc ctc Gly Pro Gly Gly Gly Ser Arg Gly Gly Val Pro Arg Pro Ser Thr Leu	2451
	800 805 810	
20	cat ggc agg tct cgt cct gga gga gtg agc cct ggt tca gtc aca gag His Gly Arg Ser Arg Pro Gly Gly Val Ser Pro Gly Ser Val Thr Glu	2499
	815 820 825	
25	cct ggc tct gag cca ggc cct cct gct gcg gcc tct acc tca gtt tcc Pro Gly Ser Glu Pro Gly Pro Pro Ala Ala Ser Thr Ser Val Ser	2547
	830 835 840 845	
30	cca tct tta aaa tgg ccc aat ctt gta gct gca gtt cac aga ggt ggc Pro Ser Leu Lys Trp Pro Asn Leu Val Ala Ala Val His Arg Gly Gly	2595
	850 855 860	
35	tgg ggt caa gct cct tta gga ctg ggt gga tgg aga aga cac ttt gtg Trp Gly Gln Ala Pro Leu Gly Leu Gly Gly Trp Arg Arg His Leu Val	2643
	865 870 875	
40	ctc atg ggc ccc cgc ctg ccc acc cag ctg ctg ttc cag gag agc aac Leu Met Gly Pro Arg Leu Pro Thr Gln Leu Leu Phe Gln Glu Ser Asn	2691
	880 885 890	
45	cct ggg gtg cac tac gag tac acc atc cac agg gag gca ggt ggc cac Pro Gly Val His Tyr Glu Thr Thr Ile His Arg Glu Ala Gly Gly His	2739
	895 900 905	
50	gac gag gtc ccg ccg ccc gtg ttc tcc tgg cat tat ggg ccc tgg acc Asp Glu Val Pro Pro Val Phe Ser Trp His Tyr Gly Pro Trp Thr	2787
	910 915 920 925	
55	aag tgc aca gtc acc tgc ggc aga ggt gag aag tgg ggc agg cac agc Lys Cys Thr Val Thr Cys Gly Arg Gly Glu Lys Trp Gly Arg His Ser	2835
	930 935 940	
60	ccc acc tgc agg ggc tta gtg tct gga cag gga cac tgg ctt cag ctc Pro Thr Cys Arg Gly Leu Val Ser Gly Gln Gly His Trp Leu Gln Leu	2883
	945 950 955	
65	cca gct cac tgc tgg gcc acc acg ggt ttg gaa gtt tgg ttc tct gag Pro Ala His Cys Trp Ala Thr Thr Gly Leu Glu Val Cys Phe Ser Glu	2931
	960 965 970	
70	ccc cag ttc tcc atc tgt gag atg agg cta ggc att gcc ctg tgt acc Pro Gln Ile Ser Ile Cys Gln Met Arg Leu Ala Ile Ala Leu Cys Pro	2979
	975 980 985	

15  
gacagagcaga gaggacccca accacacaga cctctttccc taacatcttc atccacagta cttc



Ile Thr Ile Val Arg Leu Val Leu Leu Glu Asp Glu Glu Glu Asp Leu  
 280 295 300  
 Lys Ile Thr His His Ala Asp Asn Thr Leu Lys Ser Phe Cys Lys Trp  
 5 305 310 315 320  
 Gln Lys Ser Ile Asn Met Lys Gly Asp Ala His Pro Leu His His Asp  
 325 330 335  
 10 Thr Ala Ile Leu Leu Thr Arg Lys Asp Leu Cys Ala Ala Met Asn Arg  
 340 345 350  
 Pro Cys Glu Thr Leu Gly Leu Ser His Val Ala Gly Met Cys Gln Pro  
 355 360 365  
 15 His Arg Ser Cys Ser Ile Asn Glu Asp Thr Gly Leu Pro Leu Ala Phe  
 370 375 380  
 Thr Val Ala His Glu Leu Gly His Ser Phe Gly Ile Gln His Asp Gly  
 20 385 390 395 400  
 Ser Gly Asn Asp Cys Glu Pro Val Gly Lys Arg Pro Phe Ile Met Ser  
 405 410 415  
 25 Pro Gln Leu Leu Tyr Asp Ala Ala Pro Leu Thr Trp Ser Arg Cys Ser  
 420 425 430  
 Arg Gln Tyr Ile Thr Arg Phe Leu Asp Arg Gly Trp Gly Leu Cys Leu  
 435 440 445  
 30 Asp Asp Pro Pro Ala Lys Asp Ile Ile Asp Phe Pro Ser Val Pro Pro  
 450 455 460  
 Gly Val Leu Tyr Asp Val Ser His Gln Cys Arg Leu Gln Tyr Gly Ala  
 35 465 470 475 480  
 Tyr Ser Ala Phe Cys Glu Asp Met Asp Asn Val Cys His Thr Leu Trp  
 485 490 495  
 40 Cys Ser Val Gly Thr Thr Cys His Ser Lys Leu Asp Ala Ala Val Asp  
 500 505 510  
 Gly Thr Arg Cys Gly Glu Asn Lys Trp Cys Leu Ser Gly Glu Cys Val  
 515 520 525  
 45 Pro Val Gly Phe Arg Pro Glu Ala Val Asp Gly Gly Trp Ser Gly Trp  
 530 535 540  
 Ser Ala Trp Ser Ile Cys Ser Arg Ser Cys Gly Met Gly Val Gln Ser  
 50 545 550 555 560  
 Ala Glu Arg Gln Cys Thr Gln Pro Thr Pro Lys Tyr Lys Gly Arg Tyr  
 565 570 575  
 55 Cys Val Gly Glu Arg Lys Arg Phe Arg Leu Cys Asn Leu Gln Ala Cys  
 580 585 590  
 Pro Ala Gly Arg Arg Ser Phe Arg His Val Gln Cys Ser His Phe Arg



Ala Lys Lys Leu Arg Asp Ala Cys Val Asp Gly Thr Pro Cys Tyr Gln  
 645 650 655  
 Val Arg Ala Ser Arg Asp Leu Cys Ile Asn Gly Ile Cys Lys Asn Val  
 5 660 665 670  
 Gly Cys Asp Phe Glu Ile Asp Ser Gly Ala Met Gln Asp Arg Cys Gly  
 675 680 685  
 10 Val Cys His Gly Asn Gly Ser Thr Cys His Thr Val Ser Gly Thr Phe  
 690 695 700  
 Glu Glu Ala Glu Gly Leu Gly Tyr Val Asp Val Gly Leu Ile Pro Ala  
 705 710 715 720  
 15 Gly Ala Arg Glu Ile Arg Ile Gln Glu Val Ala Glu Ala Ala Asn Phe  
 725 730 735  
 Leu Ala Leu Arg Ser Glu Asp Pro Glu Lys Tyr Phe Leu Asn Gly Gly  
 20 740 745 750  
 Trp Thr Ile Gln Trp Asn Gly Asp Tyr Gln Val Ala Gly Thr Thr Phe  
 755 760 765  
 25 Thr Tyr Ala Arg Arg Gly Asn Trp Glu Asn Leu Thr Ser Pro Gly Pro  
 770 775 780  
 Thr Lys Glu Pro Val Trp Ile Gln Val Pro Ala Ser Arg Gly Pro Gly  
 785 790 795 800  
 30 Gly Gly Ser Arg Gly Gly Val Pro Arg Pro Ser Thr Leu His Gly Arg  
 805 810 815  
 Ser Arg Pro Gly Gly Val Ser Pro Gly Ser Val Thr Glu Pro Gly Ser  
 35 820 825 830  
 Glu Pro Gly Pro Pro Ala Ala Ala Ser Thr Ser Val Ser Pro Ser Leu  
 835 840 845  
 40 Lys Trp Pro Asn Leu Val Ala Ala Val His Arg Gly Gly Trp Gly Gln  
 850 855 860  
 Ala Pro Leu Gly Leu Gly Gly Trp Arg Arg His Leu Val Leu Met Gly  
 865 870 875 880  
 45 Pro Arg Leu Pro Thr Gln Leu Leu Phe Gln Glu Ser Asn Pro Gly Val  
 885 890 895  
 His Tyr Gln Tyr Thr Ile His Arg Glu Ala Gly Gly His Asp Gln Val  
 900 905 910  
 Pro Pro Pro Val Phe Ser Trp His Tyr Gly Pro Trp Thr Lys Cys Thr  
 915 920 925  
 55 Val Thr Cys Gly Arg Gly Glu Lys Trp Gly Arg His Ser Pro Thr Cys  
 930 935 940  
 Arg Gly Leu Val Ser Gly Gln Gly His Trp Leu Gln Leu Pro Ala His

Gly Arg Val His Gly  
995

5  
 <210> 8  
 <211> 3638  
 <212> DNA  
 <213> Mus musculus ADAMTS-8

10  
 <220>  
 <221> CDS  
 <222> (279)..(2992)

15 <400> 6  
 tagggcgact gcaacgggacg ccgaggagga cgcgcgcctcg cggcccgggg cggccacgtgc 60  
 tccagttctg ctaggttggc tggcgcagga ggagcgggct gcgcgatcca gagggggccgc 120  
 20 cagggaccgc cgcgccacgt gcgcctagcc gactcggcct ccccatccga ttgatcattt 180  
 ttctcggaca gaggcaccgc gcgcctcgg gccaccagca cctgcgcgcg cggggcgatc 240  
 ttcttccttc tcccgccctc cgcagcactc tgcacccc atg ctc cgc gac ccc acc 295  
 25 Met Leu Arg Asp Pro Thr  
 1 5  
 acc acc ggg tgg cgc ccc ctc ctg ctg ctg cta ttg cag ctg ccg ccg 343  
 30 Thr Thr Gly Trp Pro Pro Leu Leu Leu Leu Leu Gln Leu Pro Pro  
 10 15 20  
 ccg cca ctc gtc tgc gga gcc ccg gcg ggg ccg gga acc ggg gcg cag 391  
 35 Pro Pro Leu Val Cys Gly Ala Pro Ala Gly Pro Gly Thr Gly Ala Gln  
 25 30 35  
 gcc tcg gag cta gtg gtg ccc acg cgg ttg ccc ggc agc gcg agc gag 439  
 40 Ala Ser Glu Leu Val Val Pro Thr Arg Leu Pro Gly Ser Ala Ser Glu  
 40 45 50  
 ctc gcc ttc cac ctg tcc gcc ttc ggc cag ggc ttc gtg ctg cgc ctg 487  
 55 Leu Ala Phe His Leu Ser Ala Phe Gly Gln Gly Phe Val Leu Arg Leu  
 55 60 65 70  
 gcg cct gac gcc agc ttc ctg gcg ccg gaa ttc aag atc gag cgc ctc 535  
 45 Ala Pro Asp Ala Ser Phe Leu Ala Pro Glu Phe Lys Ile Glu Arg Leu  
 75 80 85  
 ggg ggc tcg agt gcg gcc ggc ggc ggc gag cgc gga cta ggt gcc tgc 583  
 50 Gly Gly Ser Ser Ala Ala Ala Gly Gly Glu Pro Gly Leu Arg Gly Cys  
 90 95 100  
 ttc ttc tct ggc aca gtg aat gga gaa cgg gag tcg ctg gcg gcc atg 631  
 55 Phe Phe Ser Gly Thr Val Asn Gly Glu Arg Glu Ser Leu Ala Ala Met  
 105 110 115  
 acc tct gtc gcc gcc tcg acc gcc tcg ttc ttg ctg gca gcc gag gag 679  
 Ser Cys Val Ala Gly Trp Ser Gly Ser Phe Leu Leu Ala Gly Glu Glu  
 120 125 130

135  
 140  
 145  
 150  
 155  
 160  
 165  
 170  
 175  
 180  
 185  
 190  
 195  
 200  
 205  
 210  
 215  
 220  
 225  
 230  
 235  
 240  
 245  
 250  
 255  
 260  
 265  
 270  
 275  
 280  
 285  
 290  
 295  
 300  
 305  
 310  
 315  
 320  
 325  
 330  
 335  
 340  
 345  
 350  
 355  
 360  
 365  
 370  
 375  
 380  
 385  
 390  
 395  
 400  
 405  
 410  
 415  
 420  
 425  
 430  
 435  
 440  
 445  
 450  
 455  
 460  
 465  
 470  
 475  
 480  
 485  
 490  
 495  
 500  
 505  
 510  
 515  
 520  
 525  
 530  
 535  
 540  
 545  
 550  
 555  
 560  
 565  
 570  
 575  
 580  
 585  
 590  
 595  
 600  
 605  
 610  
 615  
 620  
 625  
 630  
 635  
 640  
 645  
 650  
 655  
 660  
 665  
 670  
 675  
 680  
 685  
 690  
 695  
 700  
 705  
 710  
 715  
 720  
 725  
 730  
 735  
 740  
 745  
 750  
 755  
 760  
 765  
 770  
 775  
 780  
 785  
 790  
 795  
 800  
 805  
 810  
 815  
 820  
 825  
 830  
 835  
 840  
 845  
 850  
 855  
 860  
 865  
 870  
 875  
 880  
 885  
 890  
 895  
 900  
 905  
 910  
 915  
 920  
 925  
 930  
 935  
 940  
 945  
 950  
 955  
 960  
 965  
 970  
 975  
 980  
 985  
 990  
 995

	ggt ggc gcc gaa ggt ttc ccc ctc ccc caa gga ctg gag tgg gag gtg	823
	Ala Ala Ala Glu Val Phe Pro Leu Pro Gln Gly Leu Glu Trp Glu Val	
	170 175 180	
5		
	gag atg ggt aat ggg cag gga cag gag aga agt gac aac gaa gag gac	871
	Glu Met Gly Asn Gly Gln Gly Gln Glu Arg Ser Asp Asn Glu Glu Asp	
	185 190 195	
10	aag aag cag gac aag gag ggg ttg ctc aaa gag aca gaa gac tcc cgc	919
	Lys Lys Gln Asp Lys Glu Gly Leu Leu Lys Glu Thr Glu Asp Ser Arg	
	200 205 210	
	aaa gtg cca cca ccc ttc gga tcc aaa act aga agc aag agg ttt gtg	967
15	Lys Val Pro Pro Pro Phe Gly Ser Lys Thr Arg Ser Lys Arg Phe Val	
	215 220 225 230	
	tcc gag gct cgc ttc gtg gaa aca ctt ctg gtg gct gat gcc tcc atg	1015
20	Ser Glu Ala Arg Phe Val Glu Thr Leu Leu Val Ala Asp Ala Ser Met	
	235 240 245	
	gct ggc ttc tat ggg acc gac ctg cag aac cac atc ctc acg gtg atg	1063
	Ala Ala Phe Tyr Gly Thr Asp Leu Gln Asn His Ile Leu Thr Val Met	
	250 255 260	
25		
	tca atg gca gcc cga atc tac aag cac ccg agc atc agg aac tcc gtc	1111
	Ser Met Ala Ala Arg Ile Tyr Lys His Pro Ser Ile Arg Asn Ser Val	
	265 270 275	
30	aac ctt gtg gtg gtg aaa gtg cta ata gtg gaa aaa gaa aga tgg ggc	1159
	Asn Leu Val Val Val Lys Val Leu Ile Val Glu Lys Glu Arg Trp Gly	
	280 285 290	
	ccg gaa gtg tcc gac aac ggg ggg ctc aca ctg cgc aac ttc tgc agc	1207
35	Pro Glu Val Ser Asp Asn Gly Gly Leu Thr Leu Arg Asn Phe Cys Ser	
	295 300 305 310	
	tgg caa cgg cgt ttc aac aag ccc agt gac cgc cac ccg gag cac tat	1255
40	Trp Gln Arg Arg Phe Asn Lys Pro Ser Asp Arg His Pro Glu His Tyr	
	315 320 325	
	gac act gcc atc ttg ttc acc aga cag aac ttc tgt ggg aag gga gag	1303
	Asp Thr Ala Ile Leu Phe Thr Arg Gln Asn Phe Cys Gly Lys Gly Glu	
	330 335 340	
45		
	cag tgt gac acc ctg ggg atg gca gac gtt cgg acc atc tgt gac ccc	1351
	Gln Cys Asp Thr Leu Gly Met Ala Asp Val Gly Thr Ile Cys Asp Pro	
	345 350 355	
50	gac aag agg tgg tca gtg atc aag gat gag gga ctg cag gca ggt tat	1399
	Asp Lys Ser Cys Ser Val Ile Lys Asp Glu Gly Leu Gln Ala Ala Tyr	
	360 365 370	
	acc ctg gcc cat gag cca ggg cac gtt ctc agc atc ccc cat gat gat	1447
55	Thr Leu Ala His Glu Leu Gly His Val Leu Ser Met Pro His Asp Asp	
	375 380 385 390	
	tat aag ccc tat ctg aag ttc ttc ccc ccc atc ggc aac tac cac atg	1495

100 tgg agt ggt gtt tat ttc aaa ggt ttc ctg gat gat gca gga ggt

	Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu Asp Asp Gly His Gly Asp	
	425 430 435	
	tgt ctt ctg gat gcc ccc acc tgg gtt ctg ccc ctc ccc aca ggc ctc	1659
5	Cys Leu Leu Asp Ala Pro Thr Ser Val Leu Pro Leu Pro Thr Gly Leu	
	440 445 450	
	ccg ggc cac agc acc ctc tac gag ctg gac cag cag tgc aag cag atc	1687
10	Pro Gly His Ser Thr Leu Tyr Glu Leu Asp Gln Gln Cys Lys Gln Ile	
	455 460 465 470	
	ttt ggg cct gat ttc cga cac tgc ccc aac acc tct gtg gag gac atc	1735
	Phe Gly Pro Asp Phe Arg His Cys Pro Asn Thr Ser Val Glu Asp Ile	
	475 480 485	
15		
	tgt gtc cag ctc tgt gcc cgt cat cgg gat agt gat gag ccc att tgc	1783
	Cys Val Gln Leu Cys Ala Arg His Arg Asp Ser Asp Glu Pro Ile Cys	
	490 495 500	
20	ccc aca aag aat ggt agc ctg ctc tgg gct gat ggt aca ccc tgt ggc	1831
	His Thr Lys Asn Gly Ser Leu Leu Trp Ala Asp Gly Thr Pro Cys Gly	
	505 510 515	
	cct ggg cac ctg tgc ctg gat ggt agc tgt gta ctc aag gag gat gtg	1879
25	Pro Gly His Leu Cys Leu Asp Gly Ser Cys Val Leu Lys Glu Asp Val	
	520 525 530	
	gag aat ccc aag gct gtg gta gat gga gac tgg ggt ccc tgg aga ccc	1927
30	Glu Asn Pro Lys Ala Val Val Asp Gly Asp Trp Gly Pro Trp Arg Pro	
	535 540 545 550	
	tgg gga caa tgt tct cgc acc tgt ggt gga ggg ata caa ttc tgc aac	1975
	Trp Gly Gln Cys Ser Arg Thr Cys Gly Gly Ile Gln Phe Ser Asn	
	555 560 565	
35		
	cgt gaa tgt gat aat cca atg cct cag aat gga gga aga ttt tgc ctg	2023
	Arg Glu Cys Asp Asn Pro Met Pro Gln Asn Gly Gly Arg Phe Cys Leu	
	570 575 580	
40	cgt gaa aga gtc aag tac caa tca tgc aac aca gag gaa tgt cca cca	2071
	Gly Glu Arg Val Lys Tyr Gln Ser Cys Asn Thr Glu Glu Cys Pro Pro	
	585 590 595	
	aac gga aaa agc ttc cgg gag cag cag tgt gag aaa tat aat gcc tac	2119
45	Asn Gly Lys Ser Phe Arg Glu Gln Gln Cys Glu Lys Tyr Asn Ala Tyr	
	600 605 610	
	aac cac act gac ctg gat ggg aat ttc ctg cag tgg gtc ccc aag tat	2167
50	Asn His Thr Asp Leu Asp Gly Asn Phe Leu Gln Trp Val Pro Lys Tyr	
	615 620 625 630	
	tca gga gtg tcc ccc cga gac cga tgc aag ctg ttt tgc aga gcc cgt	2215
	Ser Gly Val Ser Pro Arg Asp Arg Cys Lys Leu Phe Cys Arg Ala Arg	
	635 640 645	
55		
	ggg agg agt gag ttc aaa ggg ttt gaa gct aag gtg atc gat ggc act	2263
	Gly Arg Ser Glu Phe Lys Val Phe Glu Ala Lys Val Ile Asp Gly Thr	
	650 655 660	

The sequence of the amino acid sequence of the protein is as follows:  
 Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu Asp Asp Gly His Gly Asp  
 425 430 435



ttttttttat ttgggtttccc caataatcaa tttactttac agcgggggaaa aatcagttata 3391  
 caagaggtat aaggccaggt gtgggcagtg aacggccaaag caagctccat aggtatctcc 3452  
 5 aagtatctt cagaaatgtc cgtggctgtt ttcagtatta aaatctgttg tctaaaaagg 3512  
 cagcagtgtc catcacaggg ttatagaaag ccacttttct caggctgcca cctgctgggg 3572  
 10 cggacccatt tcaagtattt atgcaaatat gtctccgaac taaagtgtgt cttacaccaa 3632  
 aagngc 3638

15 <210> 9  
 <211> 905  
 <212> FRT  
 <213> Mus musculus ADAMTS-8

20 <400> 9  
 Met Leu Arg Asp Pro Thr Thr Thr Gly Trp Pro Pro Leu Leu Leu Leu  
 1 5 10 15  
 Leu Leu Gln Leu Pro Pro Pro Pro Leu Val Cys Gly Ala Pro Ala Gly  
 25 20 25 30  
 Pro Gly Thr Gly Ala Gln Ala Ser Glu Leu Val Val Pro Thr Arg Leu  
 35 40 45  
 30 Pro Gly Ser Ala Ser Glu Leu Ala Phe His Leu Ser Ala Phe Gly Gln  
 50 55 60  
 Gly Phe Val Leu Arg Leu Ala Pro Asp Ala Ser Phe Leu Ala Pro Glu  
 65 70 75 80  
 35 Phe Lys Ile Glu Arg Leu Gly Gly Ser Ser Ala Ala Ala Gly Gly Glu  
 85 90 95  
 Pro Gly Leu Arg Gly Cys Phe Phe Ser Gly Thr Val Asn Gly Glu Arg  
 40 100 105 110  
 Glu Ser Leu Ala Ala Met Ser Cys Val Ala Gly Trp Ser Gly Ser Phe  
 115 120 125  
 45 Leu Leu Ala Gly Gln Gln Phe Thr Ile Gln Pro Gln Gly Ala Gly Asp  
 130 135 140  
 Ser Leu Asp Gln Pro His Arg Leu Gln Arg Trp Gly Pro Gly Gln Arg  
 145 150 155 160  
 50 Arg Glu Asp Pro Gly Leu Ala Ala Ala Glu Val Phe Pro Leu Pro Gln  
 165 170 175  
 Gly Leu Glu Trp Glu Val Glu Met Gly Asn Gly Gln Gly Gln Glu Arg  
 55 180 185 190  
 Ser Asp Asn Glu Glu Asp Lys Lys Gln Asp Lys Glu Gly Leu Leu Lys  
 195 200 205

20 Val Ala Asp Ala Ser Met Ala Ala Pro Tyr Gly Thr Asp Leu Gln Asn

	245	250	255
	His Ile Leu Thr Val Met Ser Met	Ala Ala Arg Ile Tyr Lys His Pro	
	260	265	270
5	Ser Ile Arg Asn Ser Val Asn Leu Val Val Val Lys Val Leu Ile Val		
	275	280	285
10	Glu Lys Glu Arg Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr		
	290	295	300
	Leu Arg Asn Phe Cys Ser Trp Gln Arg Arg Phe Asn Lys Pro Ser Asp		
	305	310	315
15	Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Phe Thr Arg Gln Asn		
	325	330	335
	Phe Cys Gly Lys Gly Glu Gln Cys Asp Thr Leu Gly Met Ala Asp Val		
	340	345	350
20	Gly Thr Ile Cys Asp Pro Asp Lys Ser Cys Ser Val Ile Lys Asp Glu		
	355	360	365
	Gly Leu Gln Ala Ala Tyr Thr Leu Ala His Glu Leu Gly His Val Leu		
25	370	375	380
	Ser Met Pro His Asp Asp Ser Lys Pro Cys Val Arg Leu Phe Gly Pro		
	385	390	395
30	Met Gly Lys Tyr His Met Met Ala Pro Phe Phe Ile His Val Asn Lys		
	405	410	415
	Thr Leu Pro Trp Ser Pro Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu		
	420	425	430
35	Asp Asp Gly His Gly Asp Cys Leu Leu Asp Ala Pro Thr Ser Val Leu		
	435	440	445
	Pro Leu Pro Thr Gly Leu Pro Gly His Ser Thr Leu Tyr Glu Leu Asp		
40	450	455	460
	Gln Gln Cys Lys Gln Ile Phe Gly Pro Asp Phe Arg His Cys Pro Asn		
	465	470	475
45	Thr Ser Val Glu Asp Ile Cys Val Gln Leu Cys Ala Arg His Arg Asp		
	485	490	495
	Ser Asp Glu Phe Ile Cys His Thr Lys Asn Gly Ser Leu Leu Trp Ala		
	500	505	510
50	Asp Gly Thr Pro Cys Gly Pro Gly His Leu Cys Leu Asp Gly Ser Cys		
	515	520	525
	Val Leu Lys Glu Asp Val Glu Asn Pro Lys Ala Val Val Asp Gly Asp		
55	530	535	540
	Trp Gly Phe Trp Arg Pro Trp Gly Gln Cys Ser Arg Thr Cys Gly Gly		
	545	550	555

45  
Thr Ile Glu Lys Phe Ile His Asn Arg Lys Leu Ile Ala Gln Ser Glu Asp

	595				600				605							
	Glu	Lys	Tyr	Asn	Ala	Tyr	Asn	His	Thr	Asp	Leu	Asp	Gly	Asn	Phe	Leu
	610						615					620				
5	Gln	Trp	Val	Pro	Lys	Tyr	Ser	Gly	Val	Ser	Pro	Arg	Asp	Arg	Cys	Lys
	625					630					635					640
10	Leu	Phe	Cys	Arg	Ala	Arg	Gly	Arg	Ser	Glu	Phe	Lys	Val	Phe	Glu	Ala
					645					650					655	
	Lys	Val	Ile	Asp	Gly	Thr	Leu	Cys	Gly	Pro	Asp	Thr	Leu	Ser	Ile	Cys
				660					665					670		
15	Val	Arg	Gly	Gln	Cys	Val	Lys	Ala	Gly	Cys	Asp	His	Val	Val	Asn	Ser
			675					680					685			
	Pro	Lys	Lys	Leu	Asp	Lys	Cys	Gly	Val	Cys	Gly	Gly	Lys	Gly	Thr	Ala
		690					695					700				
20	Cys	Arg	Lys	Ile	Ser	Gly	Ser	Phe	Thr	Pro	Phe	Ser	Tyr	Gly	Tyr	Asn
		705				710					715					720
25	Asp	Ile	Val	Thr	Ile	Pro	Ala	Gly	Ala	Thr	Asn	Ile	Asp	Val	Lys	Gln
					725					730					735	
	Arg	Ser	His	Pro	Gly	Val	Arg	Asn	Asp	Gly	Ser	Tyr	Leu	Ala	Leu	Lys
				740					745					750		
30	Thr	Ala	Asn	Gly	Gln	Tyr	Leu	Leu	Asn	Gly	Asn	Leu	Ala	Ile	Ser	Ala
			755					760					765			
	Ile	Glu	Gln	Asp	Ile	Leu	Val	Lys	Gly	Thr	Ile	Leu	Lys	Tyr	Ser	Gly
		770				775						780				
35	Ser	Met	Ala	Thr	Leu	Glu	Arg	Leu	Gln	Ser	Phe	Gln	Ala	Leu	Pro	Glu
		785				790					795					800
40	Pro	Leu	Thr	Val	Gln	Leu	Leu	Thr	Val	Ser	Gly	Glu	Val	Phe	Pro	Pro
					805					810					815	
	Lys	Val	Arg	Tyr	Thr	Phe	Phe	Val	Pro	Asn	Asp	Met	Asp	Phe	Ser	Val
				820					825					830		
45	Gln	Asn	Ser	Lys	Glu	Arg	Ala	Thr	Thr	Asn	Ile	Ile	Gln	Ser	Leu	Pro
			835					840					845			
	Ser	Ala	Glu	Trp	Val	Leu	Gly	Asp	Trp	Ser	Glu	Cys	Pro	Ser	Thr	Cys
		850					855					860				
50	Arg	Gly	Ser	Trp	Gln	Arg	Arg	Thr	Val	Glu	Cys	Arg	Asp	Pro	Ser	Gly
		865				870					875					880
	Gln	Ala	Ser	Asp	Thr	Cys	Asp	Glu	Ala	Leu	Lys	Pro	Glu	Asp	Ala	Lys
				885						890					895	
55	Pro	Cys	Gly	Ser	Gln	Pro	Cys	Pro	Leu							



&lt;210&gt;

&lt;211&gt; CDS

&lt;212&gt; 13 1117371

5 <400> 10  
 cg agg gca gaa ggc gct agc gag cgg cca ccg ccc ctg ggg gcc acg 47  
 Arg Ala Glu Gly Ala Ser Glu Pro Pro Pro Pro Leu Gly Ala Thr  
 1 5 10 15

10 agt agg acc aag cgg ttt gtg tct gag gcg cgc ttc gtg gag acg ctg 95  
 Ser Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu  
 20 25 30

15 ctg gtg gcc gat ggc tcc atg gct gcc ttc tac ggg gcc gac ctg cag 143  
 Leu Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln  
 35 40 45

20 aac cac atc ctg acg tta atg tct gtg gca gcc cga atc tac aag cac 191  
 Asn His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His  
 50 55 60

25 ccc agc atc aag aat tcc atc aac ctg atg gtg gta aaa gtg ctg atc 209  
 Pro Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile  
 65 70 75

30 gta gaa gat gaa aaa tgg ggc cca gag gtg tcc gac aat ggg ggg ctt 257  
 Val Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu  
 80 85 90 95

35 aca ctg cgt aac ttc tgc aac tgg cag cgg cgt ttc aac cag ccc agc 315  
 Thr Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser  
 100 105 110

40 gac cgc cac cca gag cac tac gac acg gcc atc ctg ctc acc aga cag 363  
 Asp Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln  
 115 120 125

45 aac ttc tgt ggg cag gag ggg ctg tgt gac acc ctg ggt gtg gca gac 431  
 Asn Phe Lys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp  
 130 135 140

50 atc ggg acc att tgt gac ccc aac aaa agc tgc tcc gtg atc gag gat 479  
 Ile Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp  
 145 150 155

55 gag ggg ctc cag ggc gcc cac acc ctg gcc cat gaa cta ggg cac gtc 507  
 Glu Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val  
 160 165 170 175

60 ctg agc atg ccc cac gac gat tcc aag ccc tgc ata cgg ctt ttc ggg 575  
 Leu Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly  
 180 185 190

65 ccc atg ggc aag cac cac gtg atg gca ccg ctg ttc gtc cac ctg aac 623  
 Pro Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn  
 195 200 205

70 ttc agc atg ccc cac gac gat tcc aag ccc tgc ata cgg ctt ttc ggg 691  
 Phe Arg Leu Phe Gly  
 210 215 220

```

Leu Lys Cys Asp Leu Met
240                               248

5 <210> 11
   <211> 248
   <212> PRT
   <213> Homo sapiens ADAMTS-8

10 <400> 11
Arg Ala Glu Gly Ala Ser Glu Pro Pro Pro Pro Leu Gly Ala Thr Ser
 1              5                      10                15

Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu Leu
15          20      25      30

Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln Asn
    35          40      45

20 His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His Pro
   50          55      60

Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile Val
 65          70      75      80

25 Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr
    85          90      95

Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser Asp
30          100     105     110

Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln Asn
   115        120      125

35 Phe Cys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp Ile
   130        135     140

Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp Glu
145          150     155     160

40 Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val Leu
   165        170      175

Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly Pro
45          180     185     190

Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn Gln
   195        200      205

50 Thr Leu Phe Trp Ser Phe Cys Ser Ala Met Phe Ser Gly Cys His Leu
   210        215     220

Gln Gly Trp Ile His Phe Lys Tyr Leu Cys Lys Cys Val Ser Glu Leu
225          230     235     240

55 Lys Cys Asp Leu Met
    245

```

```

<221> CDS
<222> (134)..(15648)

<220>
5 <221> misc_feature
<222> (1563)..(1565)

<220>
<221> misc_feature
10 <222> (1404)..(1406)

<400> 12
ga agc acc atg cag ttt gta tcc tgg gcc aca ctg cta acg ctc ctg 47
Ser Thr Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu
15 1 5 10 15

gtg cgg gac ctg gcc gag atg ggg agc cca gac gcc gcg gcg gcc gtg 95
Val Arg Asp Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Val
20 20 25 30

cgc aag gac agg ctg cac ccg agg caa gtg aaa tta tta gag acc ctg 143
Arg Lys Asp Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu
35 40 45

acc gaa tac gaa atc gtg tct ccc atc cga gtg aac gct ctc gga gaa 191
Ser Glu Tyr Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu
50 55 60

ccc ttt ccc acg aac gtc cac ttc aaa aga acg cga cgg agc att aac 239
Pro Phe Pro Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn
65 70 75

tct gcc act gac ccc tgg cct gcc ttc gcc tcc tcc tct tcc tcc tct 287
Ser Ala Thr Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser
80 85 90 95

acc tcc tcc cag gcg cat tac cgc ctc tct gcc ttc ggc cag cag ttt 335
Thr Ser Ser Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe
100 105 110

cta ttt aat ctc acc gcc aat gcc gga ttt atc gct cca ctg ttc act 383
Leu Phe Asn Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr
115 120 125

gtc acc ctc ctt ggg acg ccc ggg gtg aat cag acc aag ttc tat tcc 431
Val Thr Leu Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser
130 135 140

gaa gag gaa ggg gaa ata aag cac tgt ttc tac aaa agg ata tgt caa 479
Glu Glu Glu Ala Glu Leu Lys His Cys Phe Tyr Lys Arg Leu Cys Gln
145 150 155

tac caa ctc cga gca cac ggc cgt cat cag cct ctg ctc agg aat gaa 527
Tyr Gln Leu Arg Ala His Gly Arg His Gln Pro Leu Leu Arg Asn Glu
160 165 170 175

cac aaa aat agg cac agt aaa gac aag aag aaa acc aga gaa aga aaa 575
His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Ala Lys
180 185 190 195

atg gtt tta tta tta gaa gaa gaa gaa gaa gaa gaa gaa gaa gaa gaa 71
Gly Thr Ala Thr Glu Ala Thr Ser Ala Tyr Gly Asn Lys Thr Asp Asn
195 200 205 210 215 220 225 230 235 240

```

	210	215	220	
	aca aga gaa aag agg acc cac aga agg aca aaa cgt ttt tta tcc tat			719
	Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr			
5	225	230	235	
	cca cgg ttt gta gaa gtc ttg gtg gtg gca gac aac aga atg gtt tca			767
	Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser			
	240	245	250	255
10				
	tac cat gga gaa aac ctt caa cac tat att tta act tta atg tca att			815
	Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile			
		260	265	270
15				
	gta gcc tct atc tat aaa gac cca agt att gga aat tta att aat att			863
	Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile			
		275	280	285
	gtt att gtg aac tta att gtg att cat aat gaa cag gat ggg cct tcc			911
20	Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser			
		290	295	300
	ata tct ttt aat gct cag aca aca tta aaa aac ttt tgc cag tgg cag			959
	Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln			
25	305	310	315	
	cat tgc aac agt cca ggt gga atc cat cat gat act gct gtt ctc tta			1007
	His Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu			
	320	325	330	335
30				
	aca aga cag gat atc tgc aga gct cac gac aaa tgt gat acc tta ggc			1055
	Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly			
		340	345	350
35				
	ctg gct gaa ctg gga acc att tgt gat ccc tat aga agt tgt tct att			1103
	Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile			
		355	360	365
	agt gaa gat agt gga ttg agt aca gct ttt acg atc gct cat gag ctg			1151
40	Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu			
		370	375	380
	ggc cat gtg ttt aac atg cct cat gat gac aac aac aaa tgt aaa gaa			1199
	Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu			
45	385	390	395	
	gaa gga gtt aag agt ccc cag cat gtc atg gct cca aca ctg aac ttc			1247
	Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe			
	400	405	410	415
50				
	tac acc aac ccc tgg atg tgg cca aag tgt agt cga aaa tat atc act			1295
	Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr			
		420	425	430
55				
	gag ttt tta gac acc ggt tat gcc gag tgt ttg ctt aac gaa cct gaa			1343
	Glu Phe Leu Asp Thr Gly Tyr Gly Gln Cys Leu Leu Asn Glu Pro Glu			
		435	440	445

cca tat atg atg cag tgc aga cgg ctc tgg tgc aat aac gtc aat gga 1487  
 Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn Val Asn Gly  
 480 485 490 495  
 5 gta cac aaa ggc tgc cgg act cag cac aca ccc tgg gcc gat ggg acg 1535  
 Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr  
 500 505 510  
 gag tgc gag cct gga aag cac tgc aag nat gga ttt tgt gtt ccc aaa 1583  
 10 Glu Cys Glu Pro Gly Lys His Cys Lys Xaa Gly Phe Cys Val Pro Lys  
 515 520 525  
 gaa atg gat gtc ccc gtg aca gat gga tcc tgg gga agt tgg agt ccc 1631  
 15 Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro  
 530 535 540  
 ttt gga acc tgc tcc aga aca tgt gga ggg ggc atc aaa aca gcc att 1679  
 Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile  
 545 550 555  
 20 cga gag tgc aac aga cca gaa cca aaa aat ggt gga aaa tac tgt gta 1727  
 Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val  
 560 565 570 575  
 25 gga cgt aga atg aaa ttt aag tcc tgc aac acg gag cca tgt ctc aag 1775  
 Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys  
 580 585 590  
 cag aag cga gac ttc cga gat gaa cag tgt gct cac ttt gac ggg aag 1823  
 30 Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys  
 595 600 605  
 cat ttt aac atc aac ggt ctg ctt ctc aat gtg cgc tgg gtc cct aaa 1871  
 35 His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys  
 610 615 620  
 tac agt gga att ctg atg aag gac cgg tgc aag ttg ttc tgc aga gtg 1919  
 Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val  
 625 630 635  
 40 gca ggg aac aca gcc tac tat cag ctt cga gac aga gtg ata gat gga 1967  
 Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly  
 640 645 650 655  
 45 act cct tgt ggc cag gac aca aat gat atc tgt gtc cag ggc ctt tgt 2015  
 Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys  
 660 665 670  
 cgg caa gct gga tgc gat cat gtt tta aac tca aaa gcc cgg aga gat 2063  
 50 Arg Glu Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp  
 675 680 685  
 aaa tgc ggg gct tgc ggt ggc gat aat cct tca tgc aaa aca gtg gca 2111  
 55 Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala  
 690 695 700  
 gga aca ttt aat aca gta cat tat ggt tac aat act gtg gtc cga att 2159  
 Gly Thr Phe Asn Thr Val His Tyr Gly Thr Asn Thr Val Val Arg Ile

	740	745	750	
	ttc ttg cta aat gga aac ttt ggt gtc aca atg gcc aaa agg gaa att	2303		
	Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile			
5	755	760	765	
	ggc att ggg aat gct gtg gta gag tac agt ggg tcc gag act gcc gta	2351		
	Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val			
	770	775	780	
10				
	gaa aga att aac tca aca gat cgc att gag caa gaa ctt ttg ctt cag	2399		
	Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln			
	785	790	795	
15				
	gtt ttg tgg gtg gga aag ttg tac aac tcc gat gta cgc tat tct ttc	2447		
	Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe			
	800	805	810	815
	aat att cca att gaa gat aaa cct cag cag ttt tac tgg aac agt cat	2495		
20	Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His			
	820	825	830	
	ggg cca tgg caa gca tgc agt aaa ccc tgc caa ggg gaa cgg aaa cga	2543		
	Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg			
25	835	840	845	
	aaa ctt gtt tgc acc agg gaa tct gat cag ctt act gtt tct gat caa	2591		
	Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln			
	850	855	860	
30				
	aga tgc gat cgg ctg ccc cag cct gga cac att act gaa ccc tgt ggt	2639		
	Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly			
	865	870	875	
35				
	aca ggc tgt gac ctg agg tgg cat gtt gcc agc agg agt gaa tgt agt	2687		
	Thr Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser			
	880	885	890	895
	gcc cag tgt ggc ttg ggt tac cgc aca ttg gac atc tac tgt gcc aaa	2735		
40	Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys			
	900	905	910	
	tat agc agg ctg gat ggg aag act gag aag gtt gat gat ggt ttt tgc	2783		
	Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys			
45	915	920	925	
	agt agt cat ccc aaa cca agc aac cgt gaa aaa tgt tca ggg gaa tgt	2831		
	Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys			
	930	935	940	
50				
	aac acg ggt ggc tgg cgc tat tct gcc tgg act gaa tgt tca aaa agc	2879		
	Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser			
	945	950	955	
55				
	tgt gac ggt ggg acc cag agg aga agg gct att tgt gtc aat acc cga	2927		
	Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg			
	960	965	970	975

tgg tca gag tgc ttg gtc acc tgt gga aaa ggg cat aag cac agc cag 3071  
 Trp Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys His Ser Gln  
 1010 1015 1020

5 gtc tgg tgt cag ttt ggt gaa gat cga tta aat gat aga atg tgt gac 3119  
 Val Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp  
 1025 1030 1035

cct gag acc aag cca aca tct atg cag act tgt cag cag ccg gaa tgt 3167  
 10 Pro Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Cys  
 1040 1045 1050 1055

gca tcc tgg cag gcg ggt ccc tgg gta cag tgt agt gtc act tgt gga 3215  
 15 Ala Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly  
 1060 1065 1070

cag gga tac cag cta aga gca gtg aaa tgc att att ggg act tat atg 3263  
 Gln Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met  
 1075 1080 1085

20 tca gtg gta gat gac aat gac tgt aat gca gca act aga cca act gat 3311  
 Ser Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp  
 1090 1095 1100

acc cag gac tgt gaa tta cca tca tgt cat cct ccc cca gct gcc ccg 3359  
 25 Thr Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro  
 1105 1110 1115

gaa acg agg aga agc aca tac agt gca cca aga acc cag tgg cga ttt 3407  
 30 Glu Thr Arg Arg Ser Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe  
 1120 1125 1130 1135

ggg tct tgg acc cca tgc tca gcc act tgt ggg aaa ggt acc cgg atg 3455  
 35 Gly Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met  
 1140 1145 1150

aga tac gtc agc tgc cga gat gag aat ggc tct gtg gct gac gag agt 3503  
 Arg Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser  
 1155 1160 1165

40 gcc tgt gct acc ctg cct aga cca gtg gca aag gaa gaa tgt tct gtg 3551  
 Ala Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val  
 1170 1175 1180

acc ccc tgt ggg caa tgg aag gcc ttg gac tgg agc tct tgc tct gtg 3599  
 45 Thr Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val  
 1185 1190 1195

acc tgt ggg caa ggt agg gta att cgg caa gtg atg tgt gtc aac tac 3647  
 50 Thr Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr  
 1200 1205 1210 1215

agt gac cac gtg att gat cgg agt gag tgt gac cag gat tat atc cca 3695  
 55 Ser Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro  
 1220 1225 1230

gaa act gac cag gac tgt tcc atg tca cca tgg cct caa agg acc cca 3743  
 Glu Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro

60 ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt ggt  
 Arg Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp

	1265	1270	1275	
	aga act ggc ccc tgg gga gca tgt tcc agt acc tgt gct ggc gga tcc			3887
	Arg Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser			
5	1280	1285	1290	1295
	cag cgg cgt gtt gtt gta tgt cag gat gaa aat gga tac acc gca aac			3935
	Gln Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn			
		1300	1305	1310
10				
	gac tgt gtg gag aga ata aaa cct gat gag caa aga gcc tgt gaa tcc			3983
	Asp Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser			
		1315	1320	1325
15				
	ggc cct tgt cct cag tgg gct tat ggc aac tgg gga gag tgc act aag			4031
	Gly Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys			
		1330	1335	1340
	ctg tgt ggt gga ggc ata aga aca aga ctg gtg gtc tct cag cgg tcc			4079
20	Leu Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Ser Gln Arg Ser			
		1345	1350	1355
	aac ggt gaa cgg ttt cca gat ttg agc tgt gaa att ctt gat aaa cct			4127
	Asn Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro			
25	1360	1365	1370	1375
	ccc gat cgt gag cag tgt aac aca cat gct tgt cca cac gac gct gca			4175
	Pro Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala			
		1380	1385	1390
30				
	tgg agt act ggc cct tgg agc tgg tgt tct gtc tct tgt ggt cga ggg			4223
	Trp Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly			
		1395	1400	1405
35				
	cat aaa caa tga aat gtt tac tgc atg gca aaa gat gga agc cat tta			4271
	His Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu			
		1410	1415	1420
	gaa agt gat tac tgt aag cac ctg gct aag cca cat ggg cac aga aag			4319
40	Glu Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys			
		1425	1430	1435
	tgc cga gga gga aga tgc ccc aaa tgg aaa gct ggc ggt tgg agt cag			4367
	Cys Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln			
45	1440	1445	1450	1455
	tgc tct gtc tcc atg ggc cga ggc gca cag cag agg cat gtg ggt tgt			4415
	Cys Ser Val Ser Met Gly Arg Gly Val Gln Gln Arg His Val Gly Cys			
		1460	1465	1470
50				
	cag atc gga aca cac aaa ata gcc aga gag acc gag tgc aac cca tac			4463
	Gln Ile Gly Thr His Lys Ile Ala Arg Glu Thr Glu Cys Asn Pro Tyr			
		1475	1480	1485
55				
	acc aga cgg gag tgg gaa tgc gaa tgc caa ggc cca cgg tgt ccc ctt			4511
	Thr Arg Pro Glu Ser Gln Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu			
		1490	1495	1500



gag gtg cat ggg gca cgc tgt gac gtg agc aag cgg ccg gtg gac cgt 4655  
 Glu Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg  
 1540 1545 1550

5 gaa agt tgt agt ttg caa ccc tgc gag tat gtc tgg act aca gga gaa 4703  
 Glu Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Thr Thr Gly Glu  
 1555 1560 1565

tgg tca gag tgc tca gtg acc tgt gga aaa ggc tac aaa caa agg ctt 4751  
 10 Trp Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu  
 1570 1575 1580

gtc tgc tgc agc gag att tac acc ggg aaa gag aat tat gaa tac agc 4799  
 15 Val Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser  
 1585 1590 1595

tac caa acc acc atc aac tgc cca ggc acg cag ccc ccc agt gtt cac 4847  
 Tyr Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His  
 1600 1605 1610 1615

20 ccc tgt tac ctg agg gag tgc cct gtc tgc gcc acc tgg aga gtt ggc 4895  
 Pro Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly  
 1620 1625 1630

25 aac tgg ggg agc tgc tca gtg tct tgt ggt gtt gga gtg atg cag aga 4943  
 Asn Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg  
 1635 1640 1645

tct gtg caa tgt tta acc aat gag gac caa ccc agc cac tta tgc cac 4991  
 30 Ser Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His  
 1650 1655 1660

act gat ctg aag cca gaa gaa cga aaa acc tgc cgt aat gtc tat aac 5039  
 35 Thr Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn  
 1665 1670 1675

tgt gag tta ccc cag aat tgc aag gag gta aaa aga ctt aaa ggt gcc 5087  
 Cys Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala  
 1680 1685 1690 1695

40 agt gaa gat ggt gaa tat ttc ctg atg att aga gga aag ctt ctg aag 5135  
 Ser Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys  
 1700 1705 1710

45 ata ttc tgt ggg ggg atg cac tct gag cac ccc aaa gag tac gtg aca 5183  
 Ile Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr  
 1715 1720 1725

ctg gtg cat gga gac tct gag aat ttc tcc gag gtt tat ggg cac agg 5231  
 50 Leu Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg  
 1730 1735 1740

tta cac aac cca aca gaa tgt ccc tat aac ggg agc cgg cgg gat gac 5279  
 55 Leu His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp  
 1745 1750 1755

tgc caa tgt cgg aag gat tac aag ggt ggt ggg ttt tcc agt ttt cag 5327  
 Cys Gln Cys Arg Ius Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln

60 gag ttt gtt agt aca agt gaa gaa ttt ttt gtt ttt gtt gtt gtt 5375  
 Gln Phe Ala Arg Thr Ser Gln Gly His Glu Val Thr Ile Ala Thr Ala

1795 1800 1805  
 ggg gat tgc tac agc gct gcc aag tgc cca cag ggt cgt ttt agc atc 5471  
 Gly Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile  
 5 1810 1815 1820  
 aac ctt tat gga acc ggc ttg tct tta act gaa tct gcc aga tgg ata 5519  
 Asn Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile  
 1825 1830 1835  
 10 tca caa ggg aat tat gct gtc tct gac atc aag aag tgc ccg gat ggt 5567  
 Ser Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly  
 1840 1845 1850 1855  
 15 acc cga gtc gta ggg aaa tgc ggt ggt tac tgt gga aaa tgc act cca 5615  
 Thr Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro  
 1860 1865 1870  
 tcc tct ggt act ggc ctg gag ggc cga gct tta tagctaatgt gctctgaaga 5668  
 20 Ser Ser Gly Thr Gly Leu Glu Val Arg Val Leu  
 1875 1880  
 ggaagccatt atggatggat gaaggatagt aatgcaatac ctccacctta atttgggtgc 5728  
 25 atgtgtatgt gtgtgtgtgt ttgtgtgtga cttgtatgct tgtgtgtgta aatgtgtgta 5788  
 catatacata tataca 5804  
 30 <210> 13  
 <211> 1882  
 <212> PRT  
 <213> Homo sapiens ADAMTS-9  
 35 <400> 13  
 Ser Thr Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val  
 1 5 10 15  
 Arg Asp Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Val Arg  
 40 20 25 30  
 Lys Asp Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu Ser  
 35 40 45  
 45 Glu Tyr Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu Pro  
 50 55 60  
 Phe Pro Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser  
 65 70 75 80  
 50 Ala Thr Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Thr  
 85 90 95  
 Ser Ser Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu  
 55 100 105 110  
 Phe Asn Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val  
 115 120 125  
 60 Gln Leu Arg Ala His Gly Arg His Gln Pro Leu Leu Arg Asn Glu His

	165	170	175
	Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys Trp		
	180	185	190
5	Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser Gly		
	195	200	205
10	Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn Thr		
	210	215	220
	Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr Pro		
	225	230	235
15	Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser Tyr		
	245	250	255
	His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile Val		
	260	265	270
20	Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile Val		
	275	280	285
	Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser Ile		
25	290	295	300
	Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln His		
	305	310	315
30	Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu Thr		
	325	330	335
	Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly Leu		
	340	345	350
35	Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile Ser		
	355	360	365
	Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu Gly		
40	370	375	380
	His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu Glu		
	385	390	395
45	Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe Tyr		
	405	410	415
	Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr Glu		
	420	425	430
50	Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu Ser		
	435	440	445
	Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn Val		
55	450	455	460
	Asn Lys Gln Xaa Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys Pro		
	465	470	475
60	Lys His Thr Gly Lys Phe Cys Lys Xaa Gly Phe Cys Val Phe Lys His		

	515	520	525
	Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro Phe		
	530	535	540
5	Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile Arg		
	545	550	555
	Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val Gly		
10		565	570
	Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys Gln		
	580	585	590
15	Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys His		
	595	600	605
	Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys Tyr		
	610	615	620
20	Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val Ala		
	625	630	635
	Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly Thr		
25		645	650
	Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg		
	660	665	670
30	Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp Lys		
	675	680	685
	Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala Gly		
	690	695	700
35	Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile Pro		
	705	710	715
	Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly Glu		
40		725	730
	Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu Phe		
	740	745	750
45	Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile Arg		
	755	760	765
	Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val Gln		
	770	775	780
50	Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Gln Leu Leu Leu Gln Val		
	785	790	795
	Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe Asn		
55		805	810
	Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His Gly		
	810	815	820

Arg Asp Arg Leu Ile Thr Ile Arg His Ile Thr Glu Phe Tyr Gly Leu



865                      870                      875                      881  
 Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser Ala  
                                  885                      890                      895  
 5    Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys Tyr  
                                  900                      905                      910  
 10   Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys Ser  
                                  915                      920                      925  
      Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys Asn  
                                  930                      935                      940  
 15   Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser Cys  
                                  945                      950                      955                      960  
      Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg Asn  
                                  965                      970                      975  
 20   Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr Ile  
                                  980                      985                      990  
      Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp Trp  
 25                                   995                      1000                      1005  
      Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys His Ser Gln Val  
                                  1010                      1015                      1020  
 30   Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp Pro  
                                  1025                      1030                      1035                      1040  
      Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Cys Ala  
                                  1045                      1050                      1055  
 35   Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly Gln  
                                  1060                      1065                      1070  
      Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met Ser  
 40                                   1075                      1080                      1085  
      Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp Thr  
                                  1090                      1095                      1100  
 45   Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro Glu  
                                  1105                      1110                      1115                      1120  
      Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe Gly  
                                  1125                      1130                      1135  
 50   Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met Arg  
                                  1140                      1145                      1150  
      Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser Ala  
 55                                   1155                      1160                      1165  
      Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val Thr  
                                  1170                      1175                      1180

Asp His Val Ile Arg Arg Ser Glu Cys Asp His Asp Tyr Ile Phe Glu

1220 1225 1230  
 Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro Asp  
 1235 1240 1245  
 5 Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro Arg  
 1250 1255 1260  
 Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp Arg  
 10 1265 1270 1275 1280  
 Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser Gln  
 1285 1290 1295  
 15 Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn Asp  
 1300 1305 1310  
 Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser Gly  
 1315 1320 1325  
 20 Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys Leu  
 1330 1335 1340  
 Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Ser Gln Arg Ser Asn  
 25 1345 1350 1355 1360  
 Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro Pro  
 1365 1370 1375  
 30 Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala Trp  
 1380 1385 1390  
 Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly His  
 1395 1400 1405  
 35 Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu Glu  
 1410 1415 1420  
 Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys Cys  
 40 1425 1430 1435 1440  
 Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln Cys  
 1445 1450 1455  
 45 Ser Val Ser Met Gly Arg Gly Val Gln Gln Arg His Val Gly Cys Gln  
 1460 1465 1470  
 Ile Gly Thr His Lys Ile Ala Arg Glu Thr Glu Cys Asn Pro Tyr Thr  
 1475 1480 1485  
 50 Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu Tyr  
 1490 1495 1500  
 Thr Trp Arg Ala Glu Glu Trp Gln Glu Cys Thr Lys Thr Cys Gly Glu  
 55 1505 1510 1515 1520  
 Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn Glu  
 1525 1530 1535

Ser Ala Lys Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu Val

	1570		1575		1580
	Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser Tyr				
	1585		1590		1595
5	Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His Pro				
		1605		1610	1615
	Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly Asn				
10		1620		1625	1630
	Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg Ser				
		1635		1640	1645
15	Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His Thr				
		1650		1655	1660
	Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn Cys				
		1665		1670	1675
20	Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala Ser				
		1685		1690	1695
	Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys Ile				
25		1700		1705	1710
	Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr Leu				
		1715		1720	1725
30	Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg Leu				
		1730		1735	1740
	His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp Cys				
		1745		1750	1755
35	Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln Lys				
		1765		1770	1775
	Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu Gln				
40		1780		1785	1790
	Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala Gly				
		1795		1800	1805
45	Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile Asn				
		1810		1815	1820
	Leu Tyr Gly Thr Gly Leu Ser Leu Thr Gln Ser Ala Arg Tyr Ile Ser				
		1825		1830	1835
50	Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly Thr				
		1845		1850	1855
	Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro Ser				
55		1860		1865	1870
	Ser Gly Thr Gly Leu Gln Val Arg Val Leu				

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The *Agrobacterium* strains were grown in the YEA medium for 24 h and then adjusted to the OD<sub>600</sub> of 0.1. The *Agrobacterium* strains were then grown in the YEA medium with the concentration of 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0, 5.1, 5.2, 5.3, 5.4, 5.5, 5.6, 5.7, 5.8, 5.9, 6.0, 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.9, 9.0, 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.9, 10.0, 10.1, 10.2, 10.3, 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 11.0, 11.1, 11.2, 11.3, 11.4, 11.5, 11.6, 11.7, 11.8, 11.9, 12.0, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 12.8, 12.9, 13.0, 13.1, 13.2, 13.3, 13.4, 13.5, 13.6, 13.7, 13.8, 13.9, 14.0, 14.1, 14.2, 14.3, 14.4, 14.5, 14.6, 14.7, 14.8, 14.9, 15.0, 15.1, 15.2, 15.3, 15.4, 15.5, 15.6, 15.7, 15.8, 15.9, 16.0, 16.1, 16.2, 16.3, 16.4, 16.5, 16.6, 16.7, 16.8, 16.9, 17.0, 17.1, 17.2, 17.3, 17.4, 17.5, 17.6, 17.7, 17.8, 17.9, 18.0, 18.1, 18.2, 18.3, 18.4, 18.5, 18.6, 18.7, 18.8, 18.9, 19.0, 19.1, 19.2, 19.3, 19.4, 19.5, 19.6, 19.7, 19.8, 19.9, 20.0, 20.1, 20.2, 20.3, 20.4, 20.5, 20.6, 20.7, 20.8, 20.9, 21.0, 21.1, 21.2, 21.3, 21.4, 21.5, 21.6, 21.7, 21.8, 21.9, 22.0, 22.1, 22.2, 22.3, 22.4, 22.5, 22.6, 22.7, 22.8, 22.9, 23.0, 23.1, 23.2, 23.3, 23.4, 23.5, 23.6, 23.7, 23.8, 23.9, 24.0, 24.1, 24.2, 24.3, 24.4, 24.5, 24.6, 24.7, 24.8, 24.9, 25.0, 25.1, 25.2, 25.3, 25.4, 25.5, 25.6, 25.7, 25.8, 25.9, 26.0, 26.1, 26.2, 26.3, 26.4, 26.5, 26.6, 26.7, 26.8, 26.9, 27.0, 27.1, 27.2, 27.3, 27.4, 27.5, 27.6, 27.7, 27.8, 27.9, 28.0, 28.1, 28.2, 28.3, 28.4, 28.5, 28.6, 28.7, 28.8, 28.9, 29.0, 29.1, 29.2, 29.3, 29.4, 29.5, 29.6, 29.7, 29.8, 29.9, 30.0, 30.1, 30.2, 30.3, 30.4, 30.5, 30.6, 30.7, 30.8, 30.9, 31.0, 31.1, 31.2, 31.3, 31.4, 31.5, 31.6, 31.7, 31.8, 31.9, 32.0, 32.1, 32.2, 32.3, 32.4, 32.5, 32.6, 32.7, 32.8, 32.9, 33.0, 33.1, 33.2, 33.3, 33.4, 33.5, 33.6, 33.7, 33.8, 33.9, 34.0, 34.1, 34.2, 34.3, 34.4, 34.5, 34.6, 34.7, 34.8, 34.9, 35.0, 35.1, 35.2, 35.3, 35.4, 35.5, 35.6, 35.7, 35.8, 35.9, 36.0, 36.1, 36.2, 36.3, 36.4, 36.5, 36.6, 36.7, 36.8, 36.9, 37.0, 37.1, 37.2, 37.3, 37.4, 37.5, 37.6, 37.7, 37.8, 37.9, 38.0, 38.1, 38.2, 38.3, 38.4, 38.5, 38.6, 38.7, 38.8, 38.9, 39.0, 39.1, 39.2, 39.3, 39.4, 39.5, 39.6, 39.7, 39.8, 39.9, 40.0, 40.1, 40.2, 40.3, 40.4, 40.5, 40.6, 40.7, 40.8, 40.9, 41.0, 41.1, 41.2, 41.3, 41.4, 41.5, 41.6, 41.7, 41.8, 41.9, 42.0, 42.1, 42.2, 42.3, 42.4, 42.5, 42.6, 42.7, 42.8, 42.9, 43.0, 43.1, 43.2, 43.3, 43.4, 43.5, 43.6, 43.7, 43.8, 43.9, 44.0, 44.1, 44.2, 44.3, 44.4, 44.5, 44.6, 44.7, 44.8, 44.9, 45.0, 45.1, 45.2, 45.3, 45.4, 45.5, 45.6, 45.7, 45.8, 45.9, 46.0, 46.1, 46.2, 46.3, 46.4, 46.5, 46.6, 46.7, 46.8, 46.9, 47.0, 47.1, 47.2, 47.3, 47.4, 47.5, 47.6, 47.7, 47.8, 47.9, 48.0, 48.1, 48.2, 48.3, 48.4, 48.5, 48.6, 48.7, 48.8, 48.9, 49.0, 49.1, 49.2, 49.3, 49.4, 49.5, 49.6, 49.7, 49.8, 49.9, 50.0, 50.1, 50.2, 50.3, 50.4, 50.5, 50.6, 50.7, 50.8, 50.9, 51.0, 51.1, 51.2, 51.3, 51.4, 51.5, 51.6, 51.7, 51.8, 51.9, 52.0, 52.1, 52.2, 52.3, 52.4, 52.5, 52.6, 52.7, 52.8, 52.9, 53.0, 53.1, 53.2, 53.3, 53.4, 53.5, 53.6, 53.7, 53.8, 53.9, 54.0, 54.1, 54.2, 54.3, 54.4, 54.5, 54.6, 54.7, 54.8, 54.9, 55.0, 55.1, 55.2, 55.3, 55.4, 55.5, 55.6, 55.7, 55.8, 55.9, 56.0, 56.1, 56.2, 56.3, 56.4, 56.5, 56.6, 56.7, 56.8, 56.9, 57.0, 57.1, 57.2, 57.3, 57.4, 57.5, 57.6, 57.7, 57.8, 57.9, 58.0, 58.1, 58.2, 58.3, 58.4, 58.5, 58.6, 58.7, 58.8, 58.9, 59.0, 59.1, 59.2, 59.3, 59.4, 59.5, 59.6, 59.7, 59.8, 59.9, 60.0, 60.1, 60.2, 60.3, 60.4, 60.5, 60.6, 60.7, 60.8, 60.9, 61.0, 61.1, 61.2, 61.3, 61.4, 61.5, 61.6, 61.7, 61.8, 61.9, 62.0, 62.1, 62.2, 62.3, 62.4, 62.5, 62.6, 62.7, 62.8, 62.9, 63.0, 63.1, 63.2, 63.3, 63.4, 63.5, 63.6, 63.7, 63.8, 63.9, 64.0, 64.1, 64.2, 64.3, 64.4, 64.5, 64.6, 64.7, 64.8, 64.9, 65.0, 65.1, 65.2, 65.3, 65.4, 65.5, 65.6, 65.7, 65.8, 65.9, 66.0, 66.1, 66.2, 66.3, 66.4, 66.5, 66.6, 66.7, 66.8, 66.9, 67.0, 67.1, 67.2, 67.3, 67.4, 67.5, 67.6, 67.7, 67.8, 67.9, 68.0, 68.1



&lt;220&gt;

&lt;211&gt; CDS

&lt;222&gt; (2)...2623)

5 &lt;400&gt; 14

g cac act gag gtc atc agc ctg tgc tcc gga atg atg ggc acg ttc cgc 49  
 His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Met Gly Thr Phe Arg  
 1 5 10 15

10 tct cac gat gga gat tat ttc att gaa cca ctg cag tct gtg gat gag 97  
 Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Val Asp Glu  
 20 25 30

caa gag gat gaa gag gaa caa aac aaa ccc cac att att tat agg cac 145  
 15 Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg His  
 35 40 45

agc acc cct cag agg gaa ccc tcc aca gga aag cat gcc tgt gcc acc 193  
 20 Ser Thr Pro Gln Arg Glu Pro Ser Thr Gly Lys His Ala Cys Ala Thr  
 50 55 60

tca gaa ctg aaa aat agt cac agt aaa gac aag cgg aaa atc aga atg 241  
 Ser Glu Leu Lys Asn Ser His Ser Lys Asp Lys Arg Lys Ile Arg Met  
 65 70 75 80

cga aaa cgg aga aag agg aat agc ctg gct gac gac gtg gta ctg cta 269  
 25 Arg Lys Arg Arg Lys Arg Asn Ser Leu Ala Asp Asp Val Ala Leu Leu  
 85 90 95

aag agc ggt ttg gca aca aag gtg ctg tct ggc tat agc aac cag aca 337  
 30 Lys Ser Gly Leu Ala Thr Lys Val Leu Ser Gly Tyr Ser Asn Gln Thr  
 100 105 110

aac aac aca agg gac aga tgg aac cac aaa aga acc aaa cgc ttt ctg 385  
 35 Asn Asn Thr Arg Asp Arg Trp Asn His Lys Arg Thr Lys Arg Phe Leu  
 115 120 125

tcc tac cca cgg ttt gta gag gtg atg gtg gtg gct gac cac agg atg 433  
 40 Ser Tyr Pro Arg Phe Val Glu Val Met Val Val Ala Asp His Arg Met  
 130 135 140

gtt tta tac cac gga gca aac ctt caa cat tat atc tta acc tta atg 481  
 Val Leu Tyr His Gly Ala Asn Leu Gln His Tyr Ile Leu Thr Leu Met  
 145 150 155 160

tcc act gta gct tct atc tat aaa gac tca agt att gga aat tta att 529  
 45 Ser Ile Val Ala Ser Ile Tyr Lys Asp Ser Ser Ile Gly Asn Leu Ile  
 165 170 175

att att gtt att gag aac tta gtt gtg att cat aat gaa cag gaa gga 577  
 50 Asn Ile Val Ile Val Asn Leu Val Val Ile His Asn Glu Gln Glu Gly  
 180 185 190

cct tac ata aat ttc aat gcc cag aca aca tta aag aac ttt tgc cag 625  
 55 Pro Tyr Ile Asn Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln  
 195 200 205

tca tac tta tta gaa aac tta tta tta tta tta tta tta tta tta tta 673  
 60

att tta agt ttt gtt gaa ctg gga acc att ttt gaa cct tta tta ggt 721  
 65

	Thr	Leu	Gly	Leu	Ala	Glu	Leu	Gly	Thr	Ile	Cys	Asp	Pro	Tyr	Arg	Ser	
					245					250					255		
	tgt	ccc	att	agt	gaa	gac	agt	ggg	ctg	agg	aca	gct	ttc	aca	ata	gct	817
5	Cys	Ser	Ile	Ser	Glu	Asp	Ser	Gly	Leu	Ser	Thr	Ala	Phe	Thr	Ile	Ala	
				260					265					270			
	cac	gag	ctg	ggc	cat	gtg	ttt	aat	atg	cct	cac	gat	gac	agc	aat	aaa	865
10	His	Glu	Leu	Gly	His	Val	Phe	Asn	Met	Pro	His	Asp	Asp	Ser	Asn	Lys	
			275					280					285				
	tgc	aaa	gaa	gaa	gga	gtt	aag	agt	ccc	cag	cat	gtc	atg	gca	cca	aca	913
	Cys	Lys	Glu	Glu	Gly	Val	Lys	Ser	Pro	Gln	His	Val	Met	Ala	Pro	Thr	
			290				295					300					
15	ctg	aac	ttc	tac	acc	aac	ccc	tgg	atg	tgg	tca	aag	tgc	agt	egg	aaa	961
	Leu	Asn	Phe	Tyr	Thr	Asn	Pro	Trp	Met	Trp	Ser	Lys	Cys	Ser	Arg	Lys	
	305					310					315				320		
20	tac	atc	act	gag	ttc	cta	gac	act	ggg	tac	gga	gag	tgc	ttg	ctg	aat	1009
	Tyr	Ile	Thr	Glu	Phe	Leu	Asp	Thr	Gly	Tyr	Gly	Glu	Cys	Leu	Leu	Asn	
					325					330					335		
	gaa	cct	gca	ccc	agg	acc	tat	cct	ttg	cct	ccc	caa	ctg	ccc	ggc	ctt	1057
25	Glu	Pro	Ala	Ser	Arg	Thr	Tyr	Pro	Leu	Pro	Ser	Gln	Leu	Pro	Gly	Leu	
				340					345					350			
	ctc	tac	aac	gtg	aat	aaa	caa	tgt	gaa	ctg	att	ttt	ggg	cca	ggc	tct	1105
30	Leu	Tyr	Asn	Val	Asn	Lys	Gln	Cys	Glu	Leu	Ile	Phe	Gly	Pro	Gly	Ser	
			355				360						365				
	caa	gtg	tgc	ccc	tat	atg	atg	cag	tgc	aga	egg	ctc	tgg	tgc	aat	aat	1153
	Gln	Val	Cys	Pro	Tyr	Met	Gln	Cys	Arg	Arg	Leu	Trp	Cys	Asn	Asn		
			370				375					380					
35	gtg	gat	gga	gca	cac	aaa	ggc	tgc	aag	act	cag	cac	acg	ccc	tgg	gca	1201
	Val	Asp	Gly	Ala	His	Lys	Gly	Cys	Lys	Thr	Gln	His	Thr	Pro	Trp	Ala	
			385			390					395				400		
40	gat	gga	acc	gag	tgt	gag	cct	gga	aag	cac	tgc	aag	ttt	gga	ttt	tgt	1249
	Asp	Gly	Thr	Glu	Cys	Glu	Pro	Gly	Lys	His	Cys	Lys	Phe	Gly	Phe	Cys	
					405					410					415		
	gtt	ccc	aaa	gaa	atg	gag	ggc	cct	gca	att	gat	gga	ccc	tgg	gga	ggt	1297
45	Val	Pro	Lys	Glu	Met	Glu	Gly	Pro	Ala	Ile	Asp	Gly	Ser	Trp	Gly	Gly	
				420					425						430		
	tgg	agg	ccc	ttt	ggg	acc	tgc	tta	aga	atg	tgt	gga	gga	ggc	atc	aaa	1345
50	Trp	Ser	His	Phe	Gly	Thr	Cys	Ser	Arg	Thr	Cys	Gly	Gly	Gly	Ile	Lys	
			435					440					445				
	aca	ggc	atc	aga	gag	tgc	aac	aga	cca	gag	cca	aaa	aat	ggt	ggg	aag	1393
	Thr	Ala	Ile	Arg	Glu	Cys	Asn	Arg	Pro	Glu	Pro	Lys	Asn	Gly	Gly	Lys	
			450				455					460					
55	tac	tgt	gta	gga	agg	aga	atg	aag	ttc	aaa	ccc	tgc	aac	acg	gag	ccc	1441
	Tyr	Cys	Val	Gly	Arg	Arg	Met	Lys	Phe	Lys	Ser	Cys	Asn	Thr	Glu	Pro	
	465					470					475				480		

50 Arg Gly Tyr His Pro Asn Ile Asn Gly Leu Glu Ser Ser Val Arg Trp  
 500 505 510

ttt cct aag tac agc gga att ttg atg aag gac cgg tgc aag ttg ttc 1585  
 Phe Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe  
 515 520 525  
 5 tgc aga gtg gca gga aac aca gcc tac tac cag ctc cga gac aga gtg 1633  
 Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val  
 530 535 540  
 10 att gac gga acc cct tgt ggc cag gac aca aat gac atc tgt gtc caa 1681  
 Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln  
 545 550 555 560  
 15 ggc ctt tgc cgg caa gct gga tgt gat cat att tta aac tca aag gtc 1729  
 Gly Leu Cys Arg Gln Ala Gly Cys Asp His Ile Leu Asn Ser Lys Val  
 565 570 575  
 20 cgg aaa gat aaa tgt ggg att tgt ggt gga gat aat tct tca tgc aaa 1777  
 Arg Lys Asp Lys Cys Gly Ile Cys Gly Gly Asp Asn Ser Ser Cys Lys  
 580 585 590  
 25 aca gtg gca gga aca ttt aac act gtc cat tat ggt tac aat act gtt 1825  
 Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val  
 595 600 605  
 gtc cga att ccg gct ggt gct acc agc att gac gtg cgt cag cac agc 1873  
 Val Arg Ile Pro Ala Gly Ala Thr Ser Ile Asp Val Arg Gln His Ser  
 610 615 620  
 30 ttc tca ggg aag tct gag gat gac aac tac cta gct tta tca aac agt 1921  
 Phe Ser Gly Lys Ser Glu Asp Asp Asn Tyr Leu Ala Leu Ser Asn Ser  
 625 630 635 640  
 35 aaa ggt gaa ttc ctg cta aat gga gac ttt gtt gtc tcc atg tcc aaa 1969  
 Lys Gly Glu Phe Leu Leu Asn Gly Asp Phe Val Val Ser Met Ser Lys  
 645 650 655  
 40 agg gag gtc cgc gtg ggg agc gcc gtc att gag tac agc gga tgc gac 2017  
 Arg Glu Val Arg Val Gly Ser Ala Val Ile Glu Tyr Ser Gly Ser Asp  
 660 665 670  
 45 aat gtg tgt gaa aga ctg aac tgt atg gac cgt atc gag gaa gaa ctt 2065  
 Asn Val Cys Glu Arg Leu Asn Cys Thr Asp Arg Ile Glu Glu Glu Leu  
 675 680 685  
 50 ttc ctt cag gtg ttg tcc gtg gga aag ctg tat aac cca gat gtg cgg 2113  
 Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg  
 690 695 700  
 55 tac tca ttc aat att gcc att gag gac aaa cct cag caa ttt tac ttg 2161  
 Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp  
 705 710 715 720  
 aac agt cac ggg ccg tgg caa gca tgc agc aag ccc tgc caa ggg gag 2209  
 Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu  
 725 730 735  
 60 gga aga cca aaa ctt ctt tcc tcc agc gaa ttt gat cag tta acc gtt 2257  
 Gly Arg Cys AAA ctt ctt tcc tcc agc gaa ttt gat cag tta acc gtt  
 740 745 750  
 65 tgg tgg ggt aac gaa ggt tgt gaa ttg agt tgg taa gtt gaa gag agt 2305  
 Trp Trp Gly AAC gaa ggt tgt gaa ttg agt tgg taa gtt gaa gag agt  
 755 760 765 770

Ala Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Lys Ser  
 770 775 780

gaa tgc agt gcc cag tgt ggt ttg ggc tac cgt act tta gac atc cac 2401  
 5 Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile His  
 785 790 795 800

tgt gcc aaa tac agc agg atg gac ggg aag acg gag aag gtg gat gac 2449  
 Cys Ala Lys Tyr Ser Arg Met Asp Gly Lys Thr Glu Lys Val Asp Asp  
 10 805 810 815

agt ttc tgt agc agt caa ccc aga ccg agt aac cag gag aaa tgc tca 2497  
 Ser Phe Cys Ser Ser Gln Pro Arg Pro Ser Asn Gln Glu Lys Cys Ser  
 820 825 830

15 gga gag tgc agc aca ggt gga tgg cgc tat tca gcc tgg acc gaa tgt 2549  
 Gly Glu Cys Ser Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys  
 835 840 845

20 tct aga agc tgt gat ggt ggt acc cac aga aga aga gca att tgt gtc 2593  
 Ser Arg Ser Cys Asp Gly Gly Thr His Arg Arg Arg Ala Ile Cys Val  
 850 855 860

aac acc cgc aat gat gtc ctg gat gac agc aa 2625  
 25 Asn Thr Arg Asn Asp Val Leu Asp Asp Ser  
 865 870

<210> 15  
 30 <211> 874  
 <212> PRT  
 <213> Mus musculus ADAMTS-9

<400> 15  
 35 His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Met Gly Thr Phe Arg  
 1 5 10 15

Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Val Asp Glu  
 20 25 30

40 Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg His  
 35 40 45

Ser Thr Pro Gln Arg Glu Pro Ser Thr Gly Lys His Ala Cys Ala Thr  
 45 50 55 60

Ser Glu Leu Lys Asn Ser His Ser Lys Asp Lys Arg Lys Ile Arg Met  
 65 70 75 80

50 Arg Lys Arg Arg Lys Arg Asn Ser Leu Ala Asp Asp Val Ala Leu Leu  
 85 90 95

Lys Ser Gly Leu Ala Thr Lys Val Leu Ser Gly Tyr Ser Asn Gln Thr  
 100 105 110

55 Asn Asn Thr Arg Asp Arg Trp Asn His Lys Arg Thr Lys Arg Phe Leu  
 115 120 125

130 135 140 145 150 155 160 165 170 175

Asn Ile Val Ile Val Asn Leu Val Val Ile His Asn Glu Gln Glu Gly  
 180 185 190  
 5 Pro Tyr Ile Asn Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln  
 195 200 205  
 Trp Gln His Ser Lys Asn Tyr Leu Gly Gly Ile Gln His Asp Thr Ala  
 210 215 220  
 10 Val Leu Val Thr Arg Glu Asp Ile Cys Arg Ala Gln Asp Lys Cys Asp  
 225 230 235 240  
 Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser  
 15 245 250 255  
 Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala  
 260 265 270  
 20 His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Ser Asn Lys  
 275 280 285  
 Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr  
 290 295 300  
 25 Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys  
 305 310 315 320  
 Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn  
 30 325 330 335  
 Glu Pro Ala Ser Arg Thr Tyr Pro Leu Pro Ser Gln Leu Pro Gly Leu  
 340 345 350  
 35 Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser  
 355 360 365  
 Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn  
 370 375 380  
 40 Val Asp Gly Ala His Lys Gly Cys Lys Thr Gln His Thr Pro Trp Ala  
 385 390 395 400  
 Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Phe Gly Phe Cys  
 405 410 415  
 45 Val Pro Lys Glu Met Glu Gly Pro Ala Ile Asp Gly Ser Trp Gly Gly  
 420 425 430  
 50 Trp Ser His Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys  
 435 440 445  
 Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys  
 450 455 460  
 55 Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro  
 465 470 475 480  
 60 Lys Pro Lys Tyr Ser Gly Ile Leu Met Lys Arg Arg Cys Lys Leu Phe  
 485 490 495

Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val  
 530 535 540  
 5 Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln  
 545 550 555 560  
 Gly Leu Cys Arg Gln Ala Gly Cys Asp His Ile Leu Asn Ser Lys Val  
 565 570 575  
 10 Arg Lys Asp Lys Cys Gly Ile Cys Gly Gly Asp Asn Ser Ser Cys Lys  
 580 585 590  
 Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val  
 15 595 600 605  
 Val Arg Ile Pro Ala Gly Ala Thr Ser Ile Asp Val Arg Gln His Ser  
 610 615 620  
 20 Phe Ser Gly Lys Ser Glu Asp Asp Asn Tyr Leu Ala Leu Ser Asn Ser  
 625 630 635 640  
 Lys Gly Glu Phe Leu Leu Asn Gly Asp Phe Val Val Ser Met Ser Lys  
 645 650 655  
 25 Arg Glu Val Arg Val Gly Ser Ala Val Ile Glu Tyr Ser Gly Ser Asp  
 660 665 670  
 Asn Val Cys Glu Arg Leu Asn Cys Thr Asp Arg Ile Glu Glu Glu Leu  
 30 675 680 685  
 Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg  
 690 695 700  
 35 Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp  
 705 710 715 720  
 Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu  
 725 730 735  
 40 Arg Arg Pro Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val  
 740 745 750  
 Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly Pro Val Thr Glu  
 45 755 760 765  
 Ala Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Lys Ser  
 770 775 780  
 50 Gln Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile His  
 785 790 795 800  
 Cys Ala Lys Tyr Ser Arg Met Asp Gly Lys Thr Glu Lys Val Asp Asp  
 805 810 815  
 55 Ser Phe Cys Ser Ser Gln Pro Arg Pro Ser Asn Gln Glu Lys Cys Ser  
 820 825 830  
 60 Asn Thr Arg Asn Asp Val Leu Asp Asp Val  
 835 840

<210> 16  
 5 <211> 3885  
 <212> DNA  
 <213> Homo sapiens ADAMTS-10  
  
 <220>  
 10 <221> CDS  
 <222> (1)..(3246)  
  
 <400> 16  
 15 tca tgc acg cct tcc ggt ctc aag atg agt tcc tgt cca gtc tgg aga 48  
 Ser Arg Thr Pro Ser Gly Leu Lys Met Ser Ser Cys Pro Val Trp Arg  
 1 5 10 15  
  
 ggt atg aga tgg cct tcc tca ccc gcc tgg acc aca acg ggg cac tgc 96  
 Ala Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys  
 20 20 25 30  
  
 tgg cct tct cgc cac ctc ctc ccc gga gca gcc ccg cgg cac ggg ggc 144  
 Trp Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly  
 35 40 45  
 25  
 cac agc cga gtc ccg cct ctt cta caa agt gcc ctc gcc agc acc cac 192  
 His Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His  
 50 55 60  
 30 ttc ctg ctg aac ctg acc tgc agc tcc cgt cta ctg gca ggg cgc gtc 240  
 Phe Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val  
 65 70 75 80  
  
 tcc gtg gag tac tgg aca tgg gag gcc ctg gcc tgg cag agg gcc gcc 288  
 Ser Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala  
 85 90 95  
  
 cgg tcc cac tgc ctc tac gct ggt cac ctg cag gcc cag gcc agc agc 336  
 Arg Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser  
 40 100 105 110  
  
 tcc cat gtg gcc atc agc acc tgt gga gcc ctg cac gcc ctg atc gtg 384  
 Ser His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val  
 115 120 125  
 45  
 gaa gat gag gaa gag tac ctg att gag ccc ctg cac gat gag gcc aag 432  
 Ala Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys  
 130 135 140  
  
 ggt tct cgg agt tgg gag gaa agt gga cca cat tgt gtc tac aag cgt 480  
 Gly Ser Arg Ser Pro Glu Glu Ser Gly Pro His Cys Val Tyr Lys Arg  
 145 150 155 160  
  
 tct tct ctg cgt cac ccc cac ctg gag aca gcc tgt gga gtc aga gat 528  
 Ser Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp  
 165 170 175  
  
 caa cat cgg taa aaa aag cgg cca taa taa cgg cag atc tta aag cca 576  
 Gln His Arg stop stop stop stop stop stop stop stop stop stop stop  
 180 185 190 195 200 205 210 215 220 225 230 235 240 245 250 255 260 265 270 275 280 285 290 295 300 305 310 315 320 325 330 335 340 345 350 355 360 365 370 375 380 385 390 395 400 405 410 415 420 425 430 435 440 445 450 455 460 465 470 475 480 485 490 495 500 505 510 515 520 525 530 535 540 545 550 555 560 565 570 575 580 585 590 595 600 605 610 615 620 625 630 635 640 645 650 655 660 665 670 675 680 685 690 695 700 705 710 715 720 725 730 735 740 745 750 755 760 765 770 775 780 785 790 795 800 805 810 815 820 825 830 835 840 845 850 855 860 865 870 875 880 885 890 895 900 905 910 915 920 925 930 935 940 945 950 955 960 965 970 975 980 985 990 995 1000 1005 1010 1015 1020 1025 1030 1035 1040 1045 1050 1055 1060 1065 1070 1075 1080 1085 1090 1095 1100 1105 1110 1115 1120 1125 1130 1135 1140 1145 1150 1155 1160 1165 1170 1175 1180 1185 1190 1195 1200 1205 1210 1215 1220 1225 1230 1235 1240 1245 1250 1255 1260 1265 1270 1275 1280 1285 1290 1295 1300 1305 1310 1315 1320 1325 1330 1335 1340 1345 1350 1355 1360 1365 1370 1375 1380 1385 1390 1395 1400 1405 1410 1415 1420 1425 1430 1435 1440 1445 1450 1455 1460 1465 1470 1475 1480 1485 1490 1495 1500 1505 1510 1515 1520 1525 1530 1535 1540 1545 1550 1555 1560 1565 1570 1575 1580 1585 1590 1595 1600 1605 1610 1615 1620 1625 1630 1635 1640 1645 1650 1655 1660 1665 1670 1675 1680 1685 1690 1695 1700 1705 1710 1715 1720 1725 1730 1735 1740 1745 1750 1755 1760 1765 1770 1775 1780 1785 1790 1795 1800 1805 1810 1815 1820 1825 1830 1835 1840 1845 1850 1855 1860 1865 1870 1875 1880 1885 1890 1895 1900 1905 1910 1915 1920 1925 1930 1935 1940 1945 1950 1955 1960 1965 1970 1975 1980 1985 1990 1995 2000 2005 2010 2015 2020 2025 2030 2035 2040 2045 2050 2055 2060 2065 2070 2075 2080 2085 2090 2095 2100 2105 2110 2115 2120 2125 2130 2135 2140 2145 2150 2155 2160 2165 2170 2175 2180 2185 2190 2195 2200 2205 2210 2215 2220 2225 2230 2235 2240 2245 2250 2255 2260 2265 2270 2275 2280 2285 2290 2295 2300 2305 2310 2315 2320 2325 2330 2335 2340 2345 2350 2355 2360 2365 2370 2375 2380 2385 2390 2395 2400 2405 2410 2415 2420 2425 2430 2435 2440 2445 2450 2455 2460 2465 2470 2475 2480 2485 2490 2495 2500 2505 2510 2515 2520 2525 2530 2535 2540 2545 2550 2555 2560 2565 2570 2575 2580 2585 2590 2595 2600 2605 2610 2615 2620 2625 2630 2635 2640 2645 2650 2655 2660 2665 2670 2675 2680 2685 2690 2695 2700 2705 2710 2715 2720 2725 2730 2735 2740 2745 2750 2755 2760 2765 2770 2775 2780 2785 2790 2795 2800 2805 2810 2815 2820 2825 2830 2835 2840 2845 2850 2855 2860 2865 2870 2875 2880 2885 2890 2895 2900 2905 2910 2915 2920 2925 2930 2935 2940 2945 2950 2955 2960 2965 2970 2975 2980 2985 2990 2995 3000 3005 3010 3015 3020 3025 3030 3035 3040 3045 3050 3055 3060 3065 3070 3075 3080 3085 3090 3095 3100 3105 3110 3115 3120 3125 3130 3135 3140 3145 3150 3155 3160 3165 3170 3175 3180 3185 3190 3195 3200 3205 3210 3215 3220 3225 3230 3235 3240 3245 3250 3255 3260 3265 3270 3275 3280 3285 3290 3295 3300 3305 3310 3315 3320 3325 3330 3335 3340 3345 3350 3355 3360 3365 3370 3375 3380 3385 3390 3395 3400 3405 3410 3415 3420 3425 3430 3435 3440 3445 3450 3455 3460 3465 3470 3475 3480 3485 3490 3495 3500 3505 3510 3515 3520 3525 3530 3535 3540 3545 3550 3555 3560 3565 3570 3575 3580 3585 3590 3595 3600 3605 3610 3615 3620 3625 3630 3635 3640 3645 3650 3655 3660 3665 3670 3675 3680 3685 3690 3695 3700 3705 3710 3715 3720 3725 3730 3735 3740 3745 3750 3755 3760 3765 3770 3775 3780 3785 3790 3795 3800 3805 3810 3815 3820 3825 3830 3835 3840 3845 3850 3855 3860 3865 3870 3875 3880 3885 3890 3895 3900 3905 3910 3915 3920 3925 3930 3935 3940 3945 3950 3955 3960 3965 3970 3975 3980 3985 3990 3995 4000 4005 4010 4015 4020 4025 4030 4035 4040 4045 4050 4055 4060 4065 4070 4075 4080 4085 4090 4095 4100 4105 4110 4115 4120 4125 4130 4135 4140 4145 4150 4155 4160 4165 4170 4175 4180 4185 4190 4195 4200 4205 4210 4215 4220 4225 4230 4235 4240 4245 4250 4255 4260 4265 4270 4275 4280 4285 4290 4295 4300 4305 4310 4315 4320 4325 4330 4335 4340 4345 4350 4355 4360 4365 4370 4375 4380 4385 4390 4395 4400 4405 4410 4415 4420 4425 4430 4435 4440 4445 4450 4455 4460 4465 4470 4475 4480 4485 4490 4495 4500 4505 4510 4515 4520 4525 4530 4535 4540 4545 4550 4555 4560 4565 4570 4575 4580 4585 4590 4595 4600 4605 4610 4615 4620 4625 4630 4635 4640 4645 4650 4655 4660 4665 4670 4675 4680 4685 4690 4695 4700 4705 4710 4715 4720 4725 4730 4735 4740 4745 4750 4755 4760 4765 4770 4775 4780 4785 4790 4795 4800 4805 4810 4815 4820 4825 4830 4835 4840 4845 4850 4855 4860 4865 4870 4875 4880 4885 4890 4895 4900 4905 4910 4915 4920 4925 4930 4935 4940 4945 4950 4955 4960 4965 4970 4975 4980 4985 4990 4995 5000 5005 5010 5015 5020 5025 5030 5035 5040 5045 5050 5055 5060 5065 5070 5075 5080 5085 5090 5095 5100 5105 5110 5115 5120 5125 5130 5135 5140 5145 5150 5155 5160 5165 5170 5175 5180 5185 5190 5195 5200 5205 5210 5215 5220 5225 5230 5235 5240 5245 5250 5255 5260 5265 5270 5275 5280 5285 5290 5295 5300 5305 5310 5315 5320 5325 5330 5335 5340 5345 5350 5355 5360 5365 5370 5375 5380 5385 5390 5395 5400 5405 5410 5415 5420 5425 5430 5435 5440 5445 5450 5455 5460 5465 5470 5475 5480 5485 5490 5495 5500 5505 5510 5515 5520 5525 5530 5535 5540 5545 5550 5555 5560 5565 5570 5575 5580 5585 5590 5595 5600 5605 5610 5615 5620 5625 5630 5635 5640 5645 5650 5655 5660 5665 5670 5675 5680 5685 5690 5695 5700 5705 5710 5715 5720 5725 5730 5735 5740 5745 5750 5755 5760 5765 5770 5775 5780 5785 5790 5795 5800 5805 5810 5815 5820 5825 5830 5835 5840 5845 5850 5855 5860 5865 5870 5875 5880 5885 5890 5895 5900 5905 5910 5915 5920 5925 5930 5935 5940 5945 5950 5955 5960 5965 5970 5975 5980 5985 5990 5995 6000 6005 6010 6015 6020 6025 6030 6035 6040 6045 6050 6055 6060 6065 6070 6075 6080 6085 6090 6095 6100 6105 6110 6115 6120 6125 6130 6135 6140 6145 6150 6155 6160 6165 6170 6175 6180 6185 6190 6195 6200 6205 6210 6215 6220 6225 6230 6235 6240 6245 6250 6255 6260 6265 6270 6275 6280 6285 6290 6295 6300 6305 6310 6315 6320 6325 6330 6335 6340 6345 6350 6355 6360 6365 6370 6375 6380 6385 6390 6395 6400 6405 6410 6415 6420 6425 6430 6435 6440 6445 6450 6455 6460 6465 6470 6475 6480 6485 6490 6495 6500 6505 6510 6515 6520 6525 6530 6535 6540 6545 6550 6555 6560 6565 6570 6575 6580 6585 6590 6595 6600 6605 6610 6615 6620 6625 6630 6635 6640 6645 6650 6655 6660 6665 6670 6675 6680 6685 6690 6695 6700 6705 6710 6715 6720 6725 6730 6735 6740 6745 6750 6755 6760 6765 6770 6775 6780 6785 6790 6795 6800 6805 6810 6815 6820 6825 6830 6835 6840 6845 6850 6855 6860 6865 6870 6875 6880 6885 6890 6895 6900 6905 6910 6915 6920 6925 6930 6935 6940 6945 6950 6955 6960 6965 6970 6975 6980 6985 6990 6995 7000 7005 7010 7015 7020 7025 7030 7035 7040 7045 7050 7055 7060 7065 7070 7075 7080 7085 7090 7095 7100 7105 7110 7115 7120 7125 7130 7135 7140 7145 7150 7155 7160 7165 7170 7175 7180 7185 7190 7195 7200 7205 7210 7215 7220 7225 7230 7235 7240 7245 7250 7255 7260 7265 7270 7275 7280 7285 7290 7295 7300 7305 7310 7315 7320 7325 7330 7335 7340 7345 7350 7355 7360 7365 7370 7375 7380 7385 7390 7395 7400 7405 7410 7415 7420 7425 7430 7435 7440 7445 7450 7455 7460 7465 7470 7475 7480 7485 7490 7495 7500 7505 7510 7515 7520 7525 7530 7535 7540 7545 7550 7555 7560 7565 7570 7575 7580 7585 7590 7595 7600 7605 7610 7615 7620 7625 7630 7635 7640 7645 7650 7655 7660 7665 7670 7675 7680 7685 7690 7695 7700 7705 7710 7715 7720 7725 7730 7735 7740 7745 7750 7755 7760 7765 7770 7775 7780 7785 7790 7795 7800 7805 7810 7815 7820 7825 7830 7835 7840 7845 7850 7855 7860 7865 7870 7875 7880 7885 7890 7895 7900 7905 7910 7915 7920 7925 7930 7935 7940 7945 7950 7955 7960 7965 7970 7975 7980 7985 7990 7995 8000 8005 8010 8015 8020 8025 8030 8035 8040 8045 8050 8055 8060 8065 8070 8075 8080 8085 8090 8095 8100 8105 8110 8115 8120 8125 8130 8135 8140 8145 8150 8155 8160 8165 8170 8175 8180 8185 8190 8195 8200 8205 8210 8215 8220 8225 8230 8235 8240 8245 8250 8255 8260 8265 8270 8275 8280 8285 8290 8295 8300 8305 8310 8315 8320 8325 8330 8335 8340 8345 8350 8355 8360 8365 8370 8375 8380 8385 8390 8395 8400 8405 8410 8415 8420 8425 8430 8435 8440 8445 8450 8455 8460 8465 8470 8475 8480 8485 8490 8495 8500 8505 8510 8515 8520 8525 8530 8535 8540 8545 8550 8555 8560 8565 8570 8575 8580 8585 8590 8595 8600 8605 8610 8615 8620 8625 8630 8635 8640 8645 8650 8655 8660 8665 8670 8675 8680 8685 8690 8695 8700 8705 8710 8715 8720 8725 8730 8735 8740 8745 8750 8755 8760 8765 8770 8775 8780 8785 8790 8795 8800 8805 8810 8815 8820 8825 8830 8835 8840 8845 8850 8855 8860 8865 8870 8875 8880 8885 8890 8895 8900 8905 8910 8915 8920 8925 8930 8935 8940 8945 8950 8955 8960 8965 8970 8975 8980 8985 8990 8995 9000 9005 9010 9015 9020 9025 9030 9035 9040 9045 9050 9055 9060 9065 9070 9075 9080 9085 9090 9095 9100 9105 9110 9115 9120 9125 9130 9135 9140 9145 9150 9155 9160 9165 9170 9175 9180 9185 9190 9195 9200 9205 9210 9215 9220 9225 9230 9235 9240 9245 9250 9255 9260 9265 9270 9275 9280 9285 9290 9295 9300 9305 9310 9315 9320 9325 9330 9335 9340 9345 9350 9355 9360 9365 9370 9375 9380 9385 9390 9395 9400 9405 9410 9415 9420 9425 9430 9435 9440 9445 9450 9455 9460 9465 9470 9475 9480 9485 9490 9495 9500 9505 9510 9515 9520 9525 9530 9535 9540 9545 9550 9555 9560 9565 9570 9575 9580 9585 9590 9595 9600 9605 9610 9615 9620 9625 9630 9635 9640 9645 9650 9655 9660 9665 9670 9675 9680 9685 9690 9695 9700 9705 9710 9715 9720 9725 9730 9735 9740 9745 9750 9755 9760 9765 9770 9775 9780 9785 9790 9795 9800 9805 9810 9815 9820 9825 9830 9835 9840 9845 9850 9855 9860 9865 9870 9875 9880 9885 9890 9895 9900 9905 9910 9915 9920 9925 9930 9935 9940 9945 9950 9955 9960 9965 9970 9975 9980 9985 9990 9995 10000 10005 10010 10015 10020 10025 10030 10035 10040 10045 10050 10055 10060 10065 10070 10075 10080 10085 10090 10095 10100 10105 10110 10115 10120 10125 10130 10135 10140 10145 10150 10155 10160 10165 10170 10175 10180 10185 10190 10195 10200 10205 10210 10215 10220 10225 10230 10235 10240 10245 10250 10255 10260 10265 10270 10275 10280 10285 10290 10295 10300 10305 10310 10315 10320 10325 10330 10335 10340 10345 10350 10355 10360 10365 10370 10375 10380 10385 10390 10395 10400 10405 10410 10415 10420 10425 10430 10435 10440 10445 10450 10455 10460 10465 10470 10475 10480 10485 10490 10495 10500 10505 10510 10515 10520 10525 10530 10535 10540 10545 10550 10555 10560 10565 10570 10575 10580 10585 10590 10595 10600 10605 10610 10615 10620 10625 10630 10635 10640 10645 10650 10655 10660 10665 10670 10675 10680 10685 10690 10695 10700 10705 10710 10715 10720 10725 10730 10735 10740 10745 10750 10755 10760 10765 10770 10775 10780 10785 10790 10795 10800 10805 10810 10815 10820 10825 10830 10835 10840 10845 10850 10855 10860 10865 10870 10875 10880 10885 10890 10895 10900 10905 10910 10915 10920 10925 10930 10935 10940 10945 10950 10955 10960 10965 10970 10975 10980 10985 10990 10995 11000 11005 11010 11015 11020 11025 11030 11035 11040 11045 11050 11055 11060 11065 11070 11075 11080 11085 11090 11095 11100 11105 11110 11115 11120 11125 11130 11135 11140 11145 11150 11155 11160 11165 11170 11175 11180 11185 11190 11195 11200 11205 11210 11215 11220 11225 11230 11235 11240 11245 11250 11255 112

	Leu	Lys	Arg	Ser	Val	Ser	Arg	Glu	Arg	Tyr	Val	Glu	Thr	Met	Asp	Val	
	210						215					220					
	gct	gac	aag	atg	atg	gtg	gcc	tat	cac	ggg	cgc	ggg	gat	gtg	gag	cag	720
5	Ala	Asp	Lys	Met	Met	Val	Ala	Tyr	His	Gly	Arg	Arg	Asp	Val	Glu	Gln	
	225					230				235					240		
	tat	gtc	ctg	gcc	atc	atg	aac	att	gtt	gcc	aaa	ctt	ttc	cag	gac	tgc	758
10	Tyr	Val	Leu	Ala	Ile	Met	Asn	Ile	Val	Ala	Lys	Leu	Phe	Gln	Asp	Ser	
					245					250					255		
	agt	ctg	gga	agg	acc	gtt	aac	atc	ctc	gta	act	cgc	ctc	atc	ctg	ctc	816
	Ser	Leu	Gly	Ser	Thr	Val	Asn	Ile	Leu	Val	Thr	Arg	Leu	Ile	Leu	Leu	
				260					265					270			
15	acc	gag	gac	cag	ccc	act	ctg	gag	atc	acc	cac	cat	gcc	ggg	aag	tcc	864
	Thr	Glu	Asp	Gln	Pro	Thr	Leu	Glu	Ile	Thr	His	His	Ala	Gly	Lys	Ser	
			275					280					285				
20	cta	gac	agg	ttc	tgt	aag	tgg	cag	aaa	tcc	atc	gtg	aac	cac	agg	ggc	912
	Leu	Asp	Ser	Phe	Cys	Lys	Trp	Gln	Lys	Ser	Ile	Val	Asn	His	Ser	Gly	
		290					295					300					
	cat	ggc	aat	gcc	att	cca	gag	aac	ggg	gtg	gct	aac	cat	gac	aca	gca	960
25	His	Gly	Asn	Ala	Ile	Pro	Glu	Asn	Gly	Val	Ala	Asn	His	Asp	Thr	Ala	
	305				310					315						320	
	gtg	ctc	atc	aca	cgc	tat	gac	atc	tgc	atc	tac	aag	aac	aaa	ccc	tgc	1008
30	Val	Leu	Ile	Thr	Arg	Tyr	Asp	Ile	Cys	Ile	Tyr	Lys	Asn	Lys	Pro	Cys	
				325					330					335			
	ggc	aca	cta	ggc	ctg	gcc	cgg	tgg	gcg	gaa	tgt	gtg	agg	gcg	aga	gaa	1056
	Gly	Thr	Leu	Gly	Leu	Ala	Arg	Trp	Ala	Glu	Cys	Val	Ser	Ala	Arg	Glu	
				340				345					350				
35	gct	gca	gcg	tca	atg	agg	aca	ttg	gct	gcc	aca	agg	gtt	cac	cat	tgc	1104
	Ala	Ala	Ala	Ser	Met	Arg	Thr	Leu	Ala	Ala	Thr	Ser	Val	His	His	Cys	
				355				360					365				
40	cac	gag	atc	ggg	cac	aca	ttc	ggc	atg	aac	cat	gac	ggc	gtg	gga	aac	1152
	His	Glu	Ile	Gly	His	Thr	Phe	Gly	Met	Asn	His	Asp	Gly	Val	Gly	Asn	
		370				375						380					
	agg	tgt	ggg	gcc	cgt	ggg	cag	gac	cca	gcc	aag	ctc	atg	gct	gcc	cac	1200
45	Ser	Cys	Gly	Ala	Arg	Gly	Gln	Asp	Pro	Ala	Lys	Leu	Met	Ala	Ala	His	
	385				390					395				400			
	att	acc	atg	aag	acc	aac	cca	ctc	gtg	tgg	tta	tcc	tgc	aac	cgt	gac	1248
50	Ile	Thr	Met	Lys	Thr	Asn	Pro	Phe	Val	Trp	Ser	Ser	Cys	Asn	Arg	Asp	
				405					410					415			
	tac	atc	acc	agg	ttt	cta	gac	tgc	ggc	ctg	ggg	ctc	tgc	ctg	aac	aac	1296
	Tyr	Ile	Thr	Ser	Phe	Leu	Asp	Ser	Gly	Leu	Gly	Leu	Cys	Leu	Asn	Asn	
				420				425					430				
55	ggg	ccc	ccc	aga	cag	gac	ttt	gtg	tac	cgg	aca	gtg	gca	ggg	ggg	caa	1344
	Arg	Pro	Pro	Arg	Gln	Asp	Phe	Val	Tyr	Pro	Thr	Val	Ala	Pro	Gly	Gln	
		435					440						445				
	gct	gca	gca	gca	gca	gca	gca	gca	gca	gca	gca	gca	gca	gca	gca	gca	1392
60	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	Ala	
	445				450				455				460				



	aag agt aac cgg tgc atc acc aac agc atc ccg gcc gcc gag ggc aag	1488
	Lys Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr	
	485 490 495	
5	ctg tgc cag acg cac acc atc gac aag ggg tgg tgc tac aaa cgg gtc	1536
	Leu Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val	
	500 505 510	
10	tgt gtc ccc ttt ggg tgg cgc cca gag ggt gtg gac gga gcc tgg ggg	1584
	Cys Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly	
	515 520 525	
15	ccg tgg act cca tgg ggc gac tgc agc cgg acc tgt ggc gcc ggc gtg	1632
	Pro Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val	
	530 535 540	
20	tcc tct tct agt cgt cac tgc gac agc ccc agg cca acc atc ggg ggc	1680
	Ser Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly	
	545 550 555 560	
25	aag tac tgt ctg ggt gag aga agg cgg cac cgc tcc tgc aac acg gat	1728
	Lys Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp	
	565 570 575	
30	gac tgt ccc cct ggc tcc cag gac ttc aga gaa gtg cag tgt gct gaa	1776
	Asp Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ala Glu	
	580 585 590	
35	ttt gac agt atc cct ttc cgt ggg aaa ttc tac aag tgg aaa acg tac	1824
	Phe Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr	
	595 600 605	
40	agg gga ggg ggc gtg aag gcc tgc tgg ctg acg agc cta gtg gaa ggc	1872
	Arg Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly	
	610 615 620	
45	ttc aac ttc tac acg gag agg ggc gca gcc gtg gtg gac ggg aca ccc	1920
	Phe Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro	
	625 630 635 640	
50	tgc cgt cca gac acg gtg gac att tgc gtc agt ggc gaa tgc aag cac	1968
	Cys Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His	
	645 650 655	
55	gtg ggc tgc gac cga gcc ctg ggc tcc gac ctg cgg gag gac aag tgc	2016
	Val Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys	
	660 665 670	
60	gga ggt tgt ggc ggt gac ggc agt gcc tgc gag acc atc gag gcc gtc	2064
	Arg Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val	
	675 680 685	
65	ttc agt cca gcc tca cct ggg gcc ggg tac gag gat gtc gcc tgg att	2112
	Phe Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile	
	690 695 700	
70	ccc aaa ggc tcc gtc cac att ttc atc cag gat ctg aac ctg tct ctg	2160
75	ctg ggt ggc acc gcc gac gcc tcc tcc ggt cgg tcc cta gat ggg att aac	2208

	Leu	Pro	Gly	Thr	Pro	Gln	Pro	His	Arg	Leu	Pro	Leu	Ala	Gly	Thr	Thr	
				740					745					750			
5	ttt	caa	ctg	cga	cag	ggg	cca	gac	cag	gtc	cag	agg	ctc	gaa	gcc	ctg	2304
	Phe	Gln	Leu	Arg	Gln	Gly	Pro	Asp	Gln	Val	Gln	Ser	Leu	Glu	Ala	Leu	
			755					760					765				
10	ggg	ccg	att	aat	gca	tct	ctc	atc	gtc	atg	gtg	ctg	gcc	cgg	acc	gag	2352
	Gly	Pro	Ile	Asn	Ala	Ser	Leu	Ile	Val	Met	Val	Leu	Ala	Arg	Thr	Glu	
			770				775					780					
15	ctg	cct	gcc	ctc	cgc	tac	cgc	ttc	aat	gcc	ccc	atc	gcc	cgt	gac	tcg	2400
	Leu	Pro	Ala	Leu	Arg	Tyr	Arg	Phe	Asn	Ala	Pro	Ile	Ala	Arg	Asp	Ser	
						790					795					800	
20	ctg	ccc	ccc	tac	tcc	tgg	cac	tat	ggg	ccc	tgg	acc	aag	tgc	tgc	gcc	2448
	Leu	Pro	Pro	Tyr	Ser	Trp	His	Tyr	Ala	Pro	Trp	Thr	Lys	Cys	Ser	Ala	
						805					810					815	
25	cag	tgt	gca	ggc	ggc	agg	cag	gtg	cag	ggg	gtg	gag	tgc	cgc	aac	cag	2496
	Gln	Cys	Ala	Gly	Gly	Ser	Gln	Val	Gln	Ala	Val	Glu	Cys	Arg	Asn	Gln	
						820				825					830		
30	ctg	gac	agg	tcc	ggc	gtc	gcc	ccc	cac	tac	tgc	agt	gcc	cac	agg	aag	2544
	Leu	Asp	Ser	Ser	Ala	Val	Ala	Pro	His	Tyr	Cys	Ser	Ala	His	Ser	Lys	
						835				840					845		
35	ctg	ccc	aaa	agg	cag	cgt	gcc	tgc	aac	acg	gag	cct	tgc	cct	cca	gac	2592
	Leu	Pro	Lys	Arg	Gln	Arg	Ala	Cys	Asn	Thr	Glu	Pro	Cys	Pro	Pro	Asp	
						855					860						
40	tgg	gtt	gta	ggg	aac	tgg	tgc	ctc	tgc	agg	cgc	agg	tgc	gat	gca	ggc	2640
	Trp	Val	Val	Gly	Asn	Trp	Ser	Leu	Cys	Ser	Arg	Ser	Cys	Asp	Ala	Gly	
						865					870					880	
45	gtg	cgc	agt	acg	tgc	gtc	gtg	tgc	cag	cgc	cgc	gtc	tct	gcc	ggc	gag	2688
	Val	Arg	Ser	Thr	Ser	Val	Val	Cys	Gln	Arg	Arg	Val	Ser	Ala	Ala	Glu	
						885				890						895	
50	gag	aag	ggc	ctg	gac	gac	agg	gca	tgc	ccg	cag	ccg	cgc	cca	cct	gta	2736
	Glu	Lys	Ala	Leu	Asp	Asp	Ser	Ala	Cys	Pro	Gln	Pro	Arg	Pro	Pro	Val	
						900				905					910		
55	ctg	gag	gcc	tgc	tac	ggc	ccc	act	tgc	cct	ccg	gag	tgg	gca	acc	ctc	2784
	Leu	Gln	Ala	Cys	His	Gln	Pro	Thr	Cys	Pro	Pro	Glu	Trp	Ala	Thr	Leu	
						915							920				
60	gac	tgg	tct	gag	tgt	act	cca	agg	tgt	ggg	cct	ggc	ctc	cgc	tac	gga	2832
	Asp	Trp	Ser	Glu	Cys	Thr	Pro	Ser	Cys	Gly	Pro	Gly	Leu	Arg	His	Arg	
						925					930						
65	gtg	gtc	cct	tgt	aag	agt	gca	gat	caa	cga	tct	act	ctg	ccc	cct	ggg	2880
	Val	Val	Leu	Cys	Lys	Ser	Ala	Asp	Gln	Arg	Ser	Thr	Leu	Pro	Pro	Gly	
						935					940					945	
70	cac	tgc	cct	cct	gca	ggc	aag	cca	cca	tac	act	arg	cga	tgt	gac	tgg	2928
	His	Cys	Leu	Pro	Ala	Ala	Lys	Pro	Pro	Ser	Thr	Met	Arg	Cys	Asn	Leu	
						955					960						
75	ctt	aca	tgt	tgt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	gtt	2976
	Ser	Thr	Gln	Cys	Gly	Leu	Gly	Gln	Gln	Gln	Arg	Thr	Val	Arg	Cys	Thr	
						965					970					975	

agc cac acc ggc cag cca tct cga gag tgc act gaa gcc ttg cgg cca 3072  
 Ser His Thr Gly Gln Pro Ser Arg Glu Cys Thr Glu Ala Leu Arg Pro  
 1010 1015 1020  
 5 tcc acc atg cag cag tgt gag gcc aag tgt gat agt gtg gtg cgg cct 3120  
 Ser Thr Met Gln Gln Cys Glu Ala Lys Cys Asp Ser Val Val Pro Pro  
 1025 1030 1035 1040  
 10 gga gat ggc cca gaa gaa tgc aag gat gtg aac aag gtg gct tac tgc 3168  
 Gly Asp Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys  
 1045 1050 1055  
 ccc ctg gtg ctc aaa ttt cag ttc tgt agc cga gcc tac ttc cgc cag 3216  
 15 Pro Leu Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln  
 1060 1065 1070  
 atg tgc tgc aaa acc tgc caa ggc cgc tag ggtacctgga accaacttgg 3264  
 Met Cys Cys Lys Thr Cys Gln Gly Arg  
 20 1075 1080  
 agtacaggct gaggcagggg acatccact ggagaggcca tgagggaag gggggcttga 3324  
 attgaagggg gagatgcagt tgaaagttat ttattgggta acctacagg gctctgact 3384  
 25 aaggggttga gaagagctgg ctaccagggg acctctgct gtattttgcc cagttgatag 3444  
 tgaagagaga ggactccttg ttgcacacat atttaagtc ctagcaccac tcccacccct 3504  
 tgatcggaat atgtactgtg aagagtgggg gtggggaggg gtgtgctggt gccctgcccc 3564  
 ttgcactgtt ctatccctac actctgagct ggggggattt atatctgcta tggggggagc 3624  
 aggcttgata ccacctccct gtaccctccc ccagactga cgaaggggaa gatccacccc 3684  
 35 aacctctgcc ctgccctgcc cagggggggg ttcaacatcc aggcctgtcc ccatcatggt 3744  
 gctacaagcc ctgccctggg gccacacac tctcaccaa gaagccttac attaaaaaag 3804  
 40 ttgtgttata ctacaaaaaa aaaaaaaaaa tcgagggggg gcccggtacc caattcgcg 3864  
 tatagtaaat ngggtnnta 3885  
 45 <210> 17  
 <211> 1081  
 <212> FRT  
 <213> Homo sapiens ADAMTS 11  
 50 <400> 17  
 Ser Arg Thr Pro Ser Gly Leu Lys Met Ser Ser Cys Pro Val Trp Arg  
 1 5 10 15  
 Ala Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys  
 20 25 30  
 55 Trp Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly  
 35 40 45  
 His Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His  
 50 55 60

65 Ser Val Val Ala Thr Thr Thr Thr Gly Arg Leu Ala Gly Thr Thr Thr  
 115 120 125

Ala Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys  
 130 135 140  
 Gly Ser Arg Ser Pro Glu Glu Ser Gly Pro His Cys Val Tyr Lys Arg  
 145 150 155 160  
 5 Ser Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp  
 165 170 175  
 Glu Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro  
 180 185 190  
 10 Pro Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly  
 195 200 205  
 Leu Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Met Asp Val  
 210 215 220  
 Ala Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln  
 225 230 235 240  
 15 Tyr Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser  
 245 250 255  
 Ser Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu  
 260 265 270  
 20 Thr Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser  
 275 280 285  
 Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly  
 290 295 300  
 His Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala  
 305 310 315 320  
 25 Val Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys  
 325 330 335  
 Gly Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu  
 340 345 350  
 30 Ala Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys  
 355 360 365  
 His Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn  
 370 375 380  
 Ser Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His  
 385 390 395 400  
 35 Ile Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp  
 405 410 415  
 Tyr Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn  
 420 425 430  
 40 Arg Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln  
 435 440 445  
 Ala Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser  
 450 455 460  
 Arg Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser  
 465 470 475 480  
 45 Lys Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr  
 485 490 495  
 Leu Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val  
 500 505 510  
 50 Cys Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly  
 515 520 525  
 Pro Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val  
 530 535 540  
 Ser Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly  
 545 550 555 560  
 55 Lys Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp  
 565 570 575  
 Asp Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ala Glu  
 580 585 590

60 Tyr Asp Pro Arg Ser Val Asp Leu Gln Val Ser Gly His Tyr Lys His  
 645 650 655

Val Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys  
 660 665 670  
 Arg Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val  
 675 680 685  
 5 Phe Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile  
 690 695 700  
 Pro Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu  
 705 710 715 720  
 Ser His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly  
 725 730 735  
 10 Leu Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr  
 740 745 750  
 Phe Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu  
 755 760 765  
 15 Gly Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu  
 770 775 780  
 Leu Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser  
 785 790 795 800  
 Leu Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala  
 805 810 815  
 20 Gln Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln  
 820 825 830  
 Leu Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys  
 835 840 845  
 25 Leu Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp  
 850 855 860  
 Trp Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly  
 865 870 875 880  
 Val Arg Ser Thr Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu  
 885 890 895  
 30 Glu Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val  
 900 905 910  
 Leu Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Thr Leu  
 915 920 925  
 35 Asp Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg  
 930 935 940  
 Val Val Leu Cys Lys Ser Ala Asp Gln Arg Ser Thr Leu Pro Pro Gly  
 945 950 955 960  
 His Cys Leu Pro Ala Ala Lys Pro Pro Ser Thr Met Arg Cys Asn Leu  
 965 970 975  
 40 Arg Arg Cys Pro Pro Ala Arg Trp Val Thr Ser Glu Trp Gly Glu Cys  
 980 985 990  
 Ser Thr Gln Cys Gly Leu Gly Gln Gln Gln Arg Thr Val Arg Cys Thr  
 995 1000 1005  
 45 Ser His Thr Gly Gln Pro Ser Arg Glu Cys Thr Glu Ala Leu Arg Pro  
 1010 1015 1020  
 Ser Thr Met Gln Gln Cys Glu Ala Lys Cys Asp Ser Val Val Pro Pro  
 1025 1030 1035 1040  
 Gly Asp Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys  
 1045 1050 1055  
 50 Pro Leu Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln  
 1060 1065 1070  
 Met Cys Cys Lys Thr Cys Gln Gly Arg  
 1075 1080

55

1010 1015  
 1020 1025  
 1030 1035  
 1040 1045  
 1050 1055  
 1060 1065  
 1070 1075  
 1080 1085  
 1090 1095  
 1100 1105  
 1110 1115  
 1120 1125  
 1130 1135  
 1140 1145  
 1150 1155  
 1160 1165  
 1170 1175  
 1180 1185  
 1190 1195  
 1200 1205  
 1210 1215  
 1220 1225  
 1230 1235  
 1240 1245  
 1250 1255  
 1260 1265  
 1270 1275  
 1280 1285  
 1290 1295  
 1300 1305  
 1310 1315  
 1320 1325  
 1330 1335  
 1340 1345  
 1350 1355  
 1360 1365  
 1370 1375  
 1380 1385  
 1390 1395  
 1400 1405  
 1410 1415  
 1420 1425  
 1430 1435  
 1440 1445  
 1450 1455  
 1460 1465  
 1470 1475  
 1480 1485  
 1490 1495  
 1500 1505  
 1510 1515  
 1520 1525  
 1530 1535  
 1540 1545  
 1550 1555  
 1560 1565  
 1570 1575  
 1580 1585  
 1590 1595  
 1600 1605  
 1610 1615  
 1620 1625  
 1630 1635  
 1640 1645  
 1650 1655  
 1660 1665  
 1670 1675  
 1680 1685  
 1690 1695  
 1700 1705  
 1710 1715  
 1720 1725  
 1730 1735  
 1740 1745  
 1750 1755  
 1760 1765  
 1770 1775  
 1780 1785  
 1790 1795  
 1800 1805  
 1810 1815  
 1820 1825  
 1830 1835  
 1840 1845  
 1850 1855  
 1860 1865  
 1870 1875  
 1880 1885  
 1890 1895  
 1900 1905  
 1910 1915  
 1920 1925  
 1930 1935  
 1940 1945  
 1950 1955  
 1960 1965  
 1970 1975  
 1980 1985  
 1990 1995  
 2000 2005  
 2010 2015  
 2020 2025  
 2030 2035  
 2040 2045  
 2050 2055  
 2060 2065  
 2070 2075  
 2080 2085  
 2090 2095  
 2100 2105  
 2110 2115  
 2120 2125  
 2130 2135  
 2140 2145  
 2150 2155  
 2160 2165  
 2170 2175  
 2180 2185  
 2190 2195  
 2200 2205  
 2210 2215  
 2220 2225  
 2230 2235  
 2240 2245  
 2250 2255  
 2260 2265  
 2270 2275  
 2280 2285  
 2290 2295  
 2300 2305  
 2310 2315  
 2320 2325  
 2330 2335  
 2340 2345  
 2350 2355  
 2360 2365  
 2370 2375  
 2380 2385  
 2390 2395  
 2400 2405  
 2410 2415  
 2420 2425  
 2430 2435  
 2440 2445  
 2450 2455  
 2460 2465  
 2470 2475  
 2480 2485  
 2490 2495  
 2500 2505  
 2510 2515  
 2520 2525  
 2530 2535  
 2540 2545  
 2550 2555  
 2560 2565  
 2570 2575  
 2580 2585  
 2590 2595  
 2600 2605  
 2610 2615  
 2620 2625  
 2630 2635  
 2640 2645  
 2650 2655  
 2660 2665  
 2670 2675  
 2680 2685  
 2690 2695  
 2700 2705  
 2710 2715  
 2720 2725  
 2730 2735  
 2740 2745  
 2750 2755  
 2760 2765  
 2770 2775  
 2780 2785  
 2790 2795  
 2800 2805  
 2810 2815  
 2820 2825  
 2830 2835  
 2840 2845  
 2850 2855  
 2860 2865  
 2870 2875  
 2880 2885  
 2890 2895  
 2900 2905  
 2910 2915  
 2920 2925  
 2930 2935  
 2940 2945  
 2950 2955  
 2960 2965  
 2970 2975  
 2980 2985  
 2990 2995  
 3000 3005  
 3010 3015  
 3020 3025  
 3030 3035  
 3040 3045  
 3050 3055  
 3060 3065  
 3070 3075  
 3080 3085  
 3090 3095  
 3100 3105  
 3110 3115  
 3120 3125  
 3130 3135  
 3140 3145  
 3150 3155  
 3160 3165  
 3170 3175  
 3180 3185  
 3190 3195  
 3200 3205  
 3210 3215  
 3220 3225  
 3230 3235  
 3240 3245  
 3250 3255  
 3260 3265  
 3270 3275  
 3280 3285  
 3290 3295  
 3300 3305  
 3310 3315  
 3320 3325  
 3330 3335  
 3340 3345  
 3350 3355  
 3360 3365  
 3370 3375  
 3380 3385  
 3390 3395  
 3400 3405  
 3410 3415  
 3420 3425  
 3430 3435  
 3440 3445  
 3450 3455  
 3460 3465  
 3470 3475  
 3480 3485  
 3490 3495  
 3500 3505  
 3510 3515  
 3520 3525  
 3530 3535  
 3540 3545  
 3550 3555  
 3560 3565  
 3570 3575  
 3580 3585  
 3590 3595  
 3600 3605  
 3610 3615  
 3620 3625  
 3630 3635  
 3640 3645  
 3650 3655  
 3660 3665  
 3670 3675  
 3680 3685  
 3690 3695  
 3700 3705  
 3710 3715  
 3720 3725  
 3730 3735  
 3740 3745  
 3750 3755  
 3760 3765  
 3770 3775  
 3780 3785  
 3790 3795  
 3800 3805  
 3810 3815  
 3820 3825  
 3830 3835  
 3840 3845  
 3850 3855  
 3860 3865  
 3870 3875  
 3880 3885  
 3890 3895  
 3900 3905  
 3910 3915  
 3920 3925  
 3930 3935  
 3940 3945  
 3950 3955  
 3960 3965  
 3970 3975  
 3980 3985  
 3990 3995  
 4000 4005  
 4010 4015  
 4020 4025  
 4030 4035  
 4040 4045  
 4050 4055  
 4060 4065  
 4070 4075  
 4080 4085  
 4090 4095  
 4100 4105  
 4110 4115  
 4120 4125  
 4130 4135  
 4140 4145  
 4150 4155  
 4160 4165  
 4170 4175  
 4180 4185  
 4190 4195  
 4200 4205  
 4210 4215  
 4220 4225  
 4230 4235  
 4240 4245  
 4250 4255  
 4260 4265  
 4270 4275  
 4280 4285  
 4290 4295  
 4300 4305  
 4310 4315  
 4320 4325  
 4330 4335  
 4340 4345  
 4350 4355  
 4360 4365  
 4370 4375  
 4380 4385  
 4390 4395  
 4400 4405  
 4410 4415  
 4420 4425  
 4430 4435  
 4440 4445  
 4450 4455  
 4460 4465  
 4470 4475  
 4480 4485  
 4490 4495  
 4500 4505  
 4510 4515  
 4520 4525  
 4530 4535  
 4540 4545  
 4550 4555  
 4560 4565  
 4570 4575  
 4580 4585  
 4590 4595  
 4600 4605  
 4610 4615  
 4620 4625  
 4630 4635  
 4640 4645  
 4650 4655  
 4660 4665  
 4670 4675  
 4680 4685  
 4690 4695  
 4700 4705  
 4710 4715  
 4720 4725  
 4730 4735  
 4740 4745  
 4750 4755  
 4760 4765  
 4770 4775  
 4780 4785  
 4790 4795  
 4800 4805  
 4810 4815  
 4820 4825  
 4830 4835  
 4840 4845  
 4850 4855  
 4860 4865  
 4870 4875  
 4880 4885  
 4890 4895  
 4900 4905  
 4910 4915  
 4920 4925  
 4930 4935  
 4940 4945  
 4950 4955  
 4960 4965  
 4970 4975  
 4980 4985  
 4990 4995  
 5000 5005  
 5010 5015  
 5020 5025  
 5030 5035  
 5040 5045  
 5050 5055  
 5060 5065  
 5070 5075  
 5080 5085  
 5090 5095  
 5100 5105  
 5110 5115  
 5120 5125  
 5130 5135  
 5140 5145  
 5150 5155  
 5160 5165  
 5170 5175  
 5180 5185  
 5190 5195  
 5200 5205  
 5210 5215  
 5220 5225  
 5230 5235  
 5240 5245  
 5250 5255  
 5260 5265  
 5270 5275  
 5280 5285  
 5290 5295  
 5300 5305  
 5310 5315  
 5320 5325  
 5330 5335  
 5340 5345  
 5350 5355  
 5360 5365  
 5370 5375  
 5380 5385  
 5390 5395  
 5400 5405  
 5410 5415  
 5420 5425  
 5430 5435  
 5440 5445  
 5450 5455  
 5460 5465  
 5470 5475  
 5480 5485  
 5490 5495  
 5500 5505  
 5510 5515  
 5520 5525  
 5530 5535  
 5540 5545  
 5550 5555  
 5560 5565  
 5570 5575  
 5580 5585  
 5590 5595  
 5600 5605  
 5610 5615  
 5620 5625  
 5630 5635  
 5640 5645  
 5650 5655  
 5660 5665  
 5670 5675  
 5680 5685  
 5690 5695  
 5700 5705  
 5710 5715  
 5720 5725  
 5730 5735  
 5740 5745  
 5750 5755  
 5760 5765  
 5770 5775  
 5780 5785  
 5790 5795  
 5800 5805  
 5810 5815  
 5820 5825  
 5830 5835  
 5840 5845  
 5850 5855  
 5860 5865  
 5870 5875  
 5880 5885  
 5890 5895  
 5900 5905  
 5910 5915  
 5920 5925  
 5930 5935  
 5940 5945  
 5950 5955  
 5960 5965  
 5970 5975  
 5980 5985  
 5990 5995  
 6000 6005  
 6010 6015  
 6020 6025  
 6030 6035  
 6040 6045  
 6050 6055  
 6060 6065  
 6070 6075  
 6080 6085  
 6090 6095  
 6100 6105  
 6110 6115  
 6120 6125  
 6130 6135  
 6140 6145  
 6150 6155  
 6160 6165  
 6170 6175  
 6180 6185  
 6190 6195  
 6200 6205  
 6210 6215  
 6220 6225  
 6230 6235  
 6240 6245  
 6250 6255  
 6260 6265  
 6270 6275  
 6280 6285  
 6290 6295  
 6300 6305  
 6310 6315  
 6320 6325  
 6330 6335  
 6340 6345  
 6350 6355  
 6360 6365  
 6370 6375  
 6380 6385  
 6390 6395  
 6400 6405  
 6410 6415  
 6420 6425  
 6430 6435  
 6440 6445  
 6450 6455  
 6460 6465  
 6470 6475  
 6480 6485  
 6490 6495  
 6500 6505  
 6510 6515  
 6520 6525  
 6530 6535  
 6540 6545  
 6550 6555  
 6560 6565  
 6570 6575  
 6580 6585  
 6590 6595  
 6600 6605  
 6610 6615  
 6620 6625  
 6630 6635  
 6640 6645  
 6650 6655  
 6660 6665  
 6670 6675  
 6680 6685  
 6690 6695  
 6700 6705  
 6710 6715  
 6720 6725  
 6730 6735  
 6740 6745  
 6750 6755  
 6760 6765  
 6770 6775  
 6780 6785  
 6790 6795  
 6800 6805  
 6810 6815  
 6820 6825  
 6830 6835  
 6840 6845  
 6850 6855  
 6860 6865  
 6870 6875  
 6880 6885  
 6890 6895  
 6900 6905  
 6910 6915  
 6920 6925  
 6930 6935  
 6940 6945  
 6950 6955  
 6960 6965  
 6970 6975  
 6980 6985  
 6990 6995  
 7000 7005  
 7010 7015  
 7020 7025  
 7030 7035  
 7040 7045  
 7050 7055  
 7060 7065  
 7070 7075  
 7080 7085  
 7090 7095  
 7100 7105  
 7110 7115  
 7120 7125  
 7130 7135  
 7140 7145  
 7150 7155  
 7160 7165  
 7170 7175  
 7180 7185  
 7190 7195  
 7200 7205  
 7210 7215  
 7220 7225  
 7230 7235  
 7240 7245  
 7250 7255  
 7260 7265  
 7270 7275  
 7280 7285  
 7290 7295  
 7300 7305  
 7310 7315  
 7320 7325  
 7330 7335  
 7340 7345  
 7350 7355  
 7360 7365  
 7370 7375  
 7380 7385  
 7390 7395  
 7400 7405  
 7410 7415  
 7420 7425  
 7430 7435  
 7440 7445  
 7450 7455  
 7460 7465  
 7470 7475  
 7480 7485  
 7490 7495  
 7500 7505  
 7510 7515  
 7520 7525  
 7530 7535  
 7540 7545  
 7550 7555  
 7560 7565  
 7570 7575  
 7580 7585  
 7590 7595  
 7600 7605  
 7610 7615  
 7620 7625  
 7630 7635  
 7640 7645  
 7650 7655  
 7660 7665  
 7670 7675  
 7680 7685  
 7690 7695  
 7700 7705  
 7710 7715  
 7720 7725  
 7730 7735  
 7740 7745  
 7750 7755  
 7760 7765  
 7770 7775  
 7780 7785  
 7790 7795  
 7800 7805  
 7810 7815  
 7820 7825  
 7830 7835  
 7840 7845  
 7850 7855  
 7860 7865  
 7870 7875  
 7880 7885  
 7890 7895  
 7900 7905  
 7910 7915  
 7920 7925  
 7930 7935  
 7940 7945  
 7950 7955  
 7960 7965  
 7970 7975  
 7980 7985  
 7990 7995  
 8000 8005  
 8010 8015  
 8020 8025  
 8030 8035  
 8040 8045  
 8050 8055  
 8060 8065  
 8070 8075  
 8080 8085  
 8090 8095  
 8100 8105  
 8110 8115  
 8120 8125  
 8130 8135  
 8140 8145  
 8150 8155  
 8160 8165  
 8170 8175  
 8180 8185  
 8190 8195  
 8200 8205  
 8210 8215  
 8220 8225  
 8230 8235  
 8240 8245  
 8250 8255  
 8260 8265  
 8270 8275  
 8280 8285  
 8290 8295  
 8300 8305  
 8310 8315  
 8320 8325  
 8330 8335  
 8340 8345  
 8350 8355  
 8360 8365  
 8370 8375  
 8380 8385  
 8390 8395  
 8400 8405  
 8410 8415  
 8420 8425  
 8430 8435  
 8440 8445  
 8450 8455  
 8460 8465  
 8470 8475  
 8480 8485  
 8490 8495  
 8500 8505  
 8510 8515  
 8520 8525  
 8530 8535  
 8540 8545  
 8550 8555  
 8560 8565  
 8570 8575  
 8580 8585  
 8590 8595  
 8600 8605  
 8610 8615  
 8620 8625  
 8630 8635  
 8640 8645  
 8650 8655  
 8660 8665  
 8670 8675  
 8680 8685  
 8690 8695  
 8700 8705  
 8710 8715  
 8720 8725  
 8730 8735  
 8740 8745  
 8750 8755  
 8760 8765  
 8770 8775  
 8780 8785  
 8790 8795  
 8800 8805  
 8810 8815  
 8820 8825  
 8830 8835  
 8840 8845  
 8850 8855

```

<220>
<221> misc_feature
<222> (338)...(340)

5 <220>
<221> misc_feature
<222> (353)...(355)

<400> 18
10 a gca gca gct gtg gtg gat gga aca ccc tgc cgc cct gac acg gtg gac 49
    Ala Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp
        1             5             10             15

    att tgt gtc agc ggc gag tgc aag cat gta ggc tgt gac agg ctc ctg 97
15 ile cys val ser gly glu cys lys his val gly cys asp arg leu leu
        20             25             30

    ggt tct gat ctc cga gag gac aaa tgc cgt gtg tgt ggg ggt gat ggc 145
20 gly ser asp leu arg glu asp lys cys arg val cys gly gly asp gly
        35             40             45

    agt gcc tgt gag acc att gaa ggt gtc ttt agc cca gct ttg cca gga 193
    ser ala cys glu thr ile glu gly val phe ser pro ala leu pro gly
        50             55             60

25 act ggg tat gag gac gtc gtc tgg atc ccc aaa ggc tgc gtc cac att 241
    thr gly tyr glu asp val val trp ile pro lys gly ser val his ile
        65             70             75             80

30 ttc atc caa gat ctg aac ctg tcc ctg agt cac ctg gcc cta aag ggg 289
    phe ile gln asp leu asn leu ser leu ser his leu ala leu lys gly
        85             90             95

    gac caa gag tct ctg cta ctg gag ggg cta cct ggc acc ccc caa cct 337
35 asp gln glu ser leu leu leu glu gly leu pro gly thr pro gln pro
        100             105             110

    nac cgc ctt ccc ctg gnt ggg acc aca ttt cat cta cgg cag ggg cgg 385
40 xaa arg leu pro leu xaa gly thr thr phe his leu arg gln gly pro
        125             120             125

    gac cag gca cag agc ctg gaa gcc ctg gga ccc att aat gca tct ctc 433
    asp gln ala gln ser leu glu ala leu gly pro ile asn ala ser leu
        130             135             140

45 atc atc atg gtg ctg ggc cag gca gag ttg cct ggt ctc cac tgc cgc 481
    ile ile met val leu ala gln ala glu leu pro ala leu his tyr arg
        145             150             155             160

50 ttc aac gca ccc att gcc cgg gat gca ctg ggt ccc tac tcc tgg cag 529
    phe asn ala pro ile ala arg asp ala leu pro pro tyr ser trp his
        165             170             175

    tat gcc ccc tgg acc aaa tgt tca gcc cag tgt gca ggc ggc agc cag 577
55 tyr ala pro trp thr lys cys ser ala gln cys ala gly gly ser gln
        180             185             190

    tta aca gta gta gaa tta tta tta tta tta tta tta tta tta tta 625

```

[illegible][illegible]

5

1642

5 <210> 19  
 <211> 450  
 <212> PRT  
 <213> Mus musculus ADAMTS-10

10 <400> 19  
 Ala Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp  
 1 5 10 15  
 Ile Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Leu Leu  
 15 20 25 30  
 Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly  
 35 40 45  
 20 Ser Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Leu Pro Gly  
 50 55 60  
 Thr Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile  
 65 70 75 80  
 25 Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly  
 85 90 95  
 Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro  
 100 105 110  
 Xaa Arg Leu Pro Leu Xaa Gly Thr Thr Phe His Leu Arg Gln Gly Pro  
 115 120 125  
 35 Asp Gln Ala Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu  
 130 135 140  
 Ile Ile Met Val Leu Ala Gln Ala Glu Leu Pro Ala Leu His Tyr Arg  
 145 150 155 160  
 40 Phe Asn Ala Pro Ile Ala Arg Asp Ala Leu Pro Pro Tyr Ser Trp His  
 165 170 175  
 Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln  
 180 185 190  
 Val Gln Val Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala  
 195 200 205  
 50 Pro His Tyr Cys Ser Gly His Ser Lys Leu Pro Lys Arg Gln Arg Ala  
 210 215 220  
 Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser  
 225 230 235 240  
 55 Arg Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val  
 245 250 255

60 Val Val Val Val Val Val Val Val Val Val Val Val Val Val Val Val  
 260 265 270 275 280 285 290 295 300



	Ser	Cys	Gly	Pro	Gly	Leu	Arg	His	Arg	Val	Val	Leu	Cys	Lys	Ser	Ala	
	305				310					315						320	
5	Asp	Gln	Arg	Ser	Thr	Leu	Pro	Pro	Gly	His	Cys	Leu	Pro	Ala	Ala	Lys	
					325				330						335		
	Pro	Pro	Ser	Thr	Met	Arg	Cys	Asn	Leu	Arg	Arg	Cys	Pro	Pro	Ala	Arg	
					340				345					350			
10	Trp	Val	Thr	Ser	Glu	Trp	Gly	Glu	Cys	Ser	Thr	Gln	Cys	Gly	Leu	Gly	
					355			360					365				
	Gln	Gln	Gln	Arg	Thr	Val	Arg	Cys	Thr	Ser	His	Thr	Gly	Gln	Pro	Ser	
15		370					375					380					
	Arg	Glu	Cys	Thr	Glu	Ala	Leu	Arg	Pro	Ser	Thr	Met	Gln	Gln	Cys	Glu	
	385					390					395					400	
20	Ala	Lys	Cys	Asp	Ser	Val	Val	Pro	Pro	Gly	Asp	Gly	Pro	Glu	Glu	Cys	
					405					410					415		
	Lys	Asp	Val	Asn	Lys	Val	Ala	Tyr	Cys	Pro	Leu	Val	Leu	Lys	Phe	Gln	
					420				425					430			
25	Phe	Cys	Ser	Arg	Ala	Tyr	Phe	Arg	Gln	Met	Ser	Cys	Lys	Thr	Cys	Gln	
			435					440					445				
	Gly	Arg															
30		450															
	<210>	20															
35	<211>	1803															
	<212>	DNA															
	<213>	Homo sapiens ADAMTS-R1															
	<220>																
40	<221>	CDS															
	<222>	(51)..(1634)															
	<400>	20															
	gaattcgggca cgaggcagtg ttcgattctg attccgggcaa ggatccaagc atg gaa																56
45															Met	Glu	
	tgc tgc ggt cgg gca acc cct gga aca atg atc ctc ttc atg ggt ttc																104
50	Cys Cys Arg Arg Ala Thr Pro Gly Thr Leu Leu Leu Phe Leu Ala Phe																
		5						10					15				
	ctg ctc atg agt tcc agg acc gca cgc tcc gag gag gac cgg gac ggc																152
	Leu Leu Leu Ser Ser Arg Thr Ala Arg Ser Glu Glu Asp Arg Asp Gly																
		20						25					30				
55	cta tgg gat gcc tgg ggc cca tgg agt gaa tgc tca cgc acc tgc ggg																200
	Leu Trp Asp Ala Trp Gly Pro Trp Ser Glu Cys Ser Arg Thr Cys Gly																
		35						40				45					50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30  
 1 Jan 2 Jan 3 Jan 4 Jan 5 Jan 6 Jan 7 Jan 8 Jan 9 Jan 10 Jan 11 Jan 12 Jan 13 Jan 14 Jan 15 Jan 16 Jan 17 Jan 18 Jan 19 Jan 20 Jan 21 Jan 22 Jan 23 Jan 24 Jan 25 Jan 26 Jan 27 Jan 28 Jan 29 Jan 30 Jan 31 Jan 31  
 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998

	cca gaa gca ggt gat ttc cga gct cag caa tgc tca gct cat aat gat	344
	Pro Glu Ala Gly Asp Phe Arg Ala Gln Gln Cys Ser Ala His Asn Asp	
	35 90 95	
5	gtc aag cac cat ggc cag ttt tat gaa tgg ctt cct gtg tct aat gac	392
	Val Lys His His Gly Gln Phe Tyr Glu Trp Leu Pro Val Ser Asn Asp	
	100 105 110	
10	cct gac aac cca tgt tca ctc aag tgc caa gcc aaa gga aca acc ctg	440
	Pro Asp Asn Pro Cys Ser Leu Lys Cys Gln Ala Lys Gly Thr Thr Leu	
	115 120 125 130	
15	gtt gtt gaa cta gca cct aag gtc tta gat ggt acg cgt tgc tat aca	488
	Val Val Glu Leu Ala Pro Lys Val Leu Asp Gly Thr Arg Cys Tyr Thr	
	135 140 145	
20	gaa tct ttg gat atg tgc atc agt ggt tta tgc caa att gtt ggc tgc	536
	Glu Ser Leu Asp Met Cys Ile Ser Gly Leu Cys Gln Ile Val Gly Cys	
	150 155 160	
25	gat cac cag ctg gga agc acc gtc aag gaa gat aac tgt ggg gtc tgc	584
	Asp His Gln Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly Val Cys	
	165 170 175	
30	aac gga gat ggg tcc acc tgc cgg ctg gtc cga ggg cag tat aaa tcc	632
	Asn Gly Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr Lys Ser	
	180 185 190	
35	cag ctc tcc gca acc aaa tgc gat gat act gtg gtt gca att ccc tat	680
	Gln Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile Pro Tyr	
	195 200 205 210	
40	gga agt aga cat att cgc ctt gtc tta aaa ggt cct gat cac tta tat	728
	Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His Leu Tyr	
	215 220 225	
45	ctg gaa acc aaa acc ctc cag ggg act aaa ggt gaa aac agt ctc agc	776
	Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser Leu Ser	
	230 235 240	
50	tcc aca gga act ttc ctt gtg gac aat tct agt gtg gac ttc cag aaa	824
	Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp Phe Gln Lys	
	245 250 255	
55	att cca gac aaa gag ata ctg aga atg ggt gga cca ctc gca gca gat	872
	Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro Leu Thr Ala Asp	
	260 265 270	
60	ttc att gtc aag att cgt aat tgc ggc ttc ggt gat agt aca gtc aag	920
	Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala Asp Ser Thr Val Gln	
	275 280 285 290	
65	ttc atc ttc tat caa ccc atc atc cac cga tgg agg gag acg gat ttc	968
	Phe Ile Phe Tyr Gln Pro Ile Ile His Arg Trp Arg Glu Thr Asp Phe	
	295 300 305	
70	att att tta tta gca gca tta tta tta tta tta tta tta tta tta tta	1016
75	gat gat tat cca gag aat att aaa ttc aca ttc aag ttc aag gat ttc	1064

His Tyr Tyr Pro Glu Asn Ile Lys Pro Lys Pro Lys Leu Gln Glu Cys  
 340 345 350  
 5 aac ttg gat cct tgt cca gcc agt gac gga tac aag cag atc atg cct 1160  
 Asn Leu Asp Pro Cys Pro Ala Ser Asp Gly Tyr Lys Gln Ile Met Pro  
 355 360 365 370  
 10 tat gac ctc tac cat ccc ctt cct cgg tgg gag gcc acc cca tgg acc 1208  
 Tyr Asp Leu Tyr His Pro Leu Pro Arg Trp Glu Ala Thr Pro Trp Thr  
 375 380 385  
 15 gcg tgc tcc tcc tcc tgt ggg ggg gcc atc cag agc cgg gca gtt tcc 1256  
 Ala Cys Ser Ser Ser Cys Gly Gly Ile Gln Ser Arg Ala Val Ser  
 390 395 400  
 20 tgt gtg gag gag gac atc cag ggg cat gtc act tca gtc gaa gag tgg 1304  
 Cys Val Glu Glu Asp Ile Gln Gly His Val Thr Ser Val Glu Glu Trp  
 405 410 415  
 25 aaa tgc atg tac acc cct aag atg ccc atc gcg cag ccc tgc aac att 1352  
 Lys Cys Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys Asn Ile  
 420 425 430  
 30 ttt gac tgc cct aaa tgg ctg gca cag gag tgg tct ccg tgc aca gtg 1400  
 Phe Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys Thr Val  
 435 440 445 450  
 acg tgt ggc tag ggc ctc aga tac cgt gtg gtc ctc tgc atc gac cat 1448  
 Thr Cys Gly Gln Glu Leu Arg Tyr Arg Val Val Leu Cys Ile Asp His  
 455 460 465  
 35 cga gga atg cac aca gga ggc tgt agc cca aaa aca aag ccc cac ata 1496  
 Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro His Ile  
 470 475 480  
 40 aaa gag gaa tgc atc gta ccc act ccc tgc tat aaa ccc aaa gag aaa 1544  
 Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro Lys Glu Lys  
 485 490 495  
 45 ctt cca gtc bag gcc aag ttg cca tgg ttc aaa caa gct caa gag cta 1592  
 Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln Ala Gln Glu Leu  
 500 505 510  
 gaa gaa gga gct gct gtg tca gag gag ccc tcc taa gtt gta 1624  
 Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser Val Val  
 515 520 525  
 aaagacaga cgtttctata ttgaaactt ttgttttaag aaagcagttt ctacatggtt 1694  
 55 gtatgtttca tgggttcaga actaagtgta ataatctat aaagctttt tggatctcaa 1754  
 attaaagatt gattagtctt aaaaaaaaaa aaaaaaaaga tgcggcggc 1803  
 56 <210> 21  
 <211> 525  
 <212> FRT  
 [11] Homo sapiens CDWTS-1

60 Arg Gly Leu Trp Arg Ala Trp Ala Ile Arg Ser Thr Lys 1624  
 30 40 50

Cys Gly Gly Gly Ala Ala Asn Ser Leu Arg Arg Cys Leu Ser Ser Lys  
 50 55 60  
 Ser Cys Glu Gly Arg Asn Ile Arg Tyr Arg Thr Cys Ser Asn Val Asp  
 65 70 75  
 5 Cys Pro Pro Glu Ala Gly Asp Phe Arg Ala Gln Gln Cys Ser Ala His  
 85 90 95  
 Asn Asp Val Lys His His Gly Gln Phe Tyr Glu Trp Leu Pro Val Ser  
 100 105 110  
 10 Asn Asp Pro Asp Asn Pro Cys Ser Leu Lys Cys Gln Ala Lys Gly Thr  
 115 120 125  
 Thr Leu Val Val Glu Leu Ala Pro Lys Val Leu Asp Gly Thr Arg Cys  
 130 135 140  
 Tyr Thr Glu Ser Leu Asp Met Cys Ile Ser Gly Leu Cys Gln Ile Val  
 145 150 155 160  
 15 Gly Cys Asp His Gln Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly  
 165 170 175  
 Val Cys Asn Gly Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr  
 180 185 190  
 20 Lys Ser Gln Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile  
 195 200 205  
 Pro Tyr Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His  
 210 215 220  
 Leu Tyr Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser  
 225 230 235 240  
 25 Leu Ser Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp Phe  
 245 250 255  
 Gln Lys Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro Leu Thr  
 260 265 270  
 30 Ala Asp Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala Asp Ser Thr  
 275 280 285  
 Val Gln Phe Ile Phe Tyr Gln Pro Ile Ile His Arg Trp Arg Glu Thr  
 290 295 300  
 Asp Phe Phe Pro Cys Ser Ala Thr Cys Gly Gly Tyr Gln Leu Thr  
 305 310 315 320  
 35 Ser Ala Glu Cys Tyr Asp Leu Arg Ser Asn Arg Val Val Ala Asp Gln  
 325 330 335  
 Tyr Cys His Tyr Tyr Pro Glu Asn Ile Lys Pro Lys Pro Lys Leu Gln  
 340 345 350  
 40 Glu Cys Asn Leu Asp Pro Cys Pro Ala Ser Asp Gly Tyr Lys Gln Ile  
 355 360 365  
 Met Pro Tyr Asp Leu Tyr His Pro Leu Pro Arg Trp Glu Ala Thr Pro  
 370 375 380  
 Trp Thr Ala Cys Ser Ser Cys Gly Gly Gly Ile Gln Ser Arg Ala  
 385 390 395 400  
 45 Val Ser Cys Val Glu Glu Asp Ile Gln Gly His Val Thr Ser Val Glu  
 405 410 415  
 Glu Trp Lys Cys Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys  
 420 425 430  
 50 Asn Ile Phe Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys  
 435 440 445  
 Thr Val Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile  
 450 455 460  
 Asp His Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro  
 465 470 475 480  
 55 His Ile Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro Lys  
 485 490 495  
 Glu Lys Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln Ala Gln  
 500 505 510

<400> 22

Val Arg Ile Pro Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys  
 340 345 350  
 5 Ala Lys Asp Gln Thr Arg Phe Thr Ala Tyr Leu Ala Leu Lys Lys Lys  
 355 360 365  
 Asn Gly Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu  
 370 375 380  
 10 Thr Ile Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser  
 385 390 395 400  
 His Arg Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu  
 405 410 415  
 15 Ile Leu Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Pro Leu Asp  
 420 425 430  
 Val Arg Tyr Ser Phe Phe Val Pro Lys Lys Ser Thr Pro Lys Val Asn  
 435 440 445  
 20 Ser Val Thr Ser His Gly Ser Asn Lys Val Gly Ser His Thr Ser Gln  
 450 455 460  
 25 Pro Gln Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp  
 465 470 475 480  
 Thr Gly Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys  
 485 490 495  
 30 Leu Ala Lys Gly Cys Pro Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln  
 500 505 510  
 Cys Leu Leu Lys Lys Cys  
 35 515  
  
 <210> 23  
 <211> 3409  
 40 <212> DNA  
 <213> Homo sapiens ADAMTS-10  
  
 <220>  
 <221> CDS  
 45 <222> (25)...33401  
  
 <400> 23  
 tcaaggacaggt attttaggtat caag atg agt tcc tgc tca gtc tgg aga gtt 51  
 Met Ser Ser Cys Pro Val Trp Arg Ala  
 50 1 5  
  
 atg aga tgg cct tcc cca ccc gag tgg acc aca acg ggg cac tgc tgg 55  
 Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys Trp  
 10 15 20 25  
 65 cct tct agc cac ctg ctg ccc gga gca gcc ccc ggg cac ggg ggc cac 147  
 Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly His  
 20 25 30 35 40

45 tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca  
 50 tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca  
 55 tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca  
 60 tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca tca

	gtg	gag	tac	tgg	aca	ggg	gag	ggc	ctg	ggc	tgg	cag	agg	ggg	ggc	ggg	291
	Val	Glu	Tyr	Trp	Thr	Arg	Glu	Gly	Leu	Ala	Trp	Gln	Arg	Ala	Ala	Arg	
	75						80					85					
5	ccc	cac	tgc	ctc	tac	gct	ggt	cac	ctg	cag	ggc	cag	gcc	agg	agg	ccc	339
	Pro	His	Cys	Leu	Tyr	Ala	Gly	His	Leu	Gln	Gly	Gln	Ala	Ser	Ser	Ser	
	90					95					100					105	
10	cat	gtg	gdc	atc	agg	acc	tgt	gga	ggc	ctg	cac	ggc	ctg	atc	gtg	gca	387
	His	Val	Ala	Ile	Ser	Thr	Cys	Gly	Gly	Leu	His	Gly	Leu	Ile	Val	Ala	
					110					115				120			
15	gac	gag	gaa	gag	tac	ctg	att	gag	ccc	ctg	cac	ggt	ggg	ccc	aag	ggc	435
	Asp	Glu	Glu	Glu	Tyr	Leu	Ile	Glu	Pro	Leu	His	Gly	Gly	Pro	Lys	Gly	
				125					130					135			
20	tct	cgg	agc	ccg	gag	gaa	agt	gga	cca	cat	gtg	gtg	tac	aag	cgt	ccc	483
	Ser	Arg	Ser	Pro	Glu	Glu	Ser	Gly	Pro	His	Val	Val	Tyr	Lys	Arg	Ser	
			140					145					150				
25	tct	ctg	cgt	tac	ccc	cac	ctg	gac	aca	gcc	tgt	gga	gtg	aga	gat	gag	531
	Ser	Leu	Arg	His	Pro	His	Leu	Asp	Thr	Ala	Cys	Gly	Val	Arg	Asp	Glu	
		155					160					165					
30	aaa	ccg	tgg	aaa	ggg	cgg	cca	tgg	tgg	ctg	cgg	acc	ttg	aag	cca	ccg	579
	Lys	Pro	Trp	Lys	Gly	Arg	Pro	Trp	Trp	Leu	Arg	Thr	Leu	Lys	Pro	Pro	
	170				175						180					185	
35	ccg	gdc	aga	ccc	ctg	ggg	aat	gaa	aca	gag	cgt	ggc	cag	cca	ggc	ctg	627
	Pro	Ala	Arg	Pro	Leu	Gly	Asn	Glu	Thr	Glu	Arg	Gly	Gln	Pro	Gly	Leu	
				190						195				200			
40	aag	cga	tcg	gtc	agg	cga	gag	cgc	tac	gtg	gag	acc	ctg	gtg	gtg	gct	675
	Lys	Arg	Ser	Val	Ser	Arg	Glu	Arg	Tyr	Val	Glu	Thr	Leu	Val	Val	Ala	
				205					210					215			
45	gac	aag	atg	atg	gtg	gdc	tat	cac	ggg	cgc	cgg	gat	gtg	gag	cag	tat	723
	Asp	Lys	Met	Met	Val	Ala	Tyr	His	Gly	Arg	Arg	Asp	Val	Glu	Gln	Tyr	
		220					225					230					
50	gtc	ctg	gdc	atc	atg	aac	att	ggt	gdc	aaa	ctt	ttc	cag	gac	tcg	agt	771
	Val	Leu	Ala	Ile	Met	Asn	Ile	Val	Ala	Lys	Leu	Phe	Gln	Asp	Ser	Ser	
	235						240					245					
55	ctg	gga	agc	acc	ggt	aac	atc	ctc	gta	act	cgc	ctc	atc	cgc	ctc	acc	819
	Leu	Gly	Ser	Thr	Val	Asn	Ile	Leu	Val	Thr	Arg	Leu	Ile	Leu	Leu	Thr	
	250				255						260					265	
60	gag	gac	cag	ccc	act	ctg	gag	atc	acc	cac	cat	ggc	ggg	aag	ccc	cta	867

Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu Ala  
 330 335 340 345  
 gca ggc tca atg agg aca ttg gct gcc aca agt gtt cac cat tgc cac 1107  
 5 Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys His  
 350 355 360  
 gag atc ggg cac aca ttc ggc atg aac cat gac ggc gtg gga aac agc 1155  
 10 Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn Ser  
 365 370 375  
 tgt ggg gcc cgt ggt cag gac cca gcc aag ctg atg gct gcc cac att 1203  
 Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His Ile  
 380 385 390  
 15 acc atg aag acc aac cca ttc gtg tgg tca tcc tgc aac cgt gac tac 1251  
 Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp Tyr  
 395 400 405  
 20 atc acc agc ttt cta gac tgc ggc ctg ggg ctg tgc ctg aac aac cgg 1299  
 Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn Arg  
 410 415 420 425  
 ccc ccc aga cag gac ttt gtg tac ccg aca gtg gca ccg ggc caa gcc 1347  
 25 Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln Ala  
 430 435 440  
 tac gat gca gat gag caa tgc cgc ttt cag cat gga gtc aaa tgc cgt 1395  
 Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser Arg  
 30 445 450 455  
 cag tgt aaa tac ggg gag gtc tgc agc gag ctg tgg tgt ctg agc aag 1443  
 Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser Lys  
 460 465 470  
 35 agc aac cgg tgc atc acc aac agc atc ccg gcc gcc gag ggc acg ctg 1491  
 Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr Leu  
 475 480 485  
 40 tgc cag acg cac acc atc gac aag ggg tgg tgc tac aaa ccg gtc tgt 1539  
 Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val Cys  
 490 495 500 505  
 gtc ccc ttt ggg tgc cgc cca gag ggt gtg gac gga gcc tgg ggg ccg 1587  
 45 Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly Pro  
 510 515 520  
 tgg act cca tgg gga gat tgc agt ccg acc tgt ggc ggt ggc gtg tcc 1635  
 50 Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val Ser  
 525 530 535  
 tct tct agt cgt cac tgc gac agc ccc agg cca acc atc ggg ggc aag 1683  
 Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly Lys  
 540 545 550  
 55 tac tat ctg ggt gag cga aga ccg cac ggc ttt tgc acc acg gat gac 1731  
 Tyr Cys Leu Gly Glu Arg Arg His Arg Ser Cys Asn Thr Asp Asp  
 555 560 565  
 60 gag agt atc ttt gtt gga ggt gtc gac agt cgt ggc ggc ggc ggc ggc 1779  
 Asp Ala Ile Leu Phe Arg Gly Lys Glu Tyr Lys Trp Lys Ile Tyr Ala  
 570 575 580 585 590 595 600 605



	gga ggg ggc gtg aag gcc tgc tgg ctc acg agc cta gcg gaa ggc ttc	1875
	Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly Phe	
	605 610 615	
5	aac ttc tac acg gag agg gcg gca gcc gtg gtg gac ggg aca ccc tgc	1923
	Asn Phe Tyr Thr Glu Arg Ala Ala Val Val Asp Gly Thr Pro Cys	
	620 625 630	
10	cgt cca gac acg gtg gac att tgc gtc agt ggc gaa tgc aag cac gtg	1971
	Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His Val	
	635 640 645	
15	ggc tgc gac cga gtc ctg gcc tcc gac ctg cgg gag gac aag tgc cga	2019
	Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg	
	650 655 660 665	
20	gtg tct ggc ggt gac gcc agt gcc tgc gag acc atc gag gcc gtc ttc	2067
	Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val Phe	
	670 675 680	
25	agc cca gcc tca cct ggg gcc ggg tac gag gat gtc gtc tgg att ccc	2115
	Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile Pro	
	685 690 695	
30	aaa ggt tcc gtc cac atc ttc atc cag gat ctg aac ctc tct ctc agt	2163
	Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser	
	700 705 710	
35	cac ttg gcc ctg aag gga gac cag gag tcc ctg ctg ctg gag ggg ctg	2211
	His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu	
	715 720 725	
40	cct ggg acc ccc cag ccc cac cgt ctg cct cta gct ggg acc acc ttt	2259
	Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr Phe	
	730 735 740 745	
45	caa ctg cga cag ggg cca gac cag gtc cag agc ctc gaa gcc ctg gga	2307
	Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu Gly	
	750 755 760	
50	ccg att aat gca tct ctc atc gtc atg gtg ctg gcc cgg acc gag ctg	2355
	Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu Leu	
	765 770 775	
55	cct gcc ctc cgg tac agc ttc aat gcc ccc acc gcc cgt gac tgg ctg	2403
	Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser Leu	
	780 785 790	
60	ccc ser tac tcc tgg gac tat gag ccc tgg acc aag tgc tgg gct cag	2451
	Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln	
	795 800 805	
65	tgt gca ggc ggt agc cag gtg cag gcg gtg gag tgc cgg aac cag ctg	2499
	Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln Leu	
	810 815 820 825	
70	gct gta ttt aat tgg tgg ctc ttt agt agt agt tgg gaa gaa gaa gaa	2547
	Ala Val Phe Asn Cys Cys Cys Cys Cys Cys Cys Cys Cys Cys Cys	
	830 835 840 845 850 855 860 865 870 875	

	Val	Val	Gly	Asn	Trp	Ser	Leu	Cys	Ser	Arg	Ser	Cys	Asp	Ala	Gly	Val	
			860					865					870				
	cgc	agt	cgc	tgc	gtc	gtg	tgc	cag	cgc	cgc	gtc	tct	gcc	ggc	gag	gag	2691
5	Arg	Ser	Arg	Ser	Val	Val	Cys	Gln	Arg	Arg	Val	Ser	Ala	Ala	Glu	Glu	
			875				880					885					
	aag	ggc	ctg	gac	gac	agc	gca	tgc	ccg	cag	ccg	cgc	cca	cct	gta	ctg	2739
10	Lys	Ala	Leu	Asp	Asp	Ser	Ala	Cys	Pro	Gln	Pro	Arg	Pro	Pro	Val	Leu	
			890			895				900					905		
	gag	gcc	tgc	cac	ggc	ccc	act	tgc	cct	ccg	gag	tgg	ggc	gcc	ctc	gac	2787
	Glu	Ala	Cys	His		910	Gly	Pro	Thr	Cys	Pro	Glu	Trp	Ala	Ala	Leu	
										915					920	Asp	
15																	
	tgg	tct	gag	tgc	acc	ccc	agc	tgc	ggg	ccg	ggc	ctc	cgc	cac	cgc	gtg	2835
	Trp	Ser	Glu	Cys	Thr	Pro	Ser	Cys	Gly	Pro	Gly	Leu	Arg	His	Arg	Val	
				925					930					935			
20	gtc	ctt	tgc	aag	agc	gca	gac	cac	cgt	gcc	acg	ctg	ccc	ccg	ggc	cac	2883
	Val	Leu	Cys	Lys	Ser	Ala	Asp	His	Arg	Ala	Thr	Leu	Pro	Pro	Ala	His	
				940				945					950				
	tgc	tca	ccc	gcc	gcc	aag	cca	ccg	gct	acc	atg	cgc	tgc	aac	ttg	cgc	2931
25	Cys	Ser	Pro	Ala	Ala	Lys	Pro	Pro	Ala	Thr	Met	Arg	Cys	Asn	Leu	Arg	
				955			960					965					
	cgc	tgc	ccc	ccg	gcc	cgc	tgg	gtg	gct	ggc	gag	tgg	ggc	gag	tgc	tct	2979
30	Arg	Cys	Pro	Pro	Ala	Arg	Trp	Val	Ala	Gly	Glu	Trp	Gly	Glu	Cys	Ser	
						975				980					985		
	gca	cag	tgc	ggc	gtc	ggg	cag	cgg	cag	cgc	tgc	gtg	cgc	tgc	acc	agg	3027
	Ala	Gln	Cys	Gly	Val	Gly	Gln	Arg	Gln	Arg	Ser	Val	Arg	Cys	Thr	Ser	
					990				995						1000		
35																	
	cac	acg	ggc	cag	ggc	tgc	cac	gag	tgc	acg	gag	gcc	ctg	cgg	ccg	ccc	3075
	His	Thr	Gly	Gln	Ala	Ser	His	Glu	Cys	Thr	Glu	Ala	Leu	Arg	Pro	Pro	
				1005				1010					1015				
40	acc	acg	cag	cag	tgt	gag	gcc	aag	tgc	gac	agc	cca	acc	ccc	ggg	gac	3123
	Thr	Thr	Gln	Gln	Cys	Glu	Ala	Lys	Cys	Asp	Ser	Pro	Thr	Pro	Gly	Asp	
				1020				1025					1030				
	ggc	cct	gaa	gag	tgc	aag	gat	gtg	aac	aag	gtc	gcc	tac	tgc	ccc	ctg	3171
45	Gly	Pro	Glu	Glu	Cys	Lys	Asp	Val	Asn	Lys	Val	Ala	Tyr	Cys	Pro	Leu	
				1035			1040				1045						
	gtg	ctc	aaa	ttc	cag	ttc	tgc	agg	cga	gct	tac	ttc	cgc	cag	atg	tgc	3219
	Val	Leu	Lys	Phe	Gln	Phe	Cys	Ser	Arg	Ala	Tyr	Phe	Arg	Gln	Met	Cys	
50				1055			1060				1065						
	tgc	aaa	acc	tgc	cag	ggc	cac	tagggggggc	gggggacccg	gagccacagc							3273
	Cys	Lys	Thr	Cys	Gln	Gly	His										
						1070											
55																	
	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	gggggggggc	3330

<400> 24  
 Met Ser Ser Cys Pro Val Trp Arg Ala Met Arg Ser Pro Ser Pro Pro  
 1 5 10 15  
 5 Ala Trp Thr Thr Thr Gly His Cys Trp Pro Ser Arg His Leu Leu Pro  
 20 25 30  
 10 Gly Ala Ala Pro Arg His Gly Gly His Ser Arg Val Pro Pro Leu Leu  
 35 40 45  
 Gln Ser Gly Leu Ala Ser Thr His Phe Leu Leu Asn Leu Thr Arg Ser  
 50 55 60  
 15 Ser Arg Leu Leu Ala Gly Arg Val Ser Val Glu Tyr Trp Thr Arg Glu  
 65 70 75 80  
 Gly Leu Ala Trp Gln Arg Ala Ala Arg Pro His Cys Leu Tyr Ala Gly  
 85 90 95  
 20 His Leu Gln Gly Gln Ala Ser Ser Ser His Val Ala Ile Ser Thr Cys  
 100 105 110  
 25 Gly Gly Leu His Gly Leu Ile Val Ala Asp Glu Glu Glu Tyr Leu Ile  
 115 120 125  
 Glu Pro Leu His Gly Gly Pro Lys Gly Ser Arg Ser Pro Glu Glu Ser  
 130 135 140  
 30 Gly Pro His Val Val Tyr Lys Arg Ser Ser Leu Arg His Pro His Leu  
 145 150 155 160  
 Asp Thr Ala Cys Gly Val Arg Asp Glu Lys Pro Trp Lys Gly Arg Pro  
 165 170 175  
 35 Trp Trp Leu Arg Thr Leu Lys Pro Pro Pro Ala Arg Pro Leu Gly Asn  
 180 185 190  
 40 Glu Thr Glu Arg Gly Gln Pro Gly Leu Lys Arg Ser Val Ser Arg Glu  
 195 200 205  
 Arg Tyr Val Glu Thr Leu Val Val Ala Asp Lys Met Met Val Ala Tyr  
 210 215 220  
 45 His Gly Arg Arg Asp Val Glu Gln Tyr Val Leu Ala Ile Met Asn Ile  
 225 230 235 240  
 Val Ala Lys Leu Ile Gln Asp Ser Ser Leu Gly Ser Thr Val Asn Ile  
 245 250 255  
 50 Leu Val Thr Arg Leu Ile Leu Leu Thr Glu Asp Gln Pro Thr Leu Glu  
 260 265 270  
 55 Ile Thr His His Ala Gly Lys Ser Leu Asp Ser Phe Cys Lys Trp Gln  
 275 280 285  
 Lys Ser Ile Val Asn His Ser Gly His Gly Asn Ala Ile Pro Glu Asn  
 290 295 300  
 60 Ala Glu Cys Val Ser Ala Arg Glu Ala Ala Ala Ser Met Arg Thr Leu  
 305 310 315 320

340 345 350  
 Ala Ala Thr Ser Val His His Cys His Glu Ile Gly His Thr Phe Gly  
 355 360 365  
 5 Met Asn His Asp Gly Val Gly Asn Ser Cys Gly Ala Arg Gly Gln Asp  
 370 375 380  
 Pro Ala Lys Leu Met Ala Ala His Ile Thr Met Lys Thr Asn Pro Phe  
 10 385 390 395 400  
 Val Trp Ser Ser Cys Asn Arg Asp Tyr Ile Thr Ser Phe Leu Asp Ser  
 405 410 415  
 15 Gly Leu Gly Leu Cys Leu Asn Asn Arg Pro Pro Arg Gln Asp Phe Val  
 420 425 430  
 Tyr Pro Thr Val Ala Pro Gly Gln Ala Tyr Asp Ala Asp Glu Gln Cys  
 435 440 445  
 20 Arg Phe Gln His Gly Val Lys Ser Arg Gln Cys Lys Tyr Gly Glu Val  
 450 455 460  
 Cys Ser Glu Leu Trp Cys Leu Ser Lys Ser Asn Arg Cys Ile Thr Asn  
 25 465 470 475 480  
 Ser Ile Pro Ala Ala Glu Gly Thr Leu Cys Gln Thr His Thr Ile Asp  
 485 490 495  
 30 Lys Gly Trp Cys Tyr Lys Arg Val Cys Val Pro Phe Gly Ser Arg Pro  
 500 505 510  
 Glu Gly Val Asp Gly Ala Trp Gly Pro Trp Thr Pro Trp Gly Asp Cys  
 515 520 525  
 35 Ser Arg Thr Cys Gly Gly Gly Val Ser Ser Ser Ser Arg His Cys Asp  
 530 535 540  
 Ser Pro Arg Pro Thr Ile Gly Gly Lys Tyr Cys Leu Gly Glu Arg Arg  
 40 545 550 555 560  
 Arg His Arg Ser Cys Asn Thr Asp Asp Cys Pro Pro Gly Ser Gln Asp  
 565 570 575  
 45 Phe Arg Glu Val Gln Cys Ser Glu Phe Asp Ser Ile Pro Phe Arg Gly  
 580 585 590  
 Lys Phe Tyr Lys Trp Lys Thr Tyr Arg Gly Gly Gly Val Lys Ala Cys  
 595 600 605  
 50 Ser Leu Thr Ser Leu Ala Glu Gly Phe Asn Phe Tyr Thr Glu Arg Ala  
 610 615 620  
 Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp Ile  
 55 625 630 635 640  
 Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Val Leu Gly  
 645 650 655  
 60 Gly Tyr Glu Asp Val Val Trp Ile Ser Lys Gly Ser Val His Ile Thr

690 695 700  
 Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly Asp  
 705 710 715 720  
 5 Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro His  
 725 730 735  
 Arg Leu Pro Leu Ala Gly Thr Thr Phe Gln Leu Arg Gln Gly Pro Asp  
 10 740 745 750  
 Gln Val Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu Ile  
 755 760 765  
 15 Val Met Val Leu Ala Arg Thr Glu Leu Pro Ala Leu Arg Tyr Arg Phe  
 770 775 780  
 Asn Ala Pro Ile Ala Arg Asp Ser Leu Pro Pro Tyr Ser Trp His Tyr  
 785 790 795 800  
 20 Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln Val  
 805 810 815  
 Gln Ala Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala Pro  
 25 820 825 830  
 His Tyr Cys Ser Ala His Ser Lys Leu Pro Lys Arg Gln Arg Ala Cys  
 835 840 845  
 30 Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser Leu  
 850 855 860  
 Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val Cys  
 865 870 875 880  
 35 Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser Ala  
 885 890 895  
 Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys His Gly Pro Thr  
 40 900 905 910  
 Cys Pro Pro Glu Trp Ala Ala Leu Asp Trp Ser Glu Cys Thr Pro Ser  
 915 920 925  
 45 Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala Asp  
 930 935 940  
 His Arg Ala Thr Leu Pro Phe Ala His Cys Ser Pro Ala Ala Lys Pro  
 945 950 955 960  
 50 Pro Ala Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg Trp  
 965 970 975  
 Val Ala Gly Glu Trp Gly Glu Cys Ser Ala Gln Cys Gly Val Gly Gln  
 55 980 985 990  
 Arg Gln Arg Ser Val Arg Cys Thr Ser His Thr Gly Gln Ala Ser His  
 995 1000 1005

Val Asn Lys Val Ala Tyr Tyr Phe Leu Val Leu Lys Phe Gln Phe Tyr

```

1045      1050      1055
Ser Arg Ala Tyr Phe Arg Gln Met Cys Cys Lys Thr Cys Gln Gly His
1060      1065      1070
5

<210> 25
<211> 5990
10 <212> DNA
    <213> Homo sapiens ADAMTS-9b

    <220>
    <221> CDS
15 <222> (33)..(5634)

    <400> 25
    taqqqqcccaqc ccaqqcccaqqc qtaqqcaagca cc atg cag ttt gta tcc tgg gcc 53
                                     Met Gln Phe Val Ser Trp Ala
20                                     1               5

    aca ctg cta acg ctc ctg gtg cgg gac ctg gcc gag atg ggg agc cca 101
    Thr Leu Leu Thr Leu Leu Val Arg Asp Leu Ala Glu Met Gly Ser Pro
                10                15                20

25    gac gcc gcg gcc gcc gtg cgc aag gac agg ctg cac ccg agg caa gtg 149
    Asp Ala Ala Ala Ala Val Arg Lys Asp Arg Leu His Pro Arg Gln Val
                25                30                35

30    aaa tta tta gag acc ctg agc gaa tac gaa atc gtg tct ccc atc cga 197
    Lys Leu Leu Glu Thr Leu Ser Glu Tyr Glu Ile Val Ser Pro Ile Arg
                40                45                50                55

    gtg aac gct ctc gga gaa ccc ttt ccc acg aac gtc cac ttc aaa aga 245
35 Val Asn Ala Leu Gly Glu Pro Phe Pro Thr Asn Val His Phe Lys Arg
                60                65                70

    acg cga cgg agc att aac tct gcc act gac ccc tgg cct gcc ttc gcc 293
40 Thr Arg Arg Ser Ile Asn Ser Ala Thr Asp Pro Trp Pro Ala Phe Ala
                75                80                85

    tcc tcc tct tcc tcc tct acc tcc ccc cag gcg cat tac cgc ctc tct 341
    Ser Ser Ser Ser Ser Thr Ser Pro Gln Ala His Tyr Arg Leu Ser
                90                95                100

45    gcc ttc gcc cag cag ttt cta ttt aat ctc acc gcc aat gcc gga ttt 389
    Ala Phe Gly Gln Gln Phe Leu Phe Asn Leu Thr Ala Asn Ala Gly Phe
                105                110                115

50    atc gct cca ctg ttc act gtc aac ctc ctc ggg acc ccc ggg ggg aat 427
    Ile Ala Pro Leu Phe Thr Val Thr Leu Leu Gly Thr Pro Gly Val Asn
                120                125                130                135

    cag acc aag ttt tat tcc gaa gag gaa gcg gaa ctc aag cac tgt ttc 485
55 Gln Thr Lys Phe Tyr Ser Glu Glu Glu Ala Glu Leu Lys His Cys Phe
                140                145                150

    . . . . .

    . . . . .

    . . . . .

65    ttt att gaa cca cta cag tct atg gat gaa cac gaa gat gaa gat gaa 519

```



	agt	ccc	cag	cat	gtc	atg	ggt	cca	aca	ctg	aac	ttc	tac	acc	aac	ccc	1445
	Ser	Pro	Gln	His	Val	Met	Ala	Pro	Thr	Leu	Asn	Phe	Tyr	Thr	Asn	Pro	
					460					465					470		
5	tgg	atg	tgg	tca	aag	tgt	agt	cga	aaa	tat	atc	act	gag	ttt	tta	gac	1493
	Trp	Met	Trp	Ser	Lys	Cys	Ser	Arg	Lys	Tyr	Ile	Thr	Glu	Phe	Leu	Asp	
				475					480					485			
10	act	ggg	tat	ggc	gag	tgt	ttg	ctt	aac	gaa	ccc	gaa	tcc	aga	ccc	tac	1541
	Thr	Gly	Tyr	Gly	Glu	Cys	Leu	Leu	Asn	Glu	Pro	Glu	Ser	Arg	Pro	Tyr	
			490					495					500				
15	ccc	tgg	ccc	gtc	caa	ctg	cca	ggc	atc	ctt	tac	aac	gtg	aat	aaa	caa	1589
	Pro	Leu	Pro	Val	Gln	Leu	Pro	Gly	Ile	Leu	Tyr	Asn	Val	Asn	Lys	Gln	
			505				510					515					
20	tgt	gaa	tgg	att	ttt	gga	cca	ggt	tct	cag	gtg	tgc	cca	tat	atg	atg	1637
	Cys	Glu	Leu	Ile	Phe	Gly	Pro	Gly	Ser	Gln	Val	Cys	Pro	Tyr	Met	Met	
	520					525					530					535	
	cag	tgc	aga	cgg	ctc	tgg	tgg	aat	aac	gtc	aat	gga	gta	cac	aaa	ggc	1685
	Gln	Cys	Arg	Arg	Leu	Trp	Ser	Asn	Asn	Val	Asn	Gly	Val	His	Lys	Gly	
					540					545					550		
25	tgc	egg	act	cag	cac	aca	ccc	tgg	gcc	gat	ggg	acg	gag	tgc	gag	ccc	1733
	Cys	Arg	Thr	Gln	His	Thr	Pro	Trp	Ala	Asp	Gly	Thr	Glu	Cys	Glu	Pro	
				555					560					565			
30	gga	aag	cac	tgc	aag	tat	gga	ttt	tgt	gtt	ccc	aaa	gaa	atg	gat	gtc	1781
	Gly	Lys	His	Cys	Lys	Tyr	Gly	Phe	Cys	Val	Pro	Lys	Glu	Met	Asp	Val	
			570					575					580				
35	ccc	gtg	aca	gat	gga	tcc	tgg	gga	agt	tgg	agt	ccc	ttt	gga	acc	tgc	1829
	Pro	Val	Thr	Asp	Gly	Ser	Trp	Gly	Ser	Trp	Ser	Pro	Phe	Gly	Thr	Cys	
			585				590					595					
40	tcc	aga	aca	tgt	gga	ggg	ggc	atc	aaa	aca	goc	att	cga	gag	tgc	aac	1877
	Ser	Arg	Thr	Cys	Gly	Gly	Gly	Ile	Lys	Thr	Ala	Ile	Arg	Glu	Cys	Asn	
	600					605					610					615	
	aga	cca	gaa	cca	aaa	aat	ggt	gga	aaa	tac	tgt	gta	gga	cgt	aga	atg	1925
	Arg	Pro	Glu	Pro	Lys	Asn	Gly	Gly	Lys	Tyr	Cys	Val	Gly	Arg	Arg	Met	
					620					625					630		
45	aaa	ttt	aag	tcc	tgc	aac	agg	gag	cca	tgt	ctc	aag	cag	aag	cga	gac	1973
	Lys	Phe	Lys	Ser	Cys	Asn	Thr	Glu	Pro	Cys	Leu	Lys	Gln	Lys	Arg	Asp	
			635						640					645			
50	tta	cga	ggt	gaa	cag	tgt	ggt	caa	ttt	gaa	ggg	aat	gat	ttt	aat	atc	2021
	Phe	Arg	Asp	Glu	Gln	Cys	Al										



Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg Gln Ala Gly  
 715 720 725  
 5 tgc gat cat gtt tta aac tca aaa gcc cgg aga gat aaa tgc cgg ggt 2361  
 Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp Lys Cys Gly Val  
 730 735 740  
 10 tgt ggt ggc gat aat tct tca tgc aaa aca gtg gca gga aca ttt aat 2369  
 Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala Gly Thr Phe Asn  
 745 750 755  
 15 aca gta cat tat ggt tac aat act gtg gtc cga att cca gct ggt gct 2357  
 Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile Pro Ala Gly Ala  
 760 765 770 775  
 acc aat att gat gtg cgg cag cac agt ttc tca ggg gaa aca gac gat 2405  
 Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly Glu Thr Asp Asp  
 780 785 790  
 20 gac aac tac tta gct tta tca agc agt aaa ggt gaa ttc ttg cta aat 2453  
 Asp Asn Tyr Leu Ala Leu Ser Ser Lys Gly Glu Phe Leu Leu Asn  
 795 800 805  
 25 gga aac ttt gtt gtc aca atg gcc aaa agg gaa att cgc att ggg aat 2501  
 Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile Arg Ile Gly Asn  
 810 815 820  
 30 gct gtg gta gag tac agt ggg tcc gag act gcc gta gaa aga att aac 2549  
 Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val Glu Arg Ile Asn  
 825 830 835  
 35 tca aca gat cgc att gag caa gaa ctt ttg ctt cag gtt ttg tgg gtg 2557  
 Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Gln Val Leu Ser Val  
 840 845 850 855  
 gga aag ttg tac aac ccc gat gta cgc tat tct ttc aat att cca att 2645  
 Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe Asn Ile Pro Ile  
 860 865 870  
 40 gaa gat aaa cct cag cag ttt tac tgg aac agt cat ggg cca tgg caa 2693  
 Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His Gly Pro Trp Gln  
 875 880 885  
 45 gca tgc agt aaa ccc tgc caa ggg gaa cgg aaa cga aaa ctt gtt tgc 2741  
 Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg Lys Leu Val Cys  
 890 895 900  
 50 att agg gaa tct gat cag ctt act gtt tct gat caa aga tgc gat cgg 2789  
 Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln Arg Cys Asp Arg  
 905 910 915  
 55 ctg ccc cag cct gga cac att act gaa ccc tgt ggt aca ggc tct gac 2837  
 Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly Thr Gly Cys Asp  
 920 925 930 935  
 ctg agg tgg cat gtt gcc agg agg agt gaa tgt agt gcc cag tct ggc 2885  
 Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser Ala Gln Cys Gly  
 940 945 950

955  
 960  
 965  
 970  
 975  
 980  
 985  
 990  
 995

aaa cca agc aac cgt gaa aaa tgc tca ggg gaa tgt aac acg ggt ggc 3029  
 Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys Asn Thr Gly Gly  
 985 990 995  
 5 tgg cgc tat tct gcc tgg act gaa tgt tca aaa agc tgt gac ggt ggg 3077  
 Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser Cys Asp Gly Gly  
 1000 1005 1010 1015  
 10 acc cag agg aga agg gct att tgt gtc aat acc cga aat gat gta ctg 3125  
 Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg Asn Asp Val Leu  
 1020 1025 1030  
 15 gat gac agc aaa tgc aca cat caa gag aaa gtt acc att tag agg tgc 3173  
 Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr Ile Gln Arg Cys  
 1035 1040 1045  
 20 agt gag ttc cct tgt cca cag tgg aaa tct gga gac tgg tca gag tgc 3221  
 Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp Trp Ser Glu Cys  
 1050 1055 1060  
 ttg gtc acc tgt gga aaa ggg cat aag cac cgc cag gtc tgg tgt cag 3269  
 Leu Val Thr Cys Gly Lys Gly His Lys His Arg Gln Val Trp Cys Gln  
 1065 1070 1075  
 25 ttt ggt gaa gat cga tta aat gat aga atg tgt gac cct gag acc aag 3317  
 Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp Pro Glu Thr Lys  
 1080 1085 1090 1095  
 30 cca aca tct atg cag act tgt cag cag ccg gaa atg gca tcc tgg cag 3365  
 Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Met Ala Ser Trp Gln  
 1100 1105 1110  
 35 gcg ggt ccc tgg gta cag tgc agt gtc act tgt gga cag gga tac cag 3413  
 Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly Gln Gly Tyr Gln  
 1115 1120 1125  
 40 cta aga gca gtg aaa tgc atc att ggg act tat atg tca gtg gta gat 3461  
 Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met Ser Val Val Asp  
 1130 1135 1140  
 45 gac aat gac tgt aat gca gca act aga cca act gat acc cag gac tgt 3509  
 Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp Thr Gln Asp Cys  
 1145 1150 1155  
 gaa tta cca tca tgt cat cct ccc cca gct ggc ccg gaa acc agg aga 3557  
 Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro Glu Thr Arg Arg  
 1160 1165 1170 1175  
 50 agc aca taa agt gca cca aga acc atg tgg cga ttt ggg ttt tgg acc 3605  
 Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe Gly Ser Trp Thr  
 1180 1185 1190  
 55 cca tgc tca gcc act tgt ggg aaa ggt acc cgg atg aga tac gtc agc 3653  
 Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met Arg Tyr Val Ser  
 1195 1200 1205  
 60 tgc cca cat gag aat ggt ttt gta cct gac gac agt ggc tgt gct acc 3701  
 Cys Ala Thr Ser Lys Lys Gln Gln Thr Thr Thr Thr Thr Thr Thr Thr  
 1210 1215 1220 1225 1230 1235 1240 1245 1250 1255 1260 1265 1270 1275 1280 1285 1290 1295 1300 1305 1310 1315 1320 1325 1330 1335 1340 1345 1350 1355 1360 1365 1370 1375 1380 1385 1390 1395 1400 1405 1410 1415 1420 1425 1430 1435 1440 1445 1450 1455 1460 1465 1470 1475 1480 1485 1490 1495 1500 1505 1510 1515 1520 1525 1530 1535 1540 1545 1550 1555 1560 1565 1570 1575 1580 1585 1590 1595 1600 1605 1610 1615 1620 1625 1630 1635 1640 1645 1650 1655 1660 1665 1670 1675 1680 1685 1690 1695 1700 1705 1710 1715 1720 1725 1730 1735 1740 1745 1750 1755 1760 1765 1770 1775 1780 1785 1790 1795 1800 1805 1810 1815 1820 1825 1830 1835 1840 1845 1850 1855 1860 1865 1870 1875 1880 1885 1890 1895 1900 1905 1910 1915 1920 1925 1930 1935 1940 1945 1950 1955 1960 1965 1970 1975 1980 1985 1990 1995 2000 2005 2010 2015 2020 2025 2030 2035 2040 2045 2050 2055 2060 2065 2070 2075 2080 2085 2090 2095 2100 2105 2110 2115 2120 2125 2130 2135 2140 2145 2150 2155 2160 2165 2170 2175 2180 2185 2190 2195 2200 2205 2210 2215 2220 2225 2230 2235 2240 2245 2250 2255 2260 2265 2270 2275 2280 2285 2290 2295 2300 2305 2310 2315 2320 2325 2330 2335 2340 2345 2350 2355 2360 2365 2370 2375 2380 2385 2390 2395 2400 2405 2410 2415 2420 2425 2430 2435 2440 2445 2450 2455 2460 2465 2470 2475 2480 2485 2490 2495 2500 2505 2510 2515 2520 2525 2530 2535 2540 2545 2550 2555 2560 2565 2570 2575 2580 2585 2590 2595 2600 2605 2610 2615 2620 2625 2630 2635 2640 2645 2650 2655 2660 2665 2670 2675 2680 2685 2690 2695 2700 2705 2710 2715 2720 2725 2730 2735 2740 2745 2750 2755 2760 2765 2770 2775 2780 2785 2790 2795 2800 2805 2810 2815 2820 2825 2830 2835 2840 2845 2850 2855 2860 2865 2870 2875 2880 2885 2890 2895 2900 2905 2910 2915 2920 2925 2930 2935 2940 2945 2950 2955 2960 2965 2970 2975 2980 2985 2990 2995 3000 3005 3010 3015 3020 3025 3030 3035 3040 3045 3050 3055 3060 3065 3070 3075 3080 3085 3090 3095 3100 3105 3110 3115 3120 3125 3130 3135 3140 3145 3150 3155 3160 3165 3170 3175 3180 3185 3190 3195 3200 3205 3210 3215 3220 3225 3230 3235 3240 3245 3250 3255 3260 3265 3270 3275 3280 3285 3290 3295 3300 3305 3310 3315 3320 3325 3330 3335 3340 3345 3350 3355 3360 3365 3370 3375 3380 3385 3390 3395 3400 3405 3410 3415 3420 3425 3430 3435 3440 3445 3450 3455 3460 3465 3470 3475 3480 3485 3490 3495 3500 3505 3510 3515 3520 3525 3530 3535 3540 3545 3550 3555 3560 3565 3570 3575 3580 3585 3590 3595 3600 3605 3610 3615 3620 3625 3630 3635 3640 3645 3650 3655 3660 3665 3670 3675 3680 3685 3690 3695 3700 3705 3710 3715 3720 3725 3730 3735 3740 3745 3750 3755 3760 3765 3770 3775 3780 3785 3790 3795 3800 3805 3810 3815 3820 3825 3830 3835 3840 3845 3850 3855 3860 3865 3870 3875 3880 3885 3890 3895 3900 3905 3910 3915 3920 3925 3930 3935 3940 3945 3950 3955 3960 3965 3970 3975 3980 3985 3990 3995 4000 4005 4010 4015 4020 4025 4030 4035 4040 4045 4050 4055 4060 4065 4070 4075 4080 4085 4090 4095 4100 4105 4110 4115 4120 4125 4130 4135 4140 4145 4150 4155 4160 4165 4170 4175 4180 4185 4190 4195 4200 4205 4210 4215 4220 4225 4230 4235 4240 4245 4250 4255 4260 4265 4270 4275 4280 4285 4290 4295 4300 4305 4310 4315 4320 4325 4330 4335 4340 4345 4350 4355 4360 4365 4370 4375 4380 4385 4390 4395 4400 4405 4410 4415 4420 4425 4430 4435 4440 4445 4450 4455 4460 4465 4470 4475 4480 4485 4490 4495 4500 4505 4510 4515 4520 4525 4530 4535 4540 4545 4550 4555 4560 4565 4570 4575 4580 4585 4590 4595 4600 4605 4610 4615 4620 4625 4630 4635 4640 4645 4650 4655 4660 4665 4670 4675 4680 4685 4690 4695 4700 4705 4710 4715 4720 4725 4730 4735 4740 4745 4750 4755 4760 4765 4770 4775 4780 4785 4790 4795 4800 4805 4810 4815 4820 4825 4830 4835 4840 4845 4850 4855 4860 4865 4870 4875 4880 4885 4890 4895 4900 4905 4910 4915 4920 4925 4930 4935 4940 4945 4950 4955 4960 4965 4970 4975 4980 4985 4990 4995 5000 5005 5010 5015 5020 5025 5030 5035 5040 5045 5050 5055 5060 5065 5070 5075 5080 5085 5090 5095 5100 5105 5110 5115 5120 5125 5130 5135 5140 5145 5150 5155 5160 5165 5170 5175 5180 5185 5190 5195 5200 5205 5210 5215 5220 5225 5230 5235 5240 5245 5250 5255 5260 5265 5270 5275 5280 5285 5290 5295 5300 5305 5310 5315 5320 5325 5330 5335 5340 5345 5350 5355 5360 5365 5370 5375 5380 5385 5390 5395 5400 5405 5410 5415 5420 5425 5430 5435 5440 5445 5450 5455 5460 5465 5470 5475 5480 5485 5490 5495 5500 5505 5510 5515 5520 5525 5530 5535 5540 5545 5550 5555 5560 5565 5570 5575 5580 5585 5590 5595 5600 5605 5610 5615 5620 5625 5630 5635 5640 5645 5650 5655 5660 5665 5670 5675 5680 5685 5690 5695 5700 5705 5710 5715 5720 5725 5730 5735 5740 5745 5750 5755 5760 5765 5770 5775 5780 5785 5790 5795 5800 5805 5810 5815 5820 5825 5830 5835 5840 5845 5850 5855 5860 5865 5870 5875 5880 5885 5890 5895 5900 5905 5910 5915 5920 5925 5930 5935 5940 5945 5950 5955 5960 5965 5970 5975 5980 5985 5990 5995 6000 6005 6010 6015 6020 6025 6030 6035 6040 6045 6050 6055 6060 6065 6070 6075 6080 6085 6090 6095 6100 6105 6110 6115 6120 6125 6130 6135 6140 6145 6150 6155 6160 6165 6170 6175 6180 6185 6190 6195 6200 6205 6210 6215 6220 6225 6230 6235 6240 6245 6250 6255 6260 6265 6270 6275 6280 6285 6290 6295 6300 6305 6310 6315 6320 6325 6330 6335 6340 6345 6350 6355 6360 6365 6370 6375 6380 6385 6390 6395 6400 6405 6410 6415 6420 6425 6430 6435 6440 6445 6450 6455 6460 6465 6470 6475 6480 6485 6490 6495 6500 6505 6510 6515 6520 6525 6530 6535 6540 6545 6550 6555 6560 6565 6570 6575 6580 6585 6590 6595 6600 6605 6610 6615 6620 6625 6630 6635 6640 6645 6650 6655 6660 6665 6670 6675 6680 6685 6690 6695 6700 6705 6710 6715 6720 6725 6730 6735 6740 6745 6750 6755 6760 6765 6770 6775 6780 6785 6790 6795 6800 6805 6810 6815 6820 6825 6830 6835 6840 6845 6850 6855 6860 6865 6870 6875 6880 6885 6890 6895 6900 6905 6910 6915 6920 6925 6930 6935 6940 6945 6950 6955 6960 6965 6970 6975 6980 6985 6990 6995 7000 7005 7010 7015 7020 7025 7030 7035 7040 7045 7050 7055 7060 7065 7070 7075 7080 7085 7090 7095 7100 7105 7110 7115 7120 7125 7130 7135 7140 7145 7150 7155 7160 7165 7170 7175 7180 7185 7190 7195 7200 7205 7210 7215 7220 7225 7230 7235 7240 7245 7250 7255 7260 7265 7270 7275 7280 7285 7290 7295 7300 7305 7310 7315 7320 7325 7330 7335 7340 7345 7350 7355 7360 7365 7370 7375 7380 7385 7390 7395 7400 7405 7410 7415 7420 7425 7430 7435 7440 7445 7450 7455 7460 7465 7470 7475 7480 7485 7490 7495 7500 7505 7510 7515 7520 7525 7530 7535 7540 7545 7550 7555 7560 7565 7570 7575 7580 7585 7590 7595 7600 7605 7610 7615 7620 7625 7630 7635 7640 7645 7650 7655 7660 7665 7670 7675 7680 7685 7690 7695 7700 7705 7710 7715 7720 7725 7730 7735 7740 7745 7750 7755 7760 7765 7770 7775 7780 7785 7790 7795 7800 7805 7810 7815 7820 7825 7830 7835 7840 7845 7850 7855 7860 7865 7870 7875 7880 7885 7890 7895 7900 7905 7910 7915 7920 7925 7930 7935 7940 7945 7950 7955 7960 7965 7970 7975 7980 7985 7990 7995 8000 8005 8010 8015 8020 8025 8030 8035 8040 8045 8050 8055 8060 8065 8070 8075 8080 8085 8090 8095 8100 8105 8110 8115 8120 8125 8130 8135 8140 8145 8150 8155 8160 8165 8170 8175 8180 8185 8190 8195 8200 8205 8210 8215 8220 8225 8230 8235 8240 8245 8250 8255 8260 8265 8270 8275 8280 8285 8290 8295 8300 8305 8310 8315 8320 8325 8330 8335 8340 8345 8350 8355 8360 8365 8370 8375 8380 8385 8390 8395 8400 8405 8410 8415 8420 8425 8430 8435 8440 8445 8450 8455 8460 8465 8470 8475 8480 8485 8490 8495 8500 8505 8510 8515 8520 8525 8530 8535 8540 8545 8550 8555 8560 8565 8570 8575 8580 8585 8590 8595 8600 8605 8610 8615 8620 8625 8630 8635 8640 8645 8650 8655 8660 8665 8670 8675 8680 8685 8690 8695 8700 8705 8710 8715 8720 8725 8730 8735 8740 8745 8750 8755 8760 8765 8770 8775 8780 8785 8790 8795 8800 8805 8810 8815 8820 8825 8830 8835 8840 8845 8850 8855 8860 8865 8870 8875 8880 8885 8890 8895 8900 8905 8910 8915 8920 8925 8930 8935 8940 8945 8950 8955 8960 8965 8970 8975 8980 8985 8990 8995 9000 9005 9010 9015 9020 9025 9030 9035 9040 9045 9050 9055 9060 9065 9070 9075 9080 9085 9090 9095 9100 9105 9110 9115 9120 9125 9130 9135 9140 9145 9150 9155 9160 9165 9170 9175 9180 9185 9190 9195 9200 9205 9210 9215 9220 9225 9230 9235 9240 9245 9250 9255 9260 9265 9270 9275 9280 9285 9290 9295 9300 9305 9310 9315 9320 9325 9330 9335 9340 9345 9350 9355 9360 9365 9370 9375 9380 9385 9390 9395 9400 9405 9410 9415 9420 9425 9430 9435 9440 9445 9450 9455 9460 9465 9470 9475 9480 9485 9490 9495 9500 9505 9510 9515 9520 9525 9530 9535 9540 9545 9550 9555 9560 9565 9570 9575 9580 9585 9590 9595 9600 9605 9610 9615 9620 9625 9630 9635 9640 9645 9650 9655 9660 9665 9670 9675 9680 9685 9690 9695 9700 9705 9710 9715 9720 9725 9730 9735 9740 9745 9750 9755 9760 9765 9770 9775 9780 9785 9790 9795 9800 9805 9810 9815 9820 9825 9830 9835 9840 9845 9850 9855 9860 9865 9870 9875 9880 9885 9890 9895 9900 9905 9910 9915 9920 9925 9930 9935 9940 9945 9950 9955 9960 9965 9970 9975 9980 9985 9990 9995 10000 10005 10010 10015 10020 10025 10030 10035 10040 10045 10050 10055 10060 10065 10070 10075 10080 10085 10090 10095 10100 10105 10110 10115 10120 10125 10130 10135 10140 10145 10150 10155 10160 10165 10170 10175 10180 10185 10190 10195 10200 10205 10210 10215 10220 10225 10230 10235 10240 10245 10250 10255 10260 10265 10270 10275 10280 10285 10290 10295 10300 10305 10310 10315 10320 10325 10330 10335 10340 10345 10350 10355 10360 10365 10370 10375 10380 10385 10390 10395 10400 10405 10410 10415 10420 10425 10430 10435 10440 10445 10450 10455 10460 10465 10470 10475 10480 10485 10490 10495 10500 10505 10510 10515 10520 10525 10530 10535 10540 10545 10550 10555 10560 10565 10570 10575 10580 10585 10590 10595 10600 10605 10610 10615 10620 10625 10630 10635 10640 10645 10650 10655 10660 10665 10670 10675 10680 10685 10690 10695 10700 10705 10710 10715 10720 10725 10730 10735 10740 10745 10750 10755 10760 10765 10770 10775 10780 10785 10790 10795 10800 10805 10810 10815 10820 10825 10830 10835 10840 10845 10850 10855 10860 10865 10870 10875 10880 10885 10890 10895 10900 10905 10910 10915 10920 10925 10930 10935 10940 10945 10950 10955 10960 10965 10970 10975 10980 10985 10990 10995 11000 11005 11010 11015 11020 11025 11030 11035 11040 11045 11050 11055 11060 11065 11070 11075 11080 11085 11090 11095 11100 11105 11110 11115 11120 11125 11130 11135 11140 11145 11150 11155 11160 11165 11170 11175 11180 11185 11190 11195 11200 11205 11210 11215 11220 11225 11230 11235 11240 11245 11250 11255 11260 11265 11270 11275 11280 11285 11290 11295 11300 11305 11310 11315 11320 11325 11330 11335 11340 11345 11350 11355 11360 11365 11370 11375 11380 11385 11390 11395 11400 11405 11410 11415 11420 11425 11430 11435 11440 11445 11450 11455 11460 11465 11470 11475 11480 11485 11490 11495 11500 11505 11510 11515 11520 11525 11530 11535 11540 11545 11550 11555 11560 11565 11570 11575 11580 11585 11590 11595 11600 11605 11610 11615 11620 11625 11630 11635 11640 11645 11650 11655 11660 11665 11670 11675 11680 11685 11690 11695 11700 11705 11710 11715 11720 11725 11730 11735 11740 11745 11750 11755 11760 11765 11770 11775 11780 11785 11790 11795 11800 11805 11810 11815 11820 11825 1

	Gln	Trp	Lys	Ala	Leu	Asp	Trp	Ser	Ser	Cys	Ser	Val	Thr	Cys	Gly	Gln	
	1240					1245				1250						1255	
5	ggg	agg	gca	acc	egg	caa	gig	atg	tgt	gtc	aac	tac	agt	gac	cac	gtg	3845
	Gly	Arg	Ala	Thr	Arg	Gln	Val	Met	Cys	Val	Asn	Tyr	Ser	Asp	His	Val	
					1260					1265					1270		
10	atc	gat	egg	agt	gag	tgt	gac	cag	gat	tat	atc	cca	gaa	act	gac	cag	3893
	Ile	Asp	Arg	Ser	Glu	Cys	Asp	Gln	Asp	Tyr	Ile	Pro	Glu	Thr	Asp	Gln	
				1275					1280					1285			
15	gac	tgt	ccc	atg	tca	cca	tgc	cct	caa	agg	acc	cca	gac	agt	ggc	tta	3941
	Asp	Cys	Ser	Met	Ser	Pro	Cys	Pro	Gln	Arg	Thr	Pro	Asp	Ser	Gly	Leu	
				1290				1295					1300				
20	gct	cag	cac	ccc	ttc	caa	aat	gag	gac	tat	cgt	ccc	egg	agc	gcc	agc	3989
	Ala	Gln	His	Pro	Phe	Gln	Asn	Glu	Asp	Tyr	Arg	Pro	Arg	Ser	Ala	Ser	
		1305					1310					1315					
25	ccc	agc	egg	acc	cat	gtg	ctc	ggg	gga	aac	cag	tgg	aga	act	ggc	ccc	4037
	Pro	Ser	Arg	Thr	His	Val	Leu	Gly	Gly	Asn	Gln	Trp	Arg	Thr	Gly	Pro	
		1320				1325					1330				1335		
30	tgg	gga	gca	tgt	ccc	agt	acc	tgt	ggt	ggc	gga	ccc	cag	egg	cgt	ggt	4085
	Trp	Gly	Ala	Cys	Ser	Ser	Thr	Cys	Ala	Gly	Gly	Ser	Gln	Arg	Arg	Val	
				1340					1345					1350			
35	gtt	gta	tgt	cag	gat	gaa	aat	gga	tac	acc	gca	aac	gac	tgt	gtg	gag	4133
	Val	Val	Cys	Gln	Asp	Glu	Asn	Gly	Tyr	Thr	Ala	Asn	Asp	Cys	Val	Glu	
				1355				1360					1365				
40	aga	ata	aaa	cct	gat	gag	caa	aga	gac	tgt	gaa	ccc	ggc	cct	tgt	cct	4181
	Arg	Ile	Lys	Pro	Asp	Glu	Gln	Arg	Ala	Cys	Glu	Ser	Gly	Pro	Cys	Pro	
		1370					1375					1380					
45	cag	tgg	gct	tat	ggc	aac	tgg	gga	gag	tgc	act	aag	ctg	tgt	ggg	gga	4229
	Gln	Trp	Ala	Tyr	Gly	Asn	Trp	Gly	Glu	Cys	Thr	Lys	Leu	Cys	Gly	Gly	
		1385				1390					1395						
50	ggc	ata	aga	aca	aga	ctg	gtg	gtc	tgt	cag	egg	ccc	aac	ggg	gaa	egg	4277
	Gly	Ile	Arg	Thr	Arg	Leu	Val	Val	Cys	Gln	Arg	Ser	Asn	Gly	Glu	Arg	
		1400				1405				1410				1415			
55	ttt	cca	gat	tig	agt	tgt	gaa	att	cct	gat	aaa	cct	ccc	gat	cgt	gag	4325
	Phe	Pro	Asp	Leu	Ser	Cys	Glu	Ile	Leu	Asp	Lys	Pro	Pro	Asp	Arg	Glu	
				1420				1425					1430				
60	cag	tgt	aac	aca	cat	gct	tgt	cca	ccc	gac	gct	gga	tgg	agt	act	ggc	4373
	Gln	Cys	Asn	Thr	His	Ala	Cys	Pro	His	Asp	Ala	Ala	Trp	Ser	Thr		

tgt ggc cga ggc gta cag cag agg cat ggc ggc tgt cag atc gga aca 4613  
 Cys Gly Arg Gly Val Gln Gln Arg His Val Gly Cys Gln Ile Gly Thr  
 1515 1520 1525  
 5  
 cac aaa ata gcc aga gac acc gag tgc aac cca tac acc aga ccg gag 4661  
 His Lys Ile Ala Arg Asp Thr Glu Cys Asn Pro Tyr Thr Arg Pro Glu  
 1530 1535 1540  
 10 tgc gaa tgc gaa tgc caa ggc cca cgg tgt ccc ctt tac act tgg agg 4709  
 Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu Tyr Thr Trp Arg  
 1545 1550 1555  
 gca gag gaa tgc caa gaa tgc acc aig acc tgc ggc gaa ggc tcc agg 4757  
 15 Ala Glu Glu Ser Gln Glu Cys Thr Lys Thr Cys Gly Glu Gly Ser Arg  
 1560 1565 1570 1575  
 tac cgc aaq qtq qtq tqt ttq qat qac aac aaa aac qaq qtq cat qqq 4805  
 Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn Glu Val His Gly  
 20 1580 1585 1590  
 gca cgc tgt gac gtg agc aag cgg cgg gtg gac cgt gaa agc tgt agt 4853  
 Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg Glu Ser Cys Ser  
 1595 1600 1605  
 25 ttc caa ccc tgc gag tat gtc tgg atc aca gga gaa tgg tca gag tgc 4901  
 Leu Gln Pro Cys Glu Tyr Val Trp Ile Thr Gly Glu Trp Ser Glu Cys  
 1610 1615 1620  
 30 tca gtg acc tgt gga aaa ggc tac aaa caa agg ctt gtc tgc tgc agc 4949  
 Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu Val Ser Cys Ser  
 1625 1630 1635  
 gag att tac acc ggg aaa gag aat tat gaa tac agc tac caa acc acc 4997  
 35 Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser Tyr Gln Thr Thr  
 1640 1645 1650 1655  
 atc aac tgc cca ggc acg cag ccc ccc agt gtt cac ccc tgt tac ctg 5045  
 40 Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His Pro Cys Tyr Leu  
 1660 1665 1670  
 agg gag tgc cct gtc tgc gcc acc tgg aga gtt ggc aac tgg ggg agc 5093  
 Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly Asn Trp Gly Ser  
 1675 1680 1685  
 45 tgc tca gtg tct tgt ggt gtt gga gtg atg cag aga cct gtg caa tgt 5141  
 Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg Ser Val Gln Cys  
 1690 1695 1700  
 50 tta acc aat gag gac caa ccc agc cac tta tgc cac act gat ctg aag 5189  
 Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His Thr Asp Leu Lys  
 1705 1710 1715  
 cca gaa gaa cga aaa acc tgc cgt aat gtc tat aac tgt gag tta ccc 5237  
 55 Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn Cys Glu Leu Pro  
 1720 1725 1730 1735  
 60  
 65  
 70  
 75  
 80  
 85  
 90  
 95  
 100  
 105  
 110  
 115  
 120  
 125  
 130  
 135  
 140  
 145  
 150  
 155  
 160  
 165  
 170  
 175  
 180  
 185  
 190  
 195  
 200  
 205  
 210  
 215  
 220  
 225  
 230  
 235  
 240  
 245  
 250  
 255  
 260  
 265  
 270  
 275  
 280  
 285  
 290  
 295  
 300  
 305  
 310  
 315  
 320  
 325  
 330  
 335  
 340  
 345  
 350  
 355  
 360  
 365  
 370  
 375  
 380  
 385  
 390  
 395  
 400  
 405  
 410  
 415  
 420  
 425  
 430  
 435  
 440  
 445  
 450  
 455  
 460  
 465  
 470  
 475  
 480  
 485  
 490  
 495  
 500  
 505  
 510  
 515  
 520  
 525  
 530  
 535  
 540  
 545  
 550  
 555  
 560  
 565  
 570  
 575  
 580  
 585  
 590  
 595  
 600  
 605  
 610  
 615  
 620  
 625  
 630  
 635  
 640  
 645  
 650  
 655  
 660  
 665  
 670  
 675  
 680  
 685  
 690  
 695  
 700  
 705  
 710  
 715  
 720  
 725  
 730  
 735  
 740  
 745  
 750  
 755  
 760  
 765  
 770  
 775  
 780  
 785  
 790  
 795  
 800  
 805  
 810  
 815  
 820  
 825  
 830  
 835  
 840  
 845  
 850  
 855  
 860  
 865  
 870  
 875  
 880  
 885  
 890  
 895  
 900  
 905  
 910  
 915  
 920  
 925  
 930  
 935  
 940  
 945  
 950  
 955  
 960  
 965  
 970  
 975  
 980  
 985  
 990  
 995

Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr Leu Val His Gly  
 1770 1775 1780  
 gag tct gag aat ttc tcc gag gtt tat ggg cac agg tta cac aac cca 5429  
 5 Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg Leu His Asn Pro  
 1785 1790 1795  
 aca gaa tgt ccc tat aac ggg agc cgg cgc gat gac tgc caa tgt cgg 5477  
 Thr Glu Cys Pro Tyr Asn Gly Ser Arg Asp Asp Cys Gln Cys Arg  
 10 1800 1805 1810 1815  
 aag gat tac acg gcc gct ggg ttt tcc agt ttt cag aaa atc aga ata 5525  
 Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln Lys Ile Arg Ile  
 1820 1825 1830  
 15 gag ctg acc agc atg cag ata atc acc act gac tta cag ttt gca agg 5573  
 Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu Gln Phe Ala Arg  
 1835 1840 1845  
 20 aca agc gaa gga cat ccc gtc cct ttt gcc aca gcc ggg gat tgc tac 5621  
 Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala Gly Asp Cys Tyr  
 1850 1855 1860  
 agc gct gcc aag tgc cca cag ggt cgt ttt agc atc aac ctt tat gga 5669  
 25 Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile Asn Leu Tyr Gly  
 1865 1870 1875  
 acc ggc ttg tct tta act gaa tct gcc aga tgg ata tca caa ggg aat 5717  
 Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile Ser Gln Gly Asn  
 30 1880 1885 1890 1895  
 tat gct gtc tct gac atc aag aag tgc cgg gat ggt acc cga gtc gta 5769  
 Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly Thr Arg Val Val  
 1900 1905 1910  
 35 ggg aaa tgc ggt ggt tac tgt gga aaa tgc act cca tcc tct ggt act 5813  
 Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro Ser Ser Gly Thr  
 1915 1920 1925  
 40 ggc ctg gag gtg cga gtt tta tagctaaagg gctttgaaga ggaagccatt 5864  
 Gly Leu Glu Val Arg Val Leu  
 1930  
 atggatggat gaaggatagt aatgcaatac ctccacctta atttgggtgc atgtgtatgt 5924  
 45 ctgtgtgtgt ttgtgtgtga ctgtgtatgt tgggtgtgtt aatgtgtgtt catatacata 5984  
 tatata 5990  
 51  
 <210> 26  
 <211> 1934  
 <212> FRT  
 <213> Homo sapiens ADAMTS-9b  
 55  
 <400> 26  
 Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val Arg Asp  
 1 11 16

51  
 Phe Ile Val Leu Phe Ile Arg Val Asn Ala Leu Gly Glu Phe Phe Phe

50 55 60  
 Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser Ala Thr  
 65 70 75 80  
 5 Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser Thr Ser Pro  
 85 90 95  
 Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu Phe Asn  
 10 100 105 110  
 Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val Thr Leu  
 115 120 125  
 15 Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser Glu Glu Glu  
 130 135 140  
 Ala Glu Leu Lys His Cys Phe Tyr Lys Gly Tyr Val Asn Thr Asn Ser  
 145 150 155 160  
 20 Glu His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Leu Gly Thr Phe  
 165 170 175  
 Arg Ser His Asp Gly Gly Tyr Phe Ile Glu Pro Leu Gln Ser Met Asp  
 180 185 190  
 Glu Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg  
 195 200 205  
 30 Arg Ser Ala Pro Gln Arg Glu Pro Ser Thr Gly Arg His Ala Cys Asp  
 210 215 220  
 Thr Ser Glu His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg  
 225 230 235 240  
 35 Ala Arg Lys Trp Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala  
 245 250 255  
 Leu Asn Ser Gly Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys  
 260 265 270  
 Thr Asp Asn Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe  
 275 280 285  
 45 Leu Ser Tyr Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg  
 290 295 300  
 Met Val Ser Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu  
 305 310 315 320  
 50 Met Ser Ile Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu  
 325 330 335  
 Ile Asn Ile Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp  
 340 345 350  
 Gly Pro Ser Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys  
 355 360 365

60  
 Thr Leu Gly Leu Ala Glu Ile Gly Thr Ile Lys Asp Pro Tyr Arg Ser

405 410 415  
 Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala  
 420 425 430  
 5 His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys  
 435 440 445  
 Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr  
 10 450 455 460  
 Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys  
 465 470 475 480  
 15 Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn  
 485 490 495  
 Glu Pro Glu Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile  
 500 505 510  
 20 Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser  
 515 520 525  
 Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Ser Asn Asn  
 25 530 535 540  
 Val Asn Gly Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala  
 545 550 555 560  
 30 Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Tyr Gly Phe Cys  
 565 570 575  
 Val Pro Lys Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser  
 580 585 590  
 35 Trp Ser Pro Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys  
 595 600 605  
 Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys  
 40 610 615 620  
 Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro  
 625 630 635 640  
 45 Cys Leu Lys Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe  
 645 650 655  
 Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp  
 660 665 670  
 50 Val Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe  
 675 680 685  
 Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val  
 55 690 695 700  
 Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln  
 705 710 715 720  
 60 Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val

	755	760	765
	Val Arg Ile Pro Ala Gly	Ala Thr Asn Ile Asp	Val Arg Gln His Ser
	770	775	780
5	Phe Ser Gly Glu Thr Asp	Asp Asp Asn Tyr Leu	Ala Leu Ser Ser Ser
	785	790	795 800
10	Lys Gly Glu Phe Leu Leu	Asn Gly Asn Phe Val	Val Thr Met Ala Lys
	805	810	815
	Arg Glu Ile Arg Ile Gly	Asn Ala Val Val Glu	Tyr Ser Gly Ser Glu
	820	825	830
15	Thr Ala Val Glu Arg Ile	Asn Ser Thr Asp Arg	Ile Glu Gln Glu Leu
	835	840	845
	Leu Leu Gln Val Leu Ser	Val Gly Lys Leu Tyr	Asn Pro Asp Val Arg
	850	855	860
20	Tyr Ser Phe Asn Ile Pro	Ile Glu Asp Lys Pro	Gln Gln Phe Tyr Trp
	865	870	875 880
25	Asn Ser His Gly Pro Trp	Gln Ala Cys Ser Lys	Pro Cys Gln Gly Glu
	885	890	895
	Arg Lys Arg Lys Leu Val	Cys Thr Arg Glu Ser	Asp Gln Leu Thr Val
	900	905	910
30	Ser Asp Gln Arg Cys Asp	Arg Leu Pro Gln Pro	Gly His Ile Thr Glu
	915	920	925
	Pro Cys Gly Thr Gly Cys	Asp Leu Arg Trp His	Val Ala Ser Arg Ser
	930	935	940
35	Glu Cys Ser Ala Gln Cys	Gly Leu Gly Tyr Arg	Thr Leu Asp Ile Tyr
	945	950	955 960
40	Cys Ala Lys Tyr Ser Arg	Leu Asp Gly Lys Thr	Glu Lys Val Asp Asp
	965	970	975
	Gly Phe Cys Ser Ser His	Pro Lys Pro Ser Asn	Arg Glu Lys Cys Ser
	980	985	990
45	Gly Glu Cys Asn Thr Gly	Gly Trp Arg Tyr Ser	Ala Trp Thr Glu Cys
	995	1000	1005
	Ser Lys Ser Cys Asp Gly	Gly Thr Gln Arg Arg	Arg Ala Ile Cys Val
	1010	1015	1020
50	Asn Thr Arg Asn Asp Val	Leu Asp Asp Ser Lys	Cys Thr His Gln Glu
	1025	1030	1035 1040
	Lys Val Thr Ile Gln Arg	Cys Ser Glu Phe Pro	Cys Pro Gln Trp Lys
	1045	1050	1055
55	Ser Gly Asp Trp Ser Glu	Cys Leu Val Thr Cys	Gly Lys Gly His Lys
	1060	1065	1070
60	His Glu Met Ala Ser Trp	Gln Ala Gly Ser Trp	Val Gln Cys Ser Val



1105                      1110                      1115                      1120  
 Thr Cys Gly Gln Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly  
                                  1125                      1130                      1135  
 5 Thr Tyr Met Ser Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg  
                                  1140                      1145                      1150  
 Pro Thr Asp Thr Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro  
 10                      1155                      1160                      1165  
 Ala Ala Pro Glu Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln  
                                  1170                      1175                      1180  
 15 Trp Arg Phe Gly Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly  
                                  1185                      1190                      1195                      1200  
 Thr Arg Met Arg Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala  
                                  1205                      1210                      1215  
 20 Asp Glu Ser Ala Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu  
                                  1220                      1225                      1230  
 Cys Ser Val Thr Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser  
 25                      1235                      1240                      1245  
 Cys Ser Val Thr Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys  
                                  1250                      1255                      1260  
 30 Val Asn Tyr Ser Asp His Val Ile Asp Arg Ser Glu Lys Asp Gln Asp  
                                  1265                      1270                      1275                      1280  
 Tyr Ile Pro Glu Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln  
                                  1285                      1290                      1295  
 35 Arg Thr Pro Asp Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp  
                                  1300                      1305                      1310  
 Tyr Arg Pro Arg Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly  
 40                      1315                      1320                      1325  
 Asn Gln Trp Arg Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala  
                                  1330                      1335                      1340  
 45 Gly Gly Ser Gln Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr  
                                  1345                      1350                      1355                      1360  
 Thr Ala Asn Asp Cys Val Gln Arg Ile Lys Pro Asp Gln Gln Arg Ala  
                                  1365                      1370                      1375  
 50 Cys Glu Ser Gly Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu  
                                  1380                      1385                      1390  
 Cys Thr Lys Leu Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Cys  
 55                      1395                      1400                      1405  
 Gln Arg Ser Asn Gly Gln Arg Phe Pro Asp Leu Ser Cys Gln Ile Leu  
                                  1410                      1415                      1420  
 60 Gly Arg Gly His Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly  
                                  1425                      1430                      1435

1460 1465 1470  
 Ser His Leu Glu Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly  
 1475 1480 1485  
 5 His Arg Lys Cys Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala  
 1490 1495 1500  
 Trp Ser Gln Cys Ser Val Ser Cys Gly Arg Gly Val Gln Gln Arg His  
 10 1505 1510 1515 1520  
 Val Gly Cys Gln Ile Gly Thr His Lys Ile Ala Arg Asp Thr Glu Cys  
 1525 1530 1535  
 15 Asn Pro Tyr Thr Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg  
 1540 1545 1550  
 Cys Pro Leu Tyr Thr Trp Arg Ala Glu Glu Ser Gln Glu Cys Thr Lys  
 1555 1560 1565  
 20 Thr Cys Gly Glu Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp  
 1570 1575 1580  
 Asn Lys Asn Glu Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro  
 25 1585 1590 1595 1600  
 Val Asp Arg Glu Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Ile  
 1605 1610 1615  
 30 Thr Gly Glu Trp Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys  
 1620 1625 1630  
 Gln Arg Leu Val Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr  
 1635 1640 1645  
 35 Glu Tyr Ser Tyr Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro  
 1650 1655 1660  
 Ser Val His Pro Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp  
 40 1665 1670 1675 1680  
 Arg Val Gly Asn Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val  
 1685 1690 1695  
 45 Met Gln Arg Ser Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His  
 1700 1705 1710  
 Leu Cys His Thr Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Asp Asn  
 1715 1720 1725  
 50 Val Tyr Asn Cys Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu  
 1730 1735 1740  
 Lys Gly Ala Ser Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys  
 55 1745 1750 1755 1760  
 Leu Leu Lys Ile Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu  
 1765 1770 1775  
 60 Arg Asp Asp Cys Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser

1810                      1815                      1820  
 Ser Phe Gln Lys Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr  
 1825                      1830                      1835                      1840  
 5 Thr Asp Leu Gln Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe  
                                  1845                      1850                      1855  
 Ala Thr Ala Gly Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg  
 10                      1860                      1865                      1870  
 Phe Ser Ile Asn Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala  
                                  1875                      1880                      1885  
 15 Arg Trp Ile Ser Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser  
                                  1890                      1895                      1900  
 Pro Asp Gly Thr Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys  
 20                      1905                      1910                      1915                      1920  
 Cys Thr Pro Ser Ser Gly Thr Gly Leu Glu Val Arg Val Leu  
                                  1925                      1930

25